

Table 1. Clinical Information for Hepatocellular Carcinoma, Metastatic Liver Tumor, and Normal Liver Samples Included in this Study

Sample	Pathology	Primary Tumor	Age	Gender	Race	TNM Classification	Histopathologic Grade	Clinical Stage
HCC1	Hepatocellular Carcinoma	Liver	64	Male	Caucasian	T3,Nx,Mx	G2	stage III
HCC2	Hepatocellular Carcinoma	Liver	27	Female	Caucasian	T3,N0,Mx	G1	stage III
HCC3	Hepatocellular Carcinoma	Liver	78	Female	Caucasian	T4,Nx,Mx	G2	stage III
HCC4	Hepatocellular Carcinoma	Liver	43	Male	Asian	T4,N1,Mx	G2	stage IV
HCC5	Hepatocellular Carcinoma	Liver	51	Male	Caucasian	T4,N0,Mx	G2	stage IV
HCC6	Hepatocellular Carcinoma	Liver	57	Male	Caucasian	unavailable	G2	stage III
M1	Metastatic Adenocarcinoma	Rectum	61	Female	Caucasian	Tx,Nx,M1	G3	stage IV; Duke D
M2	Metastatic Adenocarcinoma	Colon	54	Male	Caucasian	unavailable	G2	stage IV; Duke D
M3	Metastatic Adenocarcinoma	Rectum	50	Female	Caucasian	Tx,Nx,M1	G2	stage IV; Duke D
M4	Metastatic Adenocarcinoma	Colon	60	Male	Caucasian	Tx,Nx,M1	G2	stage IV; Duke D
M5	Metastatic Adenocarcinoma	Colon	57	Male	Caucasian	Tx,Nx,M1	G2	stage IV; Duke D
N1	Normal liver		54	Female	Caucasian			
N2	Normal liver		55	Female	Caucasian			
N3	Normal liver		58	Male	Caucasian			
N4	Normal liver		44	Female	Caucasian			
N5	Normal liver		40	Female	Caucasian			
N6	Normal liver		72	Female	Caucasian			
N7	Normal liver		48	Female	Unknown			
N8	Normal liver		55	Female	Caucasian			

Table 2. Summary of Genes and ESTs Expressed in HCC, Metastatic Liver Tumors, and Normal Livers

	Hepatocellular Carcinoma	Colorectal Metastases	Normal Livers
I. Fingerprint of Gene Expression			
Genes and ESTs commonly expressed in sample set	8479	5102	6213
Genes and ESTs commonly unexpressed in sample set	23233	30455	24900
II. Fold Change			
Genes and ESTs overexpressed in tumors (fold change >3 and $p < 0.05$)	842	1044	
Number of Genes	430	603	
Number of ESTs	412	441	
Genes and ESTs underexpressed in tumors (fold change >3 and $p < 0.05$)	393	1867	
Number of Genes	235	1016	
Number of ESTs	158	851	
III. Differential Comparison between Normal and Tumor Expression			
Genes and ESTs turned ON in tumors	243	296	
Genes and ESTs with expression level above threshold in tumor	77	155	
Number of Genes	38	83	
Number of ESTs	39	72	
Genes and ESTs turned OFF in tumors	47	903	
Genes and ESTs with expression level above threshold in normal	23	449	
Number of Genes	13	289	
Number of ESTs	10	160	

Table 3A. Top Fifteen Genes Overexpressed in Hepatocellular Carcinoma

Accession #	SEQ ID:	Unigene Cluster	Gene Name	Fold Change	Pvalue
N33920	2492	Hs.44532	diubiquitin	50.3	0
Y00705	3847	Hs.181286	serine protease inhibitor, Kazal type 1	28.9	0.00003
AA610116	1499	Hs.102737	tetraspan NET-6 protein	16.4	0.00249
AA505133	1417	Hs.279905	solute carrier family 2 (facilitated glucose transporter), member 3	12.2	0.00169
AA055896	135	Hs.146428	collagen, type V, alpha 1	10.9*	0.00907
AA430032	1009	Hs.252587	pituitary tumor-transforming 1	10.7*	0.00052
Z37987	3879	Hs.119651	glypican 3	10.7	0.02304
J03464	2094	Hs.179573	collagen, type I, alpha 2	10.4	0.00979
W45320	3520	Hs.228059	KRAB-associated protein 1	10.1*	0.00002
M94250	2425	Hs.82045	midkine (neurite growth-promoting factor 2)	9.9*	0.02104
AA428172	986	Hs.8546	Notch (Drosophila) homolog 3	9.6*	0.00195
AA620881	1510	Hs.21858	trinucleotide repeat containing 3	9.5	0.00062
D51276	1678	Hs.81915	leukemia-associated phosphoprotein p18 (statthmin)	9.4	0.00015
AA156187	339	Hs.81634	ATP synthase, H+ transporting, mitochondrial F0 complex, subunit b, isoform 1	9.4	0.02007
D31094	1639	Hs.109798	G8 protein	9.4	0.0048

Table 3B. Top Fifteen Genes that are Underexpressed in Hepatocellular Carcinoma

Accession #	SEQ ID:	Unigene Cluster	Gene Name	Fold Change	Pvalue
H81070	2006	Hs.8765	RNA helicase-related protein	39.6	0.00002
AA007395	17	Hs.1219	alcohol dehydrogenase 4 (class II), pi polypeptide	37.8	0.00939
T48075	3129	Hs.251577	hemoglobin, alpha 1	35.8	0.00471
N80129	2702	Hs.94360	metallothionein 1L	26.9	0.00999
AA010605	26	Hs.2899	4-hydroxyphenylpyruvate dioxygenase	25.5	0.00855
W88946	3636	Hs.18508	putative glycine-N-acyltransferase	25.3	0.00221
T95813	3261	Hs.137476	KIAA1051 protein	20.4	0.01361
H58692	1960	Hs.9520	formyltetrahydrofolate dehydrogenase	20.2	0.00485
R97419	3003	Hs.35718	cytochrome P450, subfamily VIIIB (sterol 12-alpha-hydroxylase), polypeptide 1	19.3	0.00807
H80901	2005	Hs.272576	ficolin (collagen/fibrinogen domain-containing) 3 (Hakata antigen)	18.6	0
M29873	2318	Hs.1360	cytochrome P450, subfamily IIB (phenobarbital-inducible)	17.9	0.01469
U56814	3392	Hs.88646	deoxyribonuclease I-like 3	17.7	0.00007
T67931	3183	Hs.7645	fibrinogen, B beta polypeptide	17.3	0.00128
K03192	2127	Hs/183584	cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 6	14.2	0.0307
AA448002	1113	Hs.23759	putative type II membrane protein	14.1*	0

Table 4A. Top Fifteen Genes Overexpressed in Metastatic Carcinomas in the Liver

Accession #	SEQ ID:	Unigene Cluster	Gene Name	Fold Change	Pvalue
AA427468	973	Hs.5372	Claudin 4	84.4*	0
H58873	1961	Hs.169902		58.0*	0.00063
AA421562	934	Hs.91011	Anterior gradient 2 (Xenopus leavis) homolog	56.3*	0.0041
AA100719	212	Hs.73848	Cardinoembryonic antigen-related cell adhesion molecule 6 (non-specific cross reacting antigen)	50.9*	0.00081
AA335191	741	Hs.173724	Creatine kinase, brain	47.4*	0.00419
H95233	2048	Hs.31439	Serine protease inhibitor, Kunitz type, 2	47.1	0
H94471	2042	Hs.171952	Occludin	43.1	0
X93036	3827	Hs.92323	FXVD domain-containing ion transport regulator 3	42.4*	0.00167
AA156243	340	Hs.154737	Serine protease, umbilical endothelium	41.4*	0.00139
M35252	2343	Hs.84072	Transmembrane 4 superfamily member 3	39.1	0
M29540	2317	Hs.220529	Cardinoembryonic antigen-related cell adhesion molecule 5	36.6*	0.0116
N92934	2724	Hs.17409	Cysteine-rich protein 1 (intestinal)	35.5	0.002
AA610116	1499	Hs.102737	Tetraspan NET-6 protein	33.7	0.00171
HG2788-HT2896		Hs.27258	Calycalin binding protein	33.2	0
AA429009	994	Hs.233950	Serine protease inhibitor, Kunitz type 1	30.0*	0.00001

Table 4B. Top Fifteen Genes that are Underexpressed in Metastatic Carcinomas in the Liver

Accession #	SEQ ID:	Unigene Cluster	Gene Name	Fold Change	Pvalue
N54417	2566	Hs.90765	Fibrinogen, A alpha polypeptide	99.3	0.00001
N53031	2555	Hs.89691	UDP glycosyltransferase 2 family, polypeptide B4	97.6	0.00022
M15656	2268	Hs.234234	Aldolase B, fructose-bisphosphate	96.7*	0
T59148	3157	Hs.50966	Carbamoyl-phosphate synthetase 1, mitochondrial	88.9*	0
R49459	2881	Hs.63758	Transferrin receptor 2	85.6	0.00048
X55283	3731	Hs.1259	Asialoglycoprotein receptor 2	85.0	0.00084
L16883	2166	Hs.167529	Cytochrome P450, subfamily IIC (mephenytoin 4-hydroxylase), polypeptide 9	84.7	0.00327
T48039	3128	Hs.2351	Protein C (inactivator of coagulation factors Va and VIIIa)	84.4	0.00112
H58692	1960	Hs.9520	Formyltetrahydrofolate dehydrogenase	81.4*	0
M81349	2404	Hs.1955	Serum amyloid A4, constitutive	76.2	0.00015
R43174	2847	Hs.1898	Paraoxonase 1	74.0*	0.00038
M16594	2272	Hs.89552	glutathione S-transferase A2	73.2*	0
U22029	3326	Hs.250615	Cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 7	72.0*	0
AA256367	579	Hs.107966	Paraoxonase 3	70.3	0.00192
K03192	2127	Hs.183584	Cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 6	69.9*	0

Table 5. Top Fifteen Genes Expressed in Both Hepatocellular Carcinomas and Metastatic Liver Tumors, not in Normal Liver Tissue

Accession #	SEQ ID:	Unigene Cluster	Gene Name	HCC Fold Change	HCC p value	Metastatics Fold Change	Metastatic p value
Y00705	3847	Hs.181286	serine protease inhibitor, Kazal type 1	28.9	0.00003	9.8	0.03697
AA610116	1499	Hs.102737	tetraspan NET-6 protein	16.4	0.00249	33.7	0.00171
AA055896	135	Hs.146428	collagen, type V, alpha 1	10.9	0.00907	18.2	0.00146
J03464	2094	Hs.179573	collagen, type I, alpha 2	10.4	0.00979	9.8	0.00028
M94250	2425	Hs.82045	midkine (neurite growth-promoting factor 2)	9.9	0.02104	10.4	0.01818
AA620881	1510	Hs.21858	trinucleotide repeat containing 3	9.5	0.00062	8.7	0.00000
D51276	1678	Hs.81915	leukemia-associated phosphoprotein p18 (statthmin)	9.4	0.00015	4.8	0.00000
D31094	1639	Hs.109798	G8 protein	9.4	0.0048	4.4	0.04845
AA429472	997	Hs.236522	DKFZP434P106 protein	8.8	0.00063	8.3	0.00208
AA452724	1149	Hs.166468	programmed cell death 5	7.7	0.00085	7.2	0.00908
D26129	1635	Hs.78224	ribonuclease, RNase A family, 1 (pancreatic)	6.9	0.00008	5.7	0.03827
AA434418	1036	Hs.72172	KIAA1115 protein	6.8	0.0032	5.1	0.00498
AA335191	741	Hs.173724	creatine kinase, brain	6.5	0.01462	47.4	0.00419
AA204927	425	Hs.77899	tropomyosin 1 (alpha)	6.1	0.0014	7.1	0.00074
H27188	1908	Hs.9930	collagen-binding protein 2 (colligen 2)	5.8	0.01826	4.2	0.02073

Table 6A. (page 1) Up in Metastatics vs Normal Sample Set 2

Fragment Name	SEQ ID :	Known Gene Name	Fold Change	Direction	Pvalue
AA427468	973	claudin 4	84.43	up	0
H58873	1961	solute carrier family 2 (facilitated glucose transporter), member 1	57.98	up	0.00063
AA421562	934	anterior gradient 2 (Xenopus laevis) homolog	56.3	up	0.0041
J04423	2109	EST	54.11	up	0.02774
AA100719	212	carcinoembryonic antigen-related cell adhesion molecule 6 (non-specific cross reacting antigen)	50.88	up	0.00081
AA159525	354	EST	49.39	up	0.00062
J04423	2109	EST	48.05	up	0.02203
AA335191	741	creatine kinase, brain	47.35	up	0.00419
H95233	2048	serine protease inhibitor, Kunitz type, 2	47.06	up	0
N22015	2447	EST	46.61	up	0.00025
M18728	2285	carcinoembryonic antigen-related cell adhesion molecule 6 (non-specific cross reacting antigen)	44.82	up	0.00291
AA211483	435	EST	44.07	up	0.00175
H94471	2042	occludin	43.09	up	0
N54841	2571	EST	42.96	up	0.00002
AA055805	132	EST	42.83	up	0.00142
X93036	3827	FXD domain-containing ion transport regulator 3	42.36	up	0.00167
AA156243	340	serine protease, umbilical endothelium	41.44	up	0.00139
R33498	2819	EST	41.34	up	0.00001
AA291168	696	EST	40.67	up	0.00065
M35252	2343	transmembrane 4 superfamily member 3	39.12	up	0
AA398908	801	EST	38.69	up	0.01089
AA424487	945	EST	38.41	up	0.00002
M29540	2317	carcinoembryonic antigen-related cell adhesion molecule 5	36.57	up	0.0116
N92934	2724	cysteine-rich protein 1 (intestinal)	35.52	up	0.002
AA075299	164	EST	34.27	up	0.00002
AA610116	1499	tetraspan NET-6 protein	33.68	up	0.00171
HG2788-HT2896		calyculin binding protein	33.15	up	0
W92449	3649	EST	31.67	up	0.00011
T26366	3092	EST	30.43	up	0.00153
AA429009	994	serine protease inhibitor, Kunitz type 1	30.04	up	0.00001
AA099404	208	EST	29.07	up	0

Table 6A. (page 3) Up in Metastatics vs Normal Sample Set 2

AA158234	351	EST	17.04	up	0.00711
AA442054	1067	phospholipase C, gamma 1 (formerly subtype 148)	16.89	up	0.00205
AA430032	1009	pituitary tumor-transforming 1	16.87	up	0.00659
AA251299	541	KIAA0014 gene product	16.86	up	0.00046
AA331393	739	EST	16.73	up	0.00848
W93726	3653	protease inhibitor 5 (maspin)	16.48	up	0.00014
M93036	2421	membrane component, chromosomal 4, surface marker (35kD glycoprotein)	16.45	up	0.00308
AA411502	889	EST	16.42	up	0.00241
AA410508	885	EST	16.04	up	0.02635
AA053660	128	EST	15.98	up	0.00003
N98464	2743	EST	15.95	up	0.00004
AA215299	439	U6 snRNA-associated Sm-like protein LSM7	15.84	up	0.00001
M27830	2314	EST	15.53	up	0.00022
AA131919	270	putative type II membrane protein	15.36	up	0.00027
T24068	3087	EST	15.26	up	0.00046
AA253473	567	EST	15.23	up	0.00171
W42957	3513	calmodulin 2 (phosphorylase kinase, delta)	15.22	up	0.00007
AA430674	1018	EST	15.11	up	0.00293
M38591	2350	S100 calcium-binding protein A10 (annexin II ligand, calpactin I, light polypeptide (p11))	14.87	up	0
M27830	2314	EST	14.86	up	0.00043
AA485697	1346	EST	14.74	up	0.00102
AA451676	1135	EST	14.72	up	0.00056
X68314	3775	glutathione peroxidase 2 (gastrointestinal)	14.4	up	0.00222
AA372018	768	EST	14.3	up	0.00178
AA135894	295	retinoic acid induced 3	14.27	up	0.00558
Y00503	3846	keratin 19	14.19	up	0.00217
L08044	2149	trefoil factor 3 (intestinal)	14.18	up	0.02124
AA161292	357	interferon, alpha-inducible protein 27	13.84	up	0.00004
AA412405	901	EST	13.82	up	0.01021
C01766	1559	EST	13.67	up	0.00003
AA262943	611	EST	13.42	up	0.00234
U09770	3295	cysteine-rich protein 1 (intestinal)	13.03	up	0.0072
AA227560	458	EST	12.81	up	0.01693

Table 6A. (page 4) Up in Metastatics vs Normal Sample Set 2

M16364	2269	creatine kinase, brain	12.69	up	0.03633
X57348	3741	stratifin	12.53	up	0.0013
AA429890	1004	cisplatin resistance associated	12.51	up	0.00053
J04164	2108	interferon induced transmembrane protein 1 (9-27)	12.37	up	0.00001
X65614	3764	S100 calcium-binding protein P	12.2	up	0.00065
AA134968	289	EST	12.11	up	0.00079
AA134985	290	EST	12.11	up	0.00318
J05257	2118	dipeptidase 1 (renal)	12.02	up	0.02099
T23490	3081	EST	11.86	up	0.03242
N49284	2536	v-myb avian myeloblastosis viral oncogene homolog	11.82	up	0.01981
X76180	3792	sodium channel, nonvoltage-gated 1 alpha	11.68	up	0
AA290674	692	eukaryotic translation initiation factor 4E binding protein 1	11.59	up	0.00036
M10098	2231	EST	11.55	up	0.00099
AA447687	1104	EST	11.42	up	0.00362
D00017	1587	annexin A2	11.38	up	0
H20989	1899	pyruvate kinase, muscle	11.37	up	0.0375
AF003521	1545	jagged 2	11.26	up	0.00008
AA126044	245	EST	11.23	up	0.00041
R95966	2996	EST	11.22	up	0.00682
AA256642	582	EST	11.17	up	0.00035
AA497031	1407	EST	11.05	up	0.04381
R92994	2989	matrix metalloproteinase 12 (macrophage elastase)	11.05	up	0.00248
L33842	2197	IMP (inosine monophosphate) dehydrogenase 2	11.03	up	0.00001
AA026030	53	EST	11.01	up	0.01649
R49476	2882	EST	10.95	up	0.00014
AA404338	849	EST	10.9	up	0.00668
W95348	3660	HSPC113 protein	10.89	up	0.01065
M12125	2241	tropomyosin 2 (beta)	10.83	up	0.00191
U07969	3288	cadherin 17, LI cadherin (liver-intestine)	10.78	up	0.02002
AA338889	745	actin related protein 2/3 complex, subunit 4 (20 kD)	10.77	up	0.03782
AA460017	1225	EST	10.76	up	0.00106
K03195	2128	solute carrier family 2 (facilitated glucose transporter), member 1	10.73	up	0.00139
AA422086	938	EST	10.71	up	0.03418
T53404	3142	EST	10.68	up	0.00582
M27830	2314	EST	10.64	up	0.00213

Table 6A. (page 5) Up in Metastatics vs Normal Sample Set 2

AA113149	226	tumor suppressing subtransferable candidate 3	10.58	up	0.00543
X83228	3807	cadherin 17, LI cadherin (liver-intestine)	10.58	up	0.02147
X12447	3693	aldolase A, fructose-bisphosphate	10.52	up	0.00038
D51112	1675	collapsin response mediator protein 1	10.48	up	0.00076
Z74615	3946	collagen, type I, alpha 1	10.47	up	0.00064
AA429636	1001	hexokinase 2	10.43	up	0.00597
R71395	2951	EST	10.42	up	0.00422
D83735	1747	calponin 2	10.42	up	0.00001
N31570	2485	TNF receptor-associated factor 5	10.39	up	0.00018
T95057	3258	EST	10.39	up	0.00003
M94250	2425	midkine (neurite growth-promoting factor 2)	10.39	up	0.01818
M10098	2231	EST	10.2	up	0.00027
M24485	2304	glutathione S-transferase pi	10.2	up	0.00003
AA609013	1477	dipeptidase 1 (renal)	10.17	up	0.00109
		solute carrier family 25 (mitochondrial carrier; adenine nucleotide translocator), member 6			
J03592	2096	EST	10.05	up	0
AA001504	2	EST	9.98	up	0.00336
H89551	2024	EST	9.94	up	0.00137
AA608897	1473	EST	9.92	up	0.00087
X89960	3815	EST	9.87	up	0
Y00705	3847	serine protease inhibitor, Kazal type 1	9.83	up	0.03697
J03464	2094	collagen, type I, alpha 2	9.81	up	0.00028
M27830	2314	EST	9.8	up	0.00041
AA132986	275	EST	9.72	up	0.00552
X67325	3772	interferon, alpha-inducible protein 27	9.67	up	0.03245
AA280734	639	KIAA0618 gene product	9.64	up	0.00003
N46423	2520	EST	9.64	up	0.00027
T03313	3041	dyskeratosis congenita 1, dyskerin	9.63	up	0.00001
AA188378	392	EST	9.56	up	0.00271
AA428172	986	Notch (Drosophila) homolog 3	9.53	up	0.02562
AA454908	1171	KIAA0144 gene product	9.3	up	0.00539
N39237	2510	EST	9.29	up	0.00001
AA133936	284	EST	9.19	up	0.00088
AA235707	500	EST	9.17	up	0.00005
L33930	2198	CD24 antigen (small cell lung carcinoma cluster 4 antigen)	9.16	up	0.01252

Table 6A. (page 6) Up in Metastatics vs Normal Sample Set 2

H97013	2059	ephrin-A4	9.14	up	0.00346
AA084901	181	ribosomal protein S6 kinase, 70kD, polypeptide 2	9.13	up	0.00003
M38690	2351	CD9 antigen (p24)	9.08	up	0.00059
W78057	3597	EST	9.06	up	0.0034
		solute carrier family 11 (proton-coupled divalent metal ion transporters), member 2			
N72116	2667	member 2	9.01	up	0.00051
R91819	2983	EST	8.95	up	0.00009
Z39191	3898	EST	8.84	up	0.00011
AA116036	233	chromosome 20 open reading frame 1	8.81	up	0.00133
M27830	2314	EST	8.78	up	0.00003
AA053424	127	EST	8.76	up	0.01775
AA243173	526	EST	8.75	up	0.00003
AA291139	695	EST	8.69	up	0.04573
AA424029	943	EST	8.68	up	0.00081
L09604	2151	proteolipid protein 2 (colonic epithelium-enriched)	8.68	up	0
AA620881	1510	trinucleotide repeat containing 3	8.66	up	0.00735
AA435665	1040	EST	8.66	up	0.00001
AA451877	1138	EST	8.63	up	0.00489
U79725	3437	glycoprotein A33 (transmembrane)	8.57	up	0.00299
AA043959	101	tropomyosin 4	8.54	up	0.00222
D80946	1737	SFRS protein kinase 1	8.53	up	0.00455
L21954	2177	benzodiazepine receptor (peripheral)	8.53	up	0.00001
X54667	3728	cystatin S,cystatin SN	8.53	up	0.00059
U47025	3367	phosphorylase, glycogen; brain	8.52	up	0.00134
N62126	2588	EST	8.51	up	0.00016
N73808	2678	EST	8.46	up	0.01886
HG371-HT26388		mucin 1, transmembrane			
T30193	3097	protease, serine, 8 (prostatin)	8.44	up	0.00268
M32886	2335	sorcin	8.39	up	0.00043
U73379	3417	ubiquitin carrier protein E2-C	8.35	up	0.00215
AA429472	997	DKFZP434P106 protein	8.32	up	0.00101
AA406542	878	EST	8.27	up	0.00208
F04674	1793	KIAA0746 protein	8.27	up	0.00724
M27830	2314	EST	8.2	up	0.00028
T03438	3042	EST	8.2	up	0.00294
			8.18	up	0.00032

Table 6A: (page 7) Up in Metastatics vs Normal Sample Set 2

R56095	2905	EST		8.16	up	0.00023
AA461187	1236	EST		8.15	up	0.00068
S78187	3035	cell division cycle 25B		8.07	up	0.00009
T33489	3104	EST		8.04	up	0.00469
R02036	2753	EST		8.01	up	0.01012
AA295819	722	EST		8	up	0.01793
AA282247	657	EST		8	up	0.00014
U09117	3293	phospholipase C, delta 1		7.96	up	0.00001
AA479797	1316	EST		7.93	up	0.00006
J04469	2111	creatine kinase, mitochondrial 1 (ubiquitous)		7.9	up	0.00705
Z39429	3903	EST		7.84	up	0.00045
AA053033	124	EST		7.83	up	0.00379
Z40945	3924	trinucleotide repeat containing 15		7.82	up	0.00007
R45994	2866	EST		7.81	up	0.0018
F04531	1791	Kell blood group precursor (McLeod phenotype)		7.79	up	0.03205
AA425852	958	EST		7.78	up	0.00239
R48447	2870	EST		7.75	up	0.00049
AA243133	525	serine/threonine kinase 15		7.73	up	0.04328
AA074514	160	EST		7.69	up	0
AA292788	714	EST		7.69	up	0.00967
AA433930	1032	chondroitin 4-sulfotransferase		7.68	up	0.02445
Z23090	3865	heat shock 27kD protein 1		7.67	up	0.00008
AA196790	421	EST		7.64	up	0.00287
F13809	1828	tropomyosin 1 (alpha)		7.62	up	0.00012
U21049	3324	epithelial protein up-regulated in carcinoma, membrane associated protein 17		7.53	up	0.01667
K03460	2129	tubulin, alpha 1 (testis specific)		7.5	up	0.00002
D13639	1607	cyclin D2		7.49	up	0.01641
M31303	2327	leukemia-associated phosphoprotein p18 (stathmin)		7.48	up	0.00021
N69263	2647	EST		7.47	up	0.00004
AF001294	1544	tumor suppressing subtransferable candidate 3		7.45	up	0.00009
U01062	3272	inositol 1,4,5-triphosphate receptor, type 3		7.41	up	0
AA463725	1249	mannosyl (alpha-1,6-)-glycoprotein beta-1,2-N-acetylglucosaminyltransferase		7.4	up	0.04715
AA403159	845	Ste-20 related kinase		7.33	up	0.00187

Table 6A. (page 8) Up in Metastatics vs Normal Sample Set 2

M86752	2411	stress-induced-phosphoprotein 1 (Hsp70/Hsp90-organizing protein)	7.32	up	0.00001
		myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog);			
		translocated to, 7			
W38044	3677	heterogeneous nuclear ribonucleoprotein A1	7.28	up	0.03105
X04347	1149	programmed cell death 5	7.26	up	0.00018
AA452724	335	matrix metalloproteinase 23B	7.2	up	0.00908
AA151428	2829	EST	7.15	up	0.00056
R38239	712	ZW10 interactor	7.14	up	0.00249
AA292765	425	tropomyosin 1 (alpha)	7.14	up	0.02623
AA204927	1734	integral type I protein	7.09	up	0.00074
D80710	1540	lectin, galactoside-binding, soluble, 4 (galectin 4)	7.08	up	0.00213
AB006781	3019	thymosin, beta 10	7.05	up	0.00913
S54005	126	EST	7.03	up	0.00334
AA053248	1496	EST	7.01	up	0.00003
AA610053	2665	EST	7.01	up	0.00003
N71781	2258	laminin receptor 1 (67kD, ribosomal protein SA)	7.01	up	0.02952
M14199	2356	collagen, type I, alpha 1	6.99	up	0
M55998	3102	EST	6.96	up	0.00103
T32108	1307	EST	6.9	up	0.00723
AA479044	1117	EST	6.89	up	0.04668
AA449073	2448	EST	6.88	up	0.01445
N22107	133	glycoprotein A33 (transmembrane)	6.86	up	0.04259
AA055811	453	DKFZP564F0923 protein	6.84	up	0.02152
AA226932	268	DKFZP564O0463 protein	6.83	up	0.00405
AA131584	2908	EST	6.82	up	0.00025
R56880	460	EST	6.81	up	0.02559
AA227926	3360	laminin 1	6.8	up	0.01701
U42408	1770	KIAA0440 protein	6.78	up	0.00305
F01444	923	DKFZP586E1422 protein	6.77	up	0.00028
AA419217	3648	EST	6.77	up	0.00045
W92207	3932	EST	6.76	up	0.00002
Z41740	893	postmeiotic segregation increased 2-like 11	6.76	up	0.00049
AA411813	123	putative receptor protein	6.76	up	0.03499
AA053007	1452	squamous cell carcinoma antigen recognised by T cells	6.75	up	0.00061
AA599522	2157	tetracycline transporter-like protein	6.75	up	0.04229
L11669				up	0.00101

Table 6A. (page 9) Up in Metastatics vs Normal Sample Set 2

H78211	2001	EST		6.73	up	0.02488
W81540	3611	serine/threonine kinase 24 (Ste20, yeast homolog)		6.72	up	0.00164
R69700	2942	EST		6.71	up	0.0021
AA406145	870	EST		6.71	up	0.00047
X79882	3802	lung resistance-related protein		6.71	up	0.0362
N73762	2677	EST		6.65	up	0.0023
AA429825	1003	DKFZP566B023 protein		6.63	up	0.00032
D55716	1686	minichromosome maintenance deficient (S. cerevisiae) 7		6.6	up	0.00151
AA127712	255	EST		6.59	up	0.03706
W80730	3604	EST		6.59	up	0.00425
Z38266	3883	EST		6.58	up	0.01909
D83783	1748	trinucleotide repeat containing 11 (THR-associated protein, 230 kDa subunit)		6.55	up	0.00176
Z28407	3873	ribosomal protein L8		6.53	up	0.00004
AA078862	173	EST		6.52	up	0.00025
AA609614	1487	EST		6.5	up	0.00406
HG2797-HT2906		clathrin, light polypeptide (Lcb)		6.5	up	0.00013
X64364	3761	basigin		6.45	up	0.00041
AA19787	380	polyglutamine binding protein 1		6.44	up	0.00206
R61297	2919	eukaryotic translation initiation factor 3, subunit 6 (48kD)		6.42	up	0.00126
C13992	1564	EST		6.39	up	0.00059
AA148885	320	minichromosome maintenance deficient (S. cerevisiae) 4		6.39	up	0.0125
D28124	1636	neuroblastoma candidate region, suppression of tumorigenicity 1		6.38	up	0.00015
L19605	2170	annexin A11		6.38	up	0.00017
AB002533	1539	karyopherin alpha 4 (importin alpha 3)		6.38	up	0.00003
R70801	2949	EST		6.36	up	0.00563
N47956	2523	eukaryotic translation initiation factor 3, subunit 3 (gamma, 40kD)		6.34	up	0.00251
L41351	2214	protease, serine, 8 (prostatic)		6.34	up	0.01132
D63486	1712	KIAA0152 gene product		6.33	up	0.00078
HG1153-HT1153		non-metastatic cells 2, protein (NM23B) expressed in		6.31	up	0
AA410469	883	EST		6.3	up	0.00103
AA424881	949	EST		6.3	up	0.00556
AA449456	1126	EST		6.29	up	0.00087
AA430048	1012	KIAA0160 protein		6.27	up	0.00631
X99133	3839	lipocalin 2 (oncogene 24p3)		6.27	up	0.0453

Table 6A. (page 10) Up in Metastatics vs Normal Sample Set 2

R79580	2969	EST		6.25	up	0.00593
AA028132	62	EST		6.25	up	0.00646
N66624	2617	homolog of mouse quaking QKI (KH domain RNA binding protein)		6.25	up	0
AA010065	22	CDC28 protein kinase 2		6.25	up	0.02752
M27830	2314	EST		6.25	up	0.00046
W90146	3641	EST		6.23	up	0.01558
AA062721	146	nuclear factor (erythroid-derived 2)-like 1		6.2	up	0.00024
R96924	3000	EST		6.18	up	0.03417
L23808	2179	matrix metalloproteinase 12 (macrophage elastase)		6.18	up	0.02195
AA053248	126	EST		6.16	up	0.00191
AA453783	1158	EST		6.16	up	0.00167
AA478300	1298	CD39-like 2		6.15	up	0.01625
N26186	2467	EST		6.15	up	0.00135
AA425279	951	quiescin Q6		6.15	up	0.00083
AA441911	1066	EST		6.14	up	0.00003
U93205	3460	chloride intracellular channel 1		6.14	up	0.00058
W67251	3567	EST		6.13	up	0.01463
D87953	1765	N-myc downstream regulated secreted phosphoprotein 1 (osteopontin, bone sialoprotein I, early T- lymphocyte activation 1)		6.12	up	0.00033
U20758	3322	lymphocyte activation 1)		6.12	up	0.03448
M62895	2375	annexin A2,annexin A2 pseudogene 2		6.11	up	0.00013
AA128561	261	collagen, type XVII, alpha 1		6.09	up	0.0433
U58682	3395	ribosomal protein S28		6.09	up	0.00001
AA479727	1315	EST		6.06	up	0.00389
N80703	2703	EST		6.06	up	0.00003
AA279177	624	lymphocyte antigen 75		6.05	up	0.01821
AA292379	708	EST		6.04	up	0.00568
W74233	3594	related RAS viral (r-ras) oncogene homolog		6.02	up	0.01815
AA007160	16	EST		6	up	0.01035
H09281	1863	EST		6	up	0.00966
Z41798	3934	EST		6	up	0.00073
R97759	3005	serum/glucocorticoid regulated kinase		5.99	up	0.00221
AA284945	680	EST		5.98	up	0.00026
W49574	3535	EST		5.97	up	0.00045
T32072	3101	EST		5.95	up	0.00029

Table 6A. (page 11) Up in Metastatics vs Normal Sample Set 2

D82558	1746	novel centrosomal protein RanBPM	5.94	up	0.00752
AA463234	1246	KIAA0792 gene product	5.94	up	0.01182
U48705	3369	discoilin domain receptor family, member 1	5.94	up	0.01323
R52161	2892	EST	5.84	up	0.03253
R76782	2962	O-linked N-acetylglucosamine (GlcNAc) transferase (UDP-N-acetylglucosamine:polypeptide-N-acetylglucosaminyl transferase)	5.83	up	0.01126
R40254	2839	EST	5.82	up	0.00304
H81413	2007	high-mobility group (nonhistone chromosomal) protein isoforms I and Y	5.82	up	0.00769
H75933	1998	laminin receptor 1 (67kD, ribosomal protein SA)	5.81	up	0.00024
T15473	3057	muscle specific gene	5.81	up	0.02404
M27830	2314	EST	5.78	up	0.0017
AA478017	1295	zyxin	5.77	up	0.00484
AA179845	381	EST	5.77	up	0.01414
AA151778	338	claudin 7	5.77	up	0.00002
U78556	3432	cisplatin resistance associated	5.77	up	0.00241
U51478	3384	ATPase, Na+/K+ transporting, beta 3 polypeptide	5.75	up	0.00007
U73843	3420	E74-like factor 3 (ets domain transcription factor)	5.75	up	0.00017
AA236037	506	EST	5.74	up	0.0091
M60784	2366	small nuclear ribonucleoprotein polypeptide A	5.74	up	0.00126
R44538	2855	EST	5.73	up	0.01015
AA287393	688	EST	5.68	up	0.00062
D26129	1635	ribonuclease, RNase A family, 1 (pancreatic)	5.68	up	0.03827
L76191	2222	interleukin-1 receptor-associated kinase 1	5.66	up	0.00089
N52168	2550	EST	5.65	up	0.00003
D51393	1681	ribosomal protein L4	5.64	up	0.00074
T47325	3124	EST	5.63	up	0.01015
M10098	2231	EST	5.62	up	0.00251
M86400	2409	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, zeta polypeptide	5.62	up	0.00016
M10098	2231	EST	5.61	up	0.01238
D11086	1595	interleukin 2 receptor, gamma (severe combined immunodeficiency)	5.61	up	0.00873
AA093497	199	DEK oncogene (DNA binding)	5.6	up	0.02551
AA452536	1145	v-ral simian leukemia viral oncogene homolog A (ras related)	5.6	up	0.00481
AA279840	632	titin-cap (telethonin)	5.58	up	0.01253
N71072	2663	EST	5.57	up	0.03881

Table 6A. (page 13) Up in Metastatics vs Normal Sample Set 2

AA291137	694	EST		5.21	up	0.00685
R38511	2831	protein similar to E.coli yhdg and R. capsulatus nifR3		5.19	up	0.00015
R06866	2773	EST		5.18	up	0.00187
D20906	1627	EST		5.18	up	0.02189
H05625	1847	EST		5.17	up	0.04551
AA011383	31	EST		5.17	up	0.00008
N20198	2439	ubiquitin-conjugating enzyme E2 variant 1		5.17	up	0.00508
AA490494	1377	EST		5.16	up	0.01696
S69272	3027	protease inhibitor 6 (placental thrombin inhibitor)		5.15	up	0.00003
AA471278	1277	BUB3 (budding uninhibited by benzimidazoles 3, yeast) homolog		5.14	up	0.00873
AA026150	55	EST		5.14	up	0.01072
AA086232	186	kangai 1 (suppression of tumorigenicity 6, prostate; CD82 antigen (R2		5.14	up	0.01916
AA620466	1502	leukocyte antigen, antigen detected by monoclonal and antibody IA4))		5.14	up	0.00004
X17206	3715	ribosomal protein S2		5.14	up	0
J04423	2109	EST		5.13	up	0.02791
W92608	3650	BAI1-associated protein 3		5.12	up	0.00075
AA434418	1036	KIAA1115 protein		5.12	up	0.00498
AA482319	1335	putative type II membrane protein		5.11	up	0.00177
AA249819	535	EST		5.09	up	0.00136
AA42763	1072	cyclin B2		5.09	up	0.02168
T26513	3094	protein phosphatase 2 (formerly 2A), regulatory subunit A (PR 65), alpha		5.07	up	0.0016
H09271	1862	isoform		5.06	up	0.0016
H88674	2021	collagen, type I, alpha 2		5.06	up	0.00866
X98482	3838	EST		5.03	up	0.00002
H43286	1929	gamma-aminobutyric acid (GABA) B receptor, 1		5.02	up	0.01972
AA364267	762	EST		5.01	up	0.00255
AA464963	1265	EST		5.01	up	0.00107
AA147439	315	EST		5.01	up	0.00336
T15442	3056	calpain, large polypeptide L1		5.01	up	0.00255
N77947	2697	EST		5	up	0.00117
L06505	2142	ribosomal protein L12		5	up	0.00163
AA280283	637	EST		4.99	up	0.02644
AA447991	1112	EST		4.99	up	0.00173

Table 6A. (page 14) Up in Metastatics vs Normal Sample Set 2

AA464414	1258	EST		4.99	up	0.00529
AA075580	165	EST		4.98	up	0.02083
U17077	3313	BENE protein		4.98	up	0.00366
AA476216	1279	EST		4.97	up	0.00359
AA132554	273	EST		4.96	up	0.02076
AA504270	1411	EST		4.96	up	0.01919
R48589	2873	EST		4.95	up	0.01346
R58974	2909	EST		4.95	up	0.00498
AA283085	667	EST		4.93	up	0.00382
AA489712	1372	EST		4.93	up	0.00726
AA496981	1404	v-erb-b2 avian erythroblastic leukemia viral oncogene homolog 3		4.93	up	0.01096
D14520	1613	basic transcription element binding protein 2		4.93	up	0.00004
AA402495	838	EST		4.91	up	0.00235
U15008	3308	small nuclear ribonucleoprotein D2 polypeptide (16.5kD)		4.9	up	0.00396
AA406218	872	EST		4.88	up	0.02194
AA482127	1333	protein kinase related to S. cerevisiae STE20, effector for Cdc42Hs		4.88	up	0.00017
M79463	2401	promyelocytic leukemia		4.88	up	0.01821
AA146619	312	EST		4.87	up	0.00863
AA262477	608	ribonuclease H1, large subunit		4.87	up	0.00005
AA121315	237	KIAA1077 protein		4.86	up	0.02438
H38568	1918	EST		4.86	up	0.0003
AA306121	729	EST		4.85	up	0.00381
D51133	1676	tubulin, beta, 4		4.84	up	0.02875
W02041	3465	EST		4.83	up	0.00158
T55004	3145	EST		4.83	up	0.00156
Z74616	3947	collagen, type I, alpha 2		4.83	up	0.02364
X17093	3713	EST		4.82	up	0.00176
D51276	1678	leukemia-associated phosphoprotein p18 (stathmin)		4.81	up	0.00514
M77349	2399	transforming growth factor, beta-induced, 68kD		4.81	up	0.00546
AA425852	958	EST		4.8	up	0.03874
R22565	2799	EST		4.8	up	0.0424
M10098	2231	EST		4.79	up	0.00328
D13413	1604	heterogeneous nuclear ribonucleoprotein U (scaffold attachment factor A)		4.79	up	0.00092
H46486	1932	nesca protein		4.77	up	0.00421
U51095	3381	caudal type homeo box transcription factor 1		4.76	up	0.02664

Table 6A. (page 15) Up in Metastatics vs Normal Sample Set 2

AA609786	1491	nucleolar protein 1 (120kD)	4.75	up	0.00261
AA251230	540	EST	4.75	up	0.00054
AA459703	1222	v-myc avian myelocytomatosis viral oncogene homolog	4.75	up	0.02413
AA131084	265	procollagen-lysine, 2-oxoglutarate 5-dioxygenase 3	4.74	up	0.00427
D50914	1673	KIAA0124 protein	4.74	up	0.00752
T35341	3111	EST	4.73	up	0.00057
AA253011	558	KIAA0713 protein	4.73	up	0.01944
X74929	3789	keratin 8	4.73	up	0.00018
D25560	1634	EST	4.72	up	0.00661
X62535	3753	diacylglycerol kinase, alpha (80kD)	4.72	up	0.00315
X66899	3769	Ewing sarcoma breakpoint region 1	4.72	up	0.00011
X68688	3777	zinc finger protein 33a (KOX 31)	4.7	up	0.00062
AB000584	1533	prostate differentiation factor	4.7	up	0.00071
AA293719	720	EST	4.69	up	0.02181
R39191	2833	KIAA1020 protein	4.69	up	0.00456
AA598405	1424	membrane interacting protein of RGS16	4.69	up	0.0122
U12465	3299	ribosomal protein L35	4.69	up	0.00001
AA405715	862	hypothetical protein	4.68	up	0.00898
AA131162	266	EST	4.68	up	0.00042
U78525	3431	eukaryotic translation initiation factor 3, subunit 9 (eta, 116kD)	4.68	up	0.00132
AA171939	368	EST	4.67	up	0.00104
M10098	2231	EST	4.66	up	0.00405
AA298786	727	EST	4.65	up	0.02821
N93798	2737	protein tyrosine phosphatase type IVA, member 3	4.65	up	0.00118
R06254	2764	tumor protein D52-like 2	4.64	up	0.00039
L20591	2173	annexin A3	4.64	up	0.00065
U14969	3303	ribosomal protein L28	4.63	up	0.00004
AA482224	1334	putative type II membrane protein	4.62	up	0.0105
T26471	3093	EST	4.62	up	0.01091
R70005	2943	EST	4.61	up	0.00037
HG3548-HT3749		cut (Drosophila)-like 1 (CCAAT displacement protein)	4.61	up	0.00824
H43646	1930	H2A histone family, member Y	4.6	up	0.00147
AA455521	1178	E2F transcription factor 5, p130-binding	4.6	up	0.00773
H05525	1846	hypothetical protein	4.6	up	0.0033
S56151	3020	milk fat globule-EGF factor 8 protein	4.59	up	0.0091

Table 6A. (page 16) Up in Metastatics vs Normal Sample Set 2

AA143493	310	pleckstrin 2 (mouse) homolog	4.58	up	0.01037
F04444	1788	EST	4.57	up	0.01132
AA412301	899	EST	4.57	up	0.00026
D31417	1645	secreted protein of unknown function	4.56	up	0.00014
AA025277	51	EST	4.56	up	0.03136
AA478415	1299	EST	4.56	up	0.00095
HG3364-HT3541		ribosomal protein L37	4.55	up	0.00005
M24194	2302	guanine nucleotide binding protein (G protein), beta polypeptide 2-like 1	4.55	up	0.00017
AA261907	603	DKFZP566E144 protein	4.54	up	0.02289
U04313	3283	protease inhibitor 5 (maspin)	4.54	up	0.02986
AA287022	685	thymidine kinase 1, soluble	4.51	up	0.02582
M34182	2340	protein kinase, cAMP-dependent, catalytic, gamma	4.51	up	0.00043
D38548	1655	KIAA0076 gene product	4.5	up	0.00036
X69150	3779	ribosomal protein S18	4.5	up	0.00003
AA262969	613	ferritin, heavy polypeptide 1	4.49	up	0.00013
M22960	2296	protective protein for beta-galactosidase (galactosialidosis)	4.49	up	0.00898
AA094752	203	hypothetical 43.2 Kd protein	4.47	up	0.00243
J04423	2109	EST	4.47	up	0.02754
T98284	3267	EST	4.47	up	0.00054
HG2873-HT3017		ribosomal protein L30	4.47	up	0.00009
Z24727	3868	tropomyosin 1 (alpha)	4.47	up	0.00121
U75285	3421	apoptosis inhibitor 4 (survivin)	4.46	up	0.02212
M14483	2261	prothymosin, alpha (gene sequence 28)	4.46	up	0.00686
J03827	2100	nuclease sensitive element binding protein 1	4.45	up	0.00015
X15940	3706	ribosomal protein L31	4.45	up	0.00004
N31597	2486	DKFZP564G2022 protein	4.44	up	0.00085
N21359	2441	EST	4.43	up	0.00078
Z26876	3871	ribosomal protein L38	4.43	up	0.00022
N39099	2507	EST	4.42	up	0.00643
N39254	2511	EST	4.42	up	0.00478
T77733	3218	tubulin, gamma 1	4.42	up	0.00049
D31094	1639	G8 protein	4.41	up	0.04845
AA482546	1336	KIAA0124 protein	4.41	up	0.00604
N70903	2661	EST	4.41	up	0.0078
AA070827	157	EST	4.41	up	0.01902

Table 6A. (page 17) Up in Metastatics vs Normal Sample Set 2

Z25749	3869	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor-like 2	4.41	up	0.00031
N68921	2638	EST	4.4	up	0.00989
T23465	3080	EST	4.4	up	0.017
AA147084	314	proliferation-associated 2G4, 38kD	4.4	up	0.0045
W52858	3542	DKFZP564F0522 protein	4.38	up	0.00088
R49395	2880	EST	4.38	up	0.00112
D53139	1684	ribosomal protein S28	4.38	up	0.0009
H18412	1890	isocitrate dehydrogenase 3 (NAD+) gamma	4.37	up	0.00262
U25789	3333	ribosomal protein L21	4.37	up	0.00045
J04423	2109	EST	4.35	up	0.01245
AA236714	516	nuclear mitotic apparatus protein 1	4.35	up	0.00083
U90913	3458	Tax interaction protein 1	4.35	up	0.00159
L44538	2217	EST	4.34	up	0.04319
L06499	2141	ribosomal protein L37a	4.34	up	0.01103
M17886	2282	ribosomal protein, large, P1	4.34	up	0.00004
AA320369	735	chromosome 19 open reading frame 3	4.33	up	0.00554
AA598988	1442	EST	4.32	up	0.00044
R26744	2803	midline 1 (Opitz/BBB syndrome)	4.32	up	0.00532
W44557	3515	chromosome 1 open reading frame 2	4.32	up	0.00128
AA173430	371	EST	4.32	up	0.04362
L34587	2200	transcription elongation factor B (SIII), polypeptide 1 (15kD, elongin C)	4.32	up	0.00287
X06617	3684	ribosomal protein S11	4.32	up	0.0002
W93943	3654	EST	4.3	up	0.00296
AA608579	1464	paired-like homeodomain transcription factor 2	4.29	up	0.04435
W60486	3555	EST	4.29	up	0.00964
L11566	2156	ribosomal protein L18	4.29	up	0.00014
HG1980-HT2023		tubulin, beta polypeptide	4.29	up	0.00408
AA122386	239	collagen, type V, alpha 2	4.28	up	0.005
H38240	1916	thrombospondin 2	4.28	up	0.0066
X64707	3762	ribosomal protein L13	4.28	up	0.00257
Y10807	3857	HMT1 (hnRNP methyltransferase, S. cerevisiae)-like 2	4.28	up	0.00124
AA070206	155	EST	4.26	up	0.00018
N89670	2708	EST	4.26	up	0.00002
D63880	1715	KIAA0159 gene product	4.26	up	0.00253

Table 6A. (page 18) Up in Metastatics vs Normal Sample Set 2

AA431719	1025	EST		4.25	up	0.00015
Z40583	3919	EST		4.24	up	0.02375
AA426447	965	EST		4.23	up	0.0309
AA453477	1153	X-prolyl aminopeptidase (aminopeptidase P)-like		4.23	up	0.0001
AA278817	618	EST		4.22	up	0.00061
HG2239-HT2324		potassium voltage-gated channel, Shaw-related subfamily, member 3		4.22	up	0.0065
AA033790	74	apolipoprotein D		4.21	up	0.03247
N70678	2659	TAR (HIV) RNA-binding protein 1		4.2	up	0.00119
W45487	3521	dynamitin 2		4.2	up	0.00325
L04483	2136	ribosomal protein S21		4.2	up	0.00057
AA132032	271	trinucleotide repeat containing 1		4.19	up	0.00295
AA282149	654	huntingtin interacting protein-1-related		4.19	up	0.00091
R59352	2914	KIAA0296 gene product		4.19	up	0.00393
D88154	1766	villin-like		4.18	up	0.00051
D59322	1694	EST		4.18	up	0.00006
U12404	3298	ribosomal protein L10a		4.18	up	0.00004
S73885	3031	transcription factor AP-4 (activating enhancer-binding protein 4)		4.18	up	0.00005
AA398205	789	EST		4.17	up	0.00004
H09241	1861	EST		4.17	up	0.00727
HG1800-HT1823		ribosomal protein S20		4.17	up	0.00001
H27188	1908	collagen-binding protein 2 (collagen 2)		4.16	up	0.02073
H56345	1950	EST		4.15	up	0.00488
M17733	2280	thymosin, beta 4, X chromosome		4.15	up	0.00009
U78027	3428	EST		4.15	up	0.00295
AA482613	1338	DKFZP434B203 protein		4.14	up	0.00186
		procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase),				
F09788	1808	alpha polypeptide II		4.14	up	0.00003
R44479	2854	KIAA0552 gene product		4.14	up	0.0181
AA075722	166	nuclear transport factor 2 (placental protein 15)		4.14	up	0.00374
U31556	3345	E2F transcription factor 5, p130-binding		4.14	up	0.01157
AA263044	615	H2A histone family, member Y		4.13	up	0.00024
AA256273	577	EST		4.13	up	0.03874
AA443316	1075	v-Ha-ras Harvey rat sarcoma viral oncogene homolog		4.13	up	0.01729
X80822	3805	ribosomal protein L18a		4.13	up	0.0006
AA224502	451	EST		4.12	up	0.00694

Table 6A. (page 19) Up in Metastatics vs Normal Sample Set 2

Accession	Gene	Protein	Length (aa)	Mass (kDa)	pI	Instability
AA461476	EST	EST	1243	4.12	4.12	0.00871
R31107	EST	EST	2811	4.12	4.12	0.00003
R43952	homeo box B5	homeo box B5	2852	4.11	4.11	0.04316
R36947	calcium channel, voltage-dependent, beta 3 subunit	calcium channel, voltage-dependent, beta 3 subunit	2824	4.11	4.11	0.00006
T40849	maternal G10 transcript	maternal G10 transcript	3115	4.11	4.11	0.00449
X14850	H2A histone family, member X	H2A histone family, member X	3703	4.11	4.11	0.0001
AA026356	EST	EST	57	4.1	4.1	0.00133
D50663	t-complex-associated-testis-expressed 1-like 1	t-complex-associated-testis-expressed 1-like 1	1671	4.09	4.09	0.00208
X03342	ribosomal protein L32	ribosomal protein L32	3672	4.09	4.09	0.00008
X62691	ribosomal protein S15a	ribosomal protein S15a	3754	4.09	4.09	0.00005
R38076	EST	EST	2827	4.08	4.08	0.00374
Z39079	KIAA1058 protein	KIAA1058 protein	3897	4.08	4.08	0.01781
D57489	chaperonin containing TCP1, subunit 7 (eta)	chaperonin containing TCP1, subunit 7 (eta)	1689	4.08	4.08	0.00001
N50048	EST	EST	2541	4.08	4.08	0.00085
M87339	replication factor C (activator 1) 4 (37kD)	replication factor C (activator 1) 4 (37kD)	2414	4.07	4.07	0.00316
C14348	EST	EST	1568	4.06	4.06	0.00111
H05394	KIAA0266 gene product	KIAA0266 gene product	1845	4.06	4.06	0.0015
H97809	EST	EST	2063	4.05	4.05	0.00111
T47601	EST	EST	3125	4.05	4.05	0.00878
U62962	eukaryotic translation initiation factor 3, subunit 6 (48kD)	eukaryotic translation initiation factor 3, subunit 6 (48kD)	3403	4.05	4.05	0.0047
T55196	EST	EST	3146	4.04	4.04	0.00012
AA431873	EST	EST	1028	4.03	4.03	0.00785
N66139	neurochondrin	neurochondrin	2614	4.03	4.03	0.00118
HG3214-HT3391	ribosomal protein S27 (metallopanstimulin 1)	ribosomal protein S27 (metallopanstimulin 1)		4.03	4.03	0.00238
AA405460	EST	EST	857	4.02	4.02	0.03492
AA236533	ecotropic viral integration site 1	ecotropic viral integration site 1	514	4.01	4.01	0.02882
T91116	EST	EST	3251	4.01	4.01	0.02721
AA034378	endogenous retroviral protease	endogenous retroviral protease	77	4.01	4.01	0.00974
D49400	ATPase, vacuolar, 14 kD	ATPase, vacuolar, 14 kD	1667	4.01	4.01	0.00287
M32405	ribosomal protein S15	ribosomal protein S15	2334	4.01	4.01	0.00055
U14968	ribosomal protein L27a	ribosomal protein L27a	3302	4.01	4.01	0.00003
W31382	EST	EST	3494	4	4	0.00058
D86956	heat shock 105kD	heat shock 105kD	1753	4	4	0.03013
X70040	macrophage stimulating 1 receptor (c-met-related tyrosine kinase)	macrophage stimulating 1 receptor (c-met-related tyrosine kinase)	3785	4	4	0.00402
M13934	ribosomal protein S14	ribosomal protein S14	2255	3.99	3.99	0

Table 6A. (page 20) Up in Metastatics vs Normal Sample Set 2

H53657	1945	adenylate cyclase 3	3.98	up	0.0045
W28362	3487	KIAA0974 protein	3.98	up	0.00626
W20391	3478	kinesin-like 2	3.98	up	0.01788
AA292931	715	EST	3.97	up	0.00067
H13532	1881	ribosomal protein L18a	3.97	up	0.00061
T66935	3178	EST	3.97	up	0.00188
L03411	2134	RD RNA-binding protein	3.97	up	0.00422
AA291456	700	EST	3.96	up	0.03633
AA496245	1398	EST	3.96	up	0.0039
U85773	3448	phosphomannomutase 2	3.94	up	0.00288
F09297	1800	EST	3.94	up	0.0016
H93492	2037	EST	3.94	up	0.01136
U53830	3390	interferon regulatory factor 7	3.94	up	0.03147
		5-aminoimidazole-4-carboxamide ribonucleotide formyltransferase/IMP			
D82348	1744	cyclohydrolase	3.93	up	0.00037
U14971	3305	ribosomal protein S9	3.93	up	0.00026
X52966	3723	ribosomal protein L35a	3.93	up	0.00217
AF004709	1547	mitogen-activated protein kinase 13	3.92	up	0.0009
D87735	1764	ribosomal protein L14	3.92	up	0.00015
M17885	2281	ribosomal protein, large, P0	3.92	up	0.00003
D63391	1710	platelet-activating factor acetylhydrolase, isoform Ib, gamma subunit (29kD)	3.91	up	0.00062
X77588	3796	N-acetyltransferase, homolog of S. cerevisiae ARD1	3.91	up	0.0221
M29277	2316	melanoma adhesion molecule	3.91	up	0.00112
C14412	1569	HSPC038 protein	3.9	up	0.00036
AA215468	441	ADP-ribosylation factor-related protein 1	3.9	up	0.04549
H29565	1913	EST	3.89	up	0.01856
AA234362	481	EST	3.89	up	0.03524
X51521	3718	villin 2 (ezrin)	3.89	up	0.00001
AA253330	562	adaptor-related protein complex 1, gamma 1 subunit	3.87	up	0.00708
AA191708	400	EST	3.87	up	0.01904
N91023	2715	EST	3.87	up	0.00008
N98758	2744	EST	3.87	up	0.0074
L40379	2210	thyroid receptor interacting protein 10 (CDC42-interacting protein)	3.87	up	0.00207
N92775	2722	amyloid beta (A4) precursor protein-binding, family A, member 3 (X11-like 2)	3.86	up	0.00577

Table 6A. (page 21) Up in Metastatics vs Normal Sample Set 2

AA187938	391	EST		3.86	up	0.00512
Z30643	3876	chloride channel Ka		3.86	up	0.00204
C21248	1585	pituitary tumor-transforming 1		3.85	up	0.00456
D86974	1756	KIAA0220 protein		3.85	up	0.0161
HG821-HT821		ribosomal protein S13		3.84	up	0.00003
X80909	3806	nascent-polypeptide-associated complex alpha polypeptide		3.84	up	0.00399
W76097	3596	EST		3.83	up	0.00001
AA291659	702	EST		3.83	up	0.01934
W80763	3605	EST		3.83	up	0.01319
AA026092	54	EST		3.83	up	0.04596
AA411685	890	EST		3.83	up	0.00417
Z41103	3926	trinucleotide repeat containing 15		3.83	up	0.00444
AA455522	1179	EST		3.83	up	0.00017
D21063	1628	minichromosome maintenance deficient (S. cerevisiae) 2 (mitotin)		3.83	up	0.00983
D42085	1658	KIAA0095 gene product		3.83	up	0.00036
HG3039-HT3200		ADP-ribosylation factor 1		3.83	up	0.00077
L33075	2195	IQ motif containing GTPase activating protein 1		3.83	up	0.00015
M77232	2398	ribosomal protein S6		3.82	up	0.00045
R56678	2907	EST		3.81	up	0.02242
AA621277	1520	EST		3.81	up	0.00194
AA437387	1064	EST		3.81	up	0.01478
N49738	2538	EST		3.81	up	0.02479
AA504264	1410	EST		3.81	up	0.00684
U53347	3388	solute carrier family 1 (neutral amino acid transporter), member 5		3.81	up	0.00273
X55954	3733	ribosomal protein L23		3.81	up	0.00025
D54296	1685	KIAA0255 gene product		3.8	up	0.01059
M30496	2324	ubiquitin carboxyl-terminal esterase L3 (ubiquitin thiolesterase)		3.8	up	0.00478
U11861	3297	maternal G10 transcript		3.8	up	0.00001
N27186	2469	EST		3.79	up	0.00112
H49637	1940	EST		3.79	up	0.01092
M18000	2283	ribosomal protein S17		3.79	up	0.00004
U09564	3294	SFRS protein kinase 1		3.79	up	0.00765
F09684	1805	EST		3.78	up	0.00277
AA128407	259	EST		3.78	up	0.01081
R28636	2808	UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 3		3.78	up	0.00765

Table 6A. (page 22) Up in Metastatics vs Normal Sample Set 2

L12350	2160	thrombospondin 2	3.78	up	0.00061
N93105	2727	EST	3.77	up	0.02195
HG3945-HT4215		phospholipid transfer protein	3.77	up	0.03169
AA131894	269	EST	3.76	up	0.00384
T48195	3130	eukaryotic translation initiation factor 3, subunit 3 (gamma, 40kD)	3.75	up	0.00012
N68038	2631	phorbol (similar to apolipoprotein B mRNA editing protein)	3.75	up	0.01041
AA437368	1063	EST	3.75	up	0.01317
M15205	2265	thymidine kinase 1, soluble	3.75	up	0.00159
AA620995	1512	EST	3.74	up	0.03414
M10098	2231	EST	3.73	up	0.01794
AA113303	227	transmembrane 4 superfamily member (tetraspan NET-7)	3.73	up	0.00084
X69908	3783	ATP synthase, H+ transporting, mitochondrial F0 complex, subunit c (subunit 9), isoform 2	3.73	up	0.00685
AA179298	378	stomatol-like protein 2	3.72	up	0.00299
M96739	2433	nescent helix loop helix 1	3.72	up	0.00015
X55715	3732	ribosomal protein S3	3.72	up	0.00755
AA436027	1050	EST	3.71	up	0.03676
H04799	1841	EST	3.71	up	0.04109
Z40898	3922	EST	3.71	up	0.01168
AA025166	50	fusion, derived from t(12;16) malignant liposarcoma	3.71	up	0.0052
AA150053	327	EST	3.71	up	0.00102
AA490212	1375	H2A histone family, member Y	3.71	up	0.01226
AA307748	730	EST	3.7	up	0.00001
N29888	2482	EST	3.7	up	0.00226
AA034499	78	zinc finger protein 198	3.7	up	0.02143
D14657	1615	KIAA0101 gene product	3.7	up	0.04079
L38696	2208	RNA-binding protein (autoantigenic)	3.7	up	0.00093
AA416963	911	EST	3.69	up	0.03956
AA496204	1397	EST	3.69	up	0.01097
AA435526	1037	transferrin receptor (p90, CD71)	3.69	up	0.00139
AA126459	248	DKFZP566B023 protein	3.69	up	0.00352
H78323	2002	transcription factor Dp-1	3.69	up	0.00326
W73189	3586	EphB2	3.69	up	0.02909
AA029356	66	EST	3.68	up	0.01545
C14051	1565	phosphoprotein enriched in astrocytes 15	3.68	up	0.01453

Table 6A. (page 23) Up in Metastatics vs Normal Sample Set 2

R38280	2830	BCS1 (yeast homolog)-like	3.68	up	0.0009
X66401	3768	proteasome (prosome, macropain) subunit, beta type, 9 (large multifunctional protease 2)	3.68	up	0.01385
X69398	3781	CD47 antigen (Rh-related antigen, integrin-associated signal transducer)	3.68	up	0.02332
AA429470	996	EST	3.67	up	0.00782
L25081	2180	ras homolog gene family, member C	3.67	up	0.00005
M23613	2301	nucleophosmin (nucleolar phosphoprotein B23, numatrin)	3.67	up	0.00977
AA328993	738	EST	3.66	up	0.00146
W39183	3505	KIAA0601 protein	3.66	up	0.00018
AA211851	436	EST	3.66	up	0.00789
X53331	3724	matrix Gla protein	3.66	up	0.04038
AA621780	1530	CGI-96 protein	3.65	up	0.01582
AA449122	1119	EST	3.65	up	0.00369
W70336	3576	EST	3.65	up	0.01776
AA029215	64	adaptor-related protein complex 2, beta 1 subunit	3.65	up	0.00037
N27334	2470	EST	3.65	up	0.03437
U37689	3355	polymerase (RNA) II (DNA directed) polypeptide H	3.65	up	0.00044
D38073	1651	minichromosome maintenance deficient (S. cerevisiae) 3	3.65	up	0.01869
R49216	2879	EST	3.64	up	0.0004
R87989	2978	centrosome associated protein	3.64	up	0.00008
AA135407	292	endogenous retroviral protease	3.64	up	0.01086
AA148977	322	EST	3.64	up	0.02911
D63874	1714	high-mobility group (nonhistone chromosomal) protein 1	3.64	up	0.00228
AA454597	1166	EST	3.63	up	0.0067
F04320	1786	replication factor C (activator 1) 4 (37kD)	3.63	up	0.01119
X68688	3777	zinc finger protein 33a (KOX 31)	3.62	up	0.00319
R27432	2807	EST	3.62	up	0.00014
AA401958	832	EST	3.62	up	0.01232
HG2279-HT2375		triosephosphate isomerase 1	3.62	up	0.00192
AA416973	913	EST	3.61	up	0.0091
N62675	2593	DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 16	3.61	up	0.04034
T15477	3058	EST	3.61	up	0.00005
AA460017	1225	EST	3.61	up	0.00109
D43950	1660	chaperonin containing TCP1, subunit 5 (epsilon)	3.61	up	0.00672
N99505	2745	EST	3.6	up	0.04499

Table 6A. (page 24) Up in Metastatics vs Normal Sample Set 2

AA443271	1073	KIAA0546 protein	3.6	up	0.01228
N89937	2710	LIM domain only 7	3.6	up	0.00375
R71082	2950	programmed cell death 5	3.6	up	0.01338
AA412720	905	EST	3.6	up	0.01396
X17567	3716	small nuclear ribonucleoprotein polypeptides B and B1	3.6	up	0.00586
AA399226	803	tight junction protein 3 (zona occludens 3)	3.59	up	0.02002
R55470	2903	EST	3.59	up	0.00515
X79234	3800	ribosomal protein L11	3.59	up	0.00051
D80917	1736	KIAA0670 protein/acinus	3.58	up	0.00007
W81375	3610	EST	3.58	up	0.00322
U89606	3451	pyridoxal (pyridoxine, vitamin B6) kinase	3.58	up	0.00322
X05610	3682	collagen, type IV, alpha 2	3.58	up	0.01351
AA443941	1085	tumor suppressing subtransferable candidate 1	3.57	up	0.01685
N56935	2574	EST	3.57	up	0.00282
N68385	2634	ribosomal protein L13a	3.57	up	0.00417
R49084	2878	KIAA0770 protein	3.57	up	0.00447
U83246	3442	copine I	3.57	up	0.01672
AA182001	386	EST	3.56	up	0.00945
N51342	2544	EST	3.56	up	0.0001
W42627	3508	EST	3.56	up	0.00198
X66364	3767	cyclin-dependent kinase 5	3.55	up	0.02824
AA451680	1136	hepatocellular carcinoma associated protein; breast cancer associated gene 1	3.55	up	0.00708
Z38909	3894	EST	3.55	up	0.03195
T48293	3132	EST	3.55	up	0.01355
W37680	3502	EST	3.55	up	0.01036
AA252994	557	apoptosis inhibitor 4 (survivin)	3.55	up	0.00075
AA134052	285	Rab geranyltransferase, alpha subunit	3.54	up	0.03062
AA504806	1416	EST	3.54	up	0.00221
T12599	3055	ribosomal protein L21	3.54	up	0.01437
L19527	2169	ribosomal protein L27	3.54	up	0.00025
U17760	3314	laminin, beta 3 (nicein (125kD), kalinin (140kD), BM600 (125kD))	3.54	up	0.01853
AA056361	140	integral membrane protein 2C	3.53	up	0.02983
H55437	1948	kraken-like	3.53	up	0.02344
C14098	1566	EST	3.53	up	0.04401

Table 6A. (page 25) Up in Metastatics vs Normal Sample Set 2

H98924	2072	chromatin assembly factor 1, subunit A (p150)	3.53	up	0.02106
AA094517	202	EST	3.52	up	0.04805
AA237017	521	KIAA1068 protein	3.52	up	0.00976
T58607	3154	EST	3.52	up	0.04102
AA028103	61	EST	3.52	up	0.01142
AA136547	302	EST	3.51	up	0.00308
AA151182	332	EST	3.51	up	0.00043
AA400271	814	EST	3.51	up	0.00742
U93868	3462	polymerase (RNA) III (DNA directed) (32kD)	3.5	up	0.01235
W73914	3592	EST	3.5	up	0.04782
AA482007	1331	EST	3.49	up	0.00167
AA452259	1143	EST	3.49	up	0.00114
HG3549-HT3751			0	up	0
U79266	3433	ribosomal protein L10	3.49	up	0.00004
X07820	3692	protein predicted by clone 23627	3.49	up	0.00689
H08863	1859	matrix metalloproteinase 10 (stromelysin 2)	3.48	up	0.00205
AA292659	710	hypothetical protein	3.48	up	0.00037
AA432162	1029	EST	3.48	up	0.03851
T92935	3254	DKFZP586B2022 protein	3.48	up	0.03578
X67247	3771	EST	3.48	up	0.00012
AA426521	967	mitogen-activated protein kinase kinase kinase kinase 3	3.47	up	0.01161
AA489707	1371	Sjogren's syndrome nuclear autoantigen 1	3.47	up	0.03433
AA609008	1475	EST	3.46	up	0.02935
L36720	2205	bystin-like	3.46	up	0.00094
D21261	1629	transgelin 2	3.46	up	0.00685
AA446968	1097	EST	3.45	up	0.02232
AA459310	1214	EST	3.45	up	0.00179
N30436	2483	EST	3.45	up	0.02356
AA410962	887	peroxisome proliferative activated receptor, delta	3.45	up	0.04574
F02800	1780	EST	3.45	up	0.03238
U14970	3304	ribosomal protein S5	3.45	up	0.00915
U26726	3335	hydroxysteroid (11-beta) dehydrogenase 2	3.45	up	0.02342
H17476	1889	EST	3.44	up	0.00479
D19737	1623	golgi autoantigen, golgin subfamily a, 3	3.44	up	0.02212
U76366	3423	Treacher Collins-Franceschetti syndrome 1	3.44	up	0.00021

Table 6A. (page 26) Up in Metastatics vs Normal Sample Set 2

L40904	2212	peroxisome proliferative activated receptor, gamma	3.43	up	0.03511
AA427442	971	guanine nucleotide regulatory factor	3.43	up	0.01547
R77631	2966	EST	3.43	up	0.00006
AA398761	799	EST	3.43	up	0.00726
D80662	1733	adaptor-related protein complex 1, gamma 2 subunit	3.43	up	0.00108
M77836	2400	pyrroline-5-carboxylate reductase 1	3.43	up	0.00759
T78922	3221	stem cell growth factor; lymphocyte secreted C-type lectin	3.42	up	0.02419
N51053	2542	eukaryotic translation initiation factor 5	3.42	up	0.01326
AA134158	287	EST	3.42	up	0.0277
AA454710	1168	EST	3.42	up	0.00653
AA446949	1096	EST	3.41	up	0.03411
AA164252	358	VGF nerve growth factor inducible	3.41	up	0.00154
T59161	3158	thymosin, beta 10	3.41	up	0.01885
T35725	3112	EST	3.4	up	0.00149
M60854	2367	ribosomal protein S16	3.4	up	0.00001
AA135871	294	EST	3.39	up	0.01544
AA599244	1448	KIAA0530 protein	3.39	up	0.01246
D25274	1632	EST	3.39	up	0.00238
U33286	3348	chromosome segregation 1 (yeast homolog)-like	3.39	up	0.00939
AA384184	774	DKFZP586B0519 protein	3.38	up	0.01209
H04753	1839	EST	3.38	up	0.02447
AA422049	937	EST	3.38	up	0.0067
AA233886	475	D site of albumin promoter (albumin D-box) binding protein	3.38	up	0.0218
U86409	3449	EST	3.38	up	0.00003
X52851	3722	EST	3.38	up	0.0001
U84720	3445	RAE1 (RNA export 1, S.pombe) homolog	3.37	up	0.03586
M31520	2328	ribosomal protein S24	3.37	up	0.00077
AA458890	1206	EST	3.36	up	0.00303
AA504413	1413	EST	3.35	up	0.00079
AA001409	1	EST	3.35	up	0.04092
AA251909	549	EST	3.35	up	0.03937
AA461473	1242	nebulette	3.35	up	0.03855
J04823	2115	cytochrome c oxidase subunit VIII	3.35	up	0.00075
M26708	2311	prothymosin, alpha (gene sequence 28)	3.35	up	0.00064
AA370163	766	EST	3.34	up	0.00643

Table 6A. (page 27) Up in Metastatics vs Normal Sample Set 2

AA149889	326	neighbor of A-kinase anchoring protein 95	3.34	up	0.02054
U22376	3327	v-myb avian myeloblastosis viral oncogene homolog	3.34	up	0.03416
C00021	1551	stress-associated endoplasmic reticulum protein 1; ribosome associated	3.33	up	0.00215
AA156450	342	membrane protein 4	3.33	up	0.00587
AA338729	743	EST	3.33	up	0.00046
D83783	1748	triple helix repeat containing 11 (THR-associated protein, 230 kDa subunit)	3.33	up	0.00748
HG4542-HT4947		ribosomal protein L15	3.33	up	0.00023
AA427825	981	EST	3.32	up	0.01615
D43949	1659	KIAA0082 protein	3.32	up	0.0014
D50913	1672	KIAA0123 protein	3.32	up	0.01202
AA478599	1304	G protein-coupled receptor 56	3.31	up	0.00182
H93021	2033	peptidylprolyl isomerase A (cyclophilin A)	3.31	up	0.0183
R53109	2898	dimethylarginine dimethylaminohydrolase 2	3.31	up	0.02389
AA132983	274	DKFZP586G1517 protein	3.31	up	0.01155
H93652	2039	ribosomal protein S5	3.31	up	0.00788
T33508	3105	phosphatidylinositol-4-phosphate 5-kinase, type II, beta	3.31	up	0.00416
M33197	2337	glyceraldehyde-3-phosphate dehydrogenase	3.31	up	0.00009
H59617	1964	EST	3.3	up	0.04588
D51287	1680	ribosomal protein S12	3.3	up	0.02829
L20941	2174	ferritin, heavy polypeptide 1	3.3	up	0.01172
M91083	2418	chromosome 11 open reading frame 13	3.3	up	0.00163
Z68228	3944	junction plakoglobin	3.3	up	0.0237
R73565	2958	EST	3.29	up	0.03489
Z39200	3899	EST	3.29	up	0.00586
AA084921	182	ribosomal protein S10	3.29	up	0.04872
T59668	3159	lysyl oxidase	3.28	up	0.00588
AA280928	642	EST	3.27	up	0.04625
AA397916	784	EST	3.27	up	0.02895
D20464	1625	bromodomain adjacent to zinc finger domain, 2B	3.27	up	0.04897
N73846	2679	EST	3.27	up	0.00012
D80237	1729	actin related protein 2/3 complex, subunit 4 (20 kD)	3.27	up	0.00137
T47032	3123	partner of RAC1 (arfaplin 2)	3.27	up	0.00503
AA218663	444	acid-inducible phosphoprotein	3.26	up	0.03537

Table 6A. (page 28) Up in Metastatics vs Normal Sample Set 2

T25725	3090	EST		3.26	up	0.00099
X56932	3737	ribosomal protein L13a		3.26	up	0
AA040465	95	EST		3.25	up	0.00146
N62819	2594	EST		3.25	up	0.01137
X51466	3717	eukaryotic translation elongation factor 2		3.25	up	0.00019
AA459961	1223	EST		3.24	up	0.00316
AA488987	1365	synaptogyrin 2		3.24	up	0.01444
F01568	1772	EST		3.24	up	0.0018
AA431776	1027	EST		3.24	up	0.01814
AA464698	1262	EST		3.24	up	0.04854
R54614	2901	EST		3.24	up	0.00526
L76200	2223	guanylate kinase 1		3.24	up	0.0097
AA126429	247	peroxisomal farnesylated protein		3.23	up	0.00478
AA405310	856	EST		3.23	up	0.00138
AA427925	982	EST		3.23	up	0.01806
AA133590	282	EST		3.23	up	0.03565
H42321	1928	ribosomal protein L18a		3.23	up	0.01102
T15903	3062	EST		3.23	up	0.01377
AA127851	257	EST		3.23	up	0.01943
R53109	2898	dimethylarginine dimethylaminohydrolase 2		3.22	up	0.00724
AA027946	60	EST		3.22	up	0.00098
AA425401	954	serine/threonine kinase 24 (Ste20, yeast homolog)		3.22	up	0.00625
AA449458	1127	EST		3.22	up	0.03098
D60811	1704	EST		3.22	up	0.0098
H96975	2057	EST		3.22	up	0.0141
D23660	1630	ribosomal protein L4		3.22	up	0.00316
HG613-HT613		ribosomal protein S12		3.22	up	0.00761
U01147	3274	active BCR-related gene		3.22	up	0.00103
R26706	2802	EST		3.21	up	0.03858
F02863	1782	EST		3.21	up	0.01039
AA406385	876	DKFZP564B0769 protein		3.21	up	0.00724
D78676	1719	EST		3.2	up	0.00635
AA447732	1105	EST		3.2	up	0.00591
AA458852	1203	KIAA0440 protein		3.2	up	0.00038
AA397906	782	DKFZP434I216 protein		3.2	up	0.00138

Table 6A. (page 29) Up in Metastatics vs Normal Sample Set 2

AA504111	1409	EST		3.2	up	0.00544
U90549	3455	high-mobility group (nonhistone chromosomal) protein 17-like 3		3.2	up	0.0401
X13956	3698	EST		3.2	up	0.00321
AA608965	1474	Hermansky-Pudlak syndrome		3.19	up	0.00204
U62392	3402	zinc finger protein 193		3.18	up	0.00269
N58463	2579	PCTAIRE protein kinase 1		3.18	up	0.00649
AA436616	1056	EST		3.18	up	0.04402
U40990	3358	potassium voltage-gated channel, KQT-like subfamily, member 1		3.18	up	0.00093
X56997	3738	ubiquitin A-52 residue ribosomal protein fusion product 1		3.18	up	0.00006
X69391	3780	ribosomal protein L6		3.18	up	0.00003
X78687	3797	sialidase 1 (lysosomal sialidase)		3.18	up	0.031
X95404	3831	cofilin 1 (non-muscle)		3.18	up	0.00104
AA258482	596	zinc finger protein		3.17	up	0.04606
		NADH dehydrogenase (ubiquinone) Fe-S protein 6 (13kD) (NADH-coenzyme				
AA169837	364	Q reductase)		3.17	up	0.03038
AA479945	1319	plakophilin 3		3.17	up	0.01767
AA598506	1430	KIAA0179 protein		3.17	up	0.01694
T26574	3095	catenin (cadherin-associated protein), delta 1		3.17	up	0.00828
D25216	1631	KIAA0014 gene product		3.17	up	0.02125
D25328	1633	phosphofructokinase, platelet		3.17	up	0.04925
X63527	3758	ribosomal protein L19		3.17	up	0.02488
M64716	2382	ribosomal protein S25		3.16	up	0.00039
HG1112-HT1112		EST		3.15	up	0.04958
HG2147-HT2217		mucin 3, intestinal		3.15	up	0.0026
D78361	1718	EST		3.14	up	0.00023
Z38729	3891	EST		3.13	up	0.04514
AA192755	401	EST		3.13	up	0.00442
AA194237	408	EST		3.13	up	0.00212
M31520	2328	ribosomal protein S24		3.13	up	0.00014
AA410972	888	EST		3.12	up	0.00023
D52632	1683	ribosomal protein S6		3.12	up	0.00498
HG2724-HT2820		DNA-damage-inducible transcript 3		3.12	up	0.03726
X92518	3822	high-mobility group (nonhistone chromosomal) protein isoform I-C		3.12	up	0.00638
AA402937	843	EST		3.11	up	0.00182
N64616	2610	EST		3.11	up	0.0074

Table 6A. (page 30) Up in Metastatics vs Normal Sample Set 2

H28333	1912	melanoma adhesion molecule	3.11	up	0.00172
M14949	2264	related RAS viral (r-ras) oncogene homolog	3.11	up	0.00013
U43901	3361	laminin receptor 1 (67kD, ribosomal protein SA)	3.11	up	0.03145
HG2815-HT2331		myosin, light polypeptide 6, alkali, smooth muscle and non-muscle	3.11	up	0.00475
X69654	3782	ribosomal protein S26	3.11	up	0.02683
AA402968	844	EST	3.1	up	0.00453
N67205	2624	EST	3.1	up	0.00626
N92915	2723	brefeldin A-inhibited guanine nucleotide-exchange protein 1	3.1	up	0.00807
D14530	1614	ribosomal protein S23	3.1	up	0.00331
M68864	2389	ORF	3.1	up	0.00603
U14973	3307	ribosomal protein S29	3.1	up	0.00028
M36072	2347	ribosomal protein L7a	3.1	up	0.00006
AA449479	1129	EST	3.09	up	0.03495
D59847	1701	EST	3.09	up	0.02206
AA194724	409	endonuclease G	3.09	up	0.04011
AA412403	900	EST	3.09	up	0.00047
U05875	3285	interferon gamma receptor 2 (interferon gamma transducer 1)	3.09	up	0.00549
X80822	3805	ribosomal protein L18a	3.08	up	0.02481
T58153	3153	heat shock 105kD	3.08	up	0.01317
HG4319-HT4589		ribosomal protein L5	3.08	up	0.0017
U67171	3408	selenoprotein W, 1	3.08	up	0.0047
L12711	2161	transketolase (Wernicke-Korsakoff syndrome)	3.08	up	0.03362
N70577	2658	EST	3.07	up	0.01975
Z39930	3911	EST	3.07	up	0.00002
AA158795	352	EST	3.07	up	0.00057
W37937		EST	3.07	up	0.00776
D79205	1721	ribosomal protein L39	3.07	up	0.00021
AA449475	1128	EST	3.06	up	0.00291
N24899	2460	EST	3.06	up	0.00353
Z38150	3880	EST	3.06	up	0.00049
AA172076	369	EST	3.06	up	0.00326
N90238	2711	EST	3.06	up	0.00354
		fucosyltransferase 3 (galactoside 3(4)-L-fucosyltransferase, Lewis blood group			
U27328	3337	included)	3.05	up	0.03224
AA421638	935	EST	3.05	up	0.00487

Table 6A. (page 31) Up in Metastatics vs Normal Sample Set 2

AA007158	15	EST		3.05	up	0.01964
H24077	1900	EST		3.05	up	0.0324
U36341	3350	solute carrier family 6 (neurotransmitter transporter, creatine), member 8		3.05	up	0.02622
U02493	3278	non-Pou domain-containing octamer (ATGCAAT) binding protein		3.04	up	0.0019
N36432	2506	erythrocyte membrane protein band 4.1-like 2		3.03	up	0.03086
AA436473	1052	EST		3.03	up	0.00133
AA598712	1436	EST		3.03	up	0.03656
AA447118	1099	EST		3.03	up	0.01702
H52673	1943	BCL2-antagonist/killer 1		3.03	up	0.0393
AA491223	1389	EST		3.03	up	0.00557
T47969	3127	ceroid-lipofuscinosis, neuronal 3, juvenile (Batten, Spielmeier-Vogt disease)		3.03	up	0.03452
X03453	3674	EST		3.03	up	0.0025
J03459	2093	leukotriene A4 hydrolase		3.03	up	0.04041
M86667	2410	nucleosome assembly protein 1-like 1		3.03	up	0.04853
X80198	3804	steroidogenic acute regulatory protein related		3.03	up	0.00044
W44733	3516	EST		3.02	up	0.00097
X63629	3759	cadherin 3, P-cadherin (placental)		3.02	up	0.01654
AA427946	983	dynein, axonemal, light polypeptide 4		3.01	up	0.00001
R45698	2865	EST		3.01	up	0.04766
W49661	3536	FK506-binding protein 9 (63 kD)		3.01	up	0.02259
R06986	2775	peptidylprolyl isomerase B (cyclophilin B)		3.01	up	0.04418
		protein tyrosine phosphatase, receptor type, f polypeptide (PTPRF), interacting				
W72861	3583	protein (liprin), alpha 3		3.01	up	0.00055
AA278838	620	EST		3	up	0.02832
U03891	3282	phorbol (similar to apolipoprotein B mRNA editing protein)		3	up	0.00065

Table 6B. (page 1) Down in Metastatics vs Normal Sample Set 2

Fragment Name	SEQ ID :	Known Gene Name	Fold Change	Direction	Pvalue
N54417	2566	fibrinogen, A alpha polypeptide	99.28	down	0.00001
N53031	2555	UDP glycosyltransferase 2 family, polypeptide B4	97.58	down	0.00022
M15656	2268	aldolase B, fructose-bisphosphate	96.66	down	0
T73442	3212	EST	94.41	down	0
T59148	3157	carbamoyl-phosphate synthetase 1, mitochondrial	88.89	down	0
R49459	2881	transferrin receptor 2	85.61	down	0.00048
X55283	3731	asialoglycoprotein receptor 2	84.99	down	0.00084
		cytochrome P450, subfamily IIC (mephenytoin 4-hydroxylase),			
L16883	2166	polypeptide 9	84.71	down	0.00327
T48039	3128	protein C (inactivator of coagulation factors Va and VIIIa)	84.39	down	0.00112
T71373	3202	EST	83.08	down	0.00069
H58692	1960	formyltetrahydrofolate dehydrogenase	81.41	down	0
T46901	3122	EST	77.28	down	0.0006
M81349	2404	serum amyloid A4, constitutive	76.15	down	0.00015
R43174	2847	paraoxonase 1	74.04	down	0.00038
X65727	3765	glutathione S-transferase A2, glutathione S-transferase A3	73.64	down	0
M16594	2272	glutathione S-transferase A2	73.21	down	0
		cytochrome P450, subfamily IIA (phenobarbital-inducible),			
U22029	3326	polypeptide 7	71.98	down	0
AA256367	579	paraoxonase 3	70.33	down	0.00192
		cytochrome P450, subfamily IIA (phenobarbital-inducible),			
K03192	2127	polypeptide 6	69.92	down	0
AA035245	79	aldehyde oxidase 1	69.82	down	0.00117
N80129	2702	metallothionein 1L	66.48	down	0.00415
		cytochrome P450, subfamily VIIIB (sterol 12-alpha-hydroxylase),			
R97419	3003	polypeptide 1	65.07	down	0.0039
T83356	3231	apolipoprotein H (beta-2-glycoprotein I)	64.34	down	0.00802
		fatty-acid-Coenzyme A ligase, long-chain 1, fatty-acid-Coenzyme A			
AA348922	758	ligase, long-chain 2	64.27	down	0.00002
T83397	3232	phytanoyl-CoA hydroxylase (Refsum disease)	63.6	down	0
R16098	2792	EST	63.41	down	0.00038

Table 6B. (page 2) Down in Metastatics vs Normal Sample Set 2

R89811	2979	HGF activator	62.51 down	0.00148
H57166	1955	EST	60.76 down	0.00007
N33009	2491	apolipoprotein E	60.54 down	0.0093
N54053	2560	secreted phosphoprotein 2, 24kD	60.39 down	0.00087
T68878	3190	carboxylesterase 1 (monocyte/macrophage serine esterase 1)	60.35 down	0.00409
R08564	2779	plasminogen-like	60.18 down	0.00091
F10182	1812	hepsin (transmembrane protease, serine 1)	58.92 down	0.00837
L25880	2184	epoxide hydrolase 1, microsomal (xenobiotic)	58.7 down	0.00013
W88946	3636	putative glycine-N-acyltransferase	58.26 down	0
N54429	2567	EST	57.81 down	0.00724
M29873	2318	cytochrome P450, subfamily IIB (phenobarbital-inducible)	56.71 down	0.0054
AA476324	1281	EST	55.22 down	0.00132
R12472	2788	EST	55.18 down	0.00011
AA453988	1160	methionine adenosyltransferase I, alpha	54.29 down	0.00381
T56264	3148	apolipoprotein C-II	53.04 down	0.00938
W92148	3647	kininogen	51.09 down	0.00376
R01023	2751	glucokinase (hexokinase 4) regulatory protein	50.71 down	0.00321
H80901	2005	ficollin (collagen/fibrinogen domain-containing) 3 (Hakata antigen)	50.61 down	0.00262
D31628	1646	4-hydroxyphenylpyruvate dioxygenase	50.48 down	0.00002
AA401562	830	EST	50.45 down	0.00301
		cytochrome P450, subfamily IIA (phenobarbital-inducible),		
K03192	2127	polypeptide 6	50.16 down	0
T67931	3183	fibrinogen, B beta polypeptide	49.55 down	0
M16974	2277	complement component 8, alpha polypeptide	49.47 down	0.00046
		alcohol dehydrogenase 1 (class I), alpha polypeptide, alcohol		
		dehydrogenase 2 (class I), beta polypeptide, alcohol dehydrogenase		
M12963	2248	3 (class I), gamma polypeptide	48.95 down	0.00104
T73433	3211	angiotensinogen	48.3 down	0.00049
AA009719	20	peroxisomal membrane protein 2 (22kD)	47.12 down	0.00008
H94666	2045	alpha-1-B glycoprotein	47.03 down	0.01158
T98676	3268	EST	46.94 down	0.0001
T40936	3117	EST	46.92 down	0.00056
R98073	3008	EST	46.87 down	0

Table 6B. (page 3) Down in Metastatics vs Normal Sample Set 2

[illegible]

Table 6B. (page 4) Down in Metastatics vs Normal Sample Set 2

AA479148	1311	EST	38.05 down	0
AA235310	496	EST	37.86 down	0.00091
T68711	3187	EST	37.65 down	0.00036
R40395	2840	lecithin-cholesterol acyltransferase	37.33 down	0.00032
W28944	3493	EST	37.07 down	0.00205
U50929	3379	betaine-homocysteine methyltransferase	36.91 down	0
L04751	2138	cytochrome P450, subfamily IVA, polypeptide 11	36.79 down	0.00004
N76012	2693	EST	36.71 down	0.00598
T69284	3195	mannose-binding lectin (protein C) 2, soluble (opsonic defect)	36.53 down	0
R49602	2884	EST	36.5 down	0.00001
X07618	3688	cytochrome P450, subfamily IID (debrisoquine, sparteine, etc., -	35.79 down	0.00065
N22938	2452	metabolising), polypeptide 7a (pseudogene)	35.39 down	0.00128
AA621131	1513	serum amyloid A4, constitutive	35.37 down	0
D12620	1601	cytochrome P450, subfamily IVF, polypeptide 2, cytochrome P450,	35.09 down	0.00015
N70358	2656	subfamily IVF, polypeptide 3 (leukotriene B4 omega hydroxylase)	34.35 down	0
N70966	2662	growth hormone receptor	34.06 down	0.0006
T68855	3188	solute carrier family 10 (sodium/bile acid cotransporter family),	34.04 down	0
T69029	3193	member 1	33.18 down	0.02825
M33317	2338	EST	32.63 down	0
T48075	3129	haptoglobin	32.56 down	0.00172
M12272	2243	cytochrome P450, subfamily IIA (phenobarbital-inducible),	32.42 down	0.0034
AA620556	1505	polypeptide 7	32.4 down	0.00353
T74542	3214	hemoglobin, alpha 1	32.36 down	0.00004
T56281	3150	alcohol dehydrogenase 1 (class I), alpha polypeptide, alcohol	32.34 down	0.00002
W73601	3589	dehydrogenase 2 (class I), beta polypeptide, alcohol dehydrogenase	32.25 down	0
M11567	2239	3 (class I), gamma polypeptide	32.25 down	0.0001
		EST		
		UDP glycosyltransferase 2 family, polypeptide B10		
		RNA helicase-related protein		
		EST		
		angiogenin, ribonuclease, RNase A family, 5		

Table 6B. (page 5) Down in Metastatics vs Normal Sample Set 2

W86600	3625	EST	32.14 down	0
AA039335	89	coagulation factor XII (Hageman factor)	32 down	0.0029
T67705	3182	asialoglycoprotein receptor 2	31.6 down	0.00705
H89980	2026	protein phosphatase 1, regulatory (inhibitor) subunit 5	31.13 down	0.00006
H20543	1897	DKFZP586B1621 protein	31.03 down	0.00074
H57060	1954	EST	30.98 down	0.01687
W67564	3568	nuclear receptor subfamily 0, group B, member 2	30.34 down	0
N74422	2685	EST	30.32 down	0
X07173	3687	inter-alpha (globulin) inhibitor, H2 polypeptide	30.3 down	0.00016
T47778	3126	fibrinogen, A alpha polypeptide	30 down	0.01401
X90579	3816	EST	29.82 down	0.00273
T99636	3270	complement component 3	29.6 down	0.00051
Z20777	3863	EST	29.59 down	0.00044
U56814	3392	deoxyribonuclease I-like 3	29.43 down	0.00003
M19828	2287	apolipoprotein B (including Ag(x) antigen)	29.37 down	0.00137
R77628	2965	insulin induced gene 1	29.23 down	0.00122
AA452158	1141	ras homolog gene family, member B	28.96 down	0.00064
K02402	2125	coagulation factor IX (plasma thromboplastic component, Christmas disease, hemophilia B)	28.81 down	0.00001
T57140	3151	paraoxonase 3	28.8 down	0
T68873	3189	metallothionein 1L	28.72 down	0.02953
H95569	2051	DKFZP586A0522 protein	28.48 down	0.00139
T56279	3149	H factor (complement)-like 3	28.39 down	0.00016
N66066	2612	EST	28.35 down	0.00055
X07732	3690	hepsin (transmembrane protease, serine 1)	28.21 down	0
AA253216	561	EST	28.18 down	0.00141
W79046	3599	peroxisomal D3,D2-enoyl-CoA isomerase	27.9 down	0.00023
U51010	3380	nicotinamide N-methyltransferase	27.79 down	0.00366
H08102	1858	breast cell glutaminase	27.77 down	0.00032
U70732	3414	glutamic-pyruvate transaminase (alanine aminotransferase)	27.63 down	0
HG2730-HT2828		fibrinogen, A alpha polypeptide	27.34 down	0.001
D90282	1769	carbamoyl-phosphate synthetase 1, mitochondrial	27.29 down	0.00002
X53595	3726	apolipoprotein H (beta-2-glycoprotein I)	27.28 down	0.0066

Table 6B. (page 6) Down in Metastatics vs Normal Sample Set 2

AA599937	1458	insulin-like growth factor-binding protein 4	26.92 down	0.00094
L25878	2183	epoxide hydrolase 1, microsomal (xenobiotic)	26.84 down	0
Z30425	3875	nuclear receptor subfamily 1, group I, member 3	26.64 down	0
X16260	3707	inter-alpha (globulin) inhibitor, H1 polypeptide	26.39 down	0.0004
R92475	2986	flavin containing monooxygenase 3	26.13 down	0
T61649	3164	superoxide dismutase 2, mitochondrial	26.09 down	0.00734
N63845	2604	phytanoyl-CoA hydroxylase (Refsum disease)	25.92 down	0.00084
X03168	3671	vitronectin (serum spreading factor, somatomedin B, complement S-protein)	25.88 down	0.00911
H81070	2006	RNA helicase-related protein	25.74 down	0.00126
T61801	3166	hemopexin	25.7 down	0.01362
L47726	2219	phenylalanine hydroxylase	25.63 down	0.00019
N59550	2587	EST	25.56 down	0.00024
X56411	3734	alcohol dehydrogenase 4 (class II), pi polypeptide	25.14 down	0.00144
HG2730-HT2827		fibrinogen, A alpha polypeptide	25.1 down	0
AA448300	1116	FXD domain-containing ion transport regulator 1 (phospholemman)	24.97 down	0.00001
N39201	2509	protease inhibitor 4 (kallistatin)	24.91 down	0.00253
M34276	2341	plasminogen	24.73 down	0.00031
Z28339	3872	aldo-keto reductase family 1, member D1 (delta 4-3-ketosteroid-5-beta-reductase)	24.66 down	0
W72044	3577	insulin induced gene 1	24.58 down	0.00001
AA232114	463	epoxide hydrolase 2, cytoplasmic	24.34 down	0.00007
U06641	3286	UDP glycosyltransferase 2 family, polypeptide B15	24.32 down	0.00001
H93381	2036	EST	24.23 down	0
S68287	3024	aldo-keto reductase family 1, member C4 (chlorocone reductase; 3-alpha hydroxysteroid dehydrogenase, type I; dihydrodiol dehydrogenase 4)	24.11 down	0
F04611	1792	EST	23.96 down	0.00018
M10058	2230	asialoglycoprotein receptor 1	23.96 down	0
L32179	2193	arylamide deacetylase (esterase)	23.83 down	0
AA598419	1427	translational inhibitor protein p14.5	23.6 down	0.00036
F02028	1774	EST	23.48 down	0.00465

Table 6B. (page 7) Down in Metastatics vs Normal Sample Set 2

N89302	2707	HLA-B associated transcript-3	23.44 down	0.00192
AA279676	630	deoxyribonuclease I-like 3	23.35 down	0.00001
		aldo-keto reductase family 1, member C1 (dihydrodiol dehydrogenase 1; 20-alpha (3-alpha)-hydroxysteroid dehydrogenase)		
U05861	3284	dehydrogenase)	23.22 down	0.00002
H09353	1866	EST	23.06 down	0.00094
M93405	2423	methylmalonate-semialdehyde dehydrogenase	23.06 down	0
S48983	3017	serum amyloid A4, constitutive	23.04 down	0.00022
AA443936	1084	EST	22.96 down	0.00627
N74025	2684	deiodinase, iodothyronine, type I	22.79 down	0
M15517	2267	EST	22.76 down	0.03365
M16973	2276	complement component 8, beta polypeptide	22.75 down	0.00001
X86401	3812	glycine amidinotransferase (L-arginine:glycine amidinotransferase)	22.7 down	0
D16626	1622	histidine ammonia-lyase	22.66 down	0
J02843	2088	cytochrome P450, subfamily IIE (ethanol-inducible)	22.58 down	0.00935
U22961	3329	albumin	22.22 down	0.01531
AA486511	1349	EST	22.21 down	0.00113
L48516	2220	paraoxonase 3	22.21 down	0.00004
M62486	2374	complement component 4-binding protein, alpha cytochrome P450, subfamily IIIA (naphedipine oxidase), polypeptide 3	22.08 down	0.00272
D00003	1586		22.05 down	0.00059
J03810	2099	solute carrier family 2 (facilitated glucose transporter), member 2	21.99 down	0.00004
AA219304	447	alpha-2-macroglobulin	21.97 down	0.00011
R08615	2780	homogentisate 1,2-dioxygenase (homogentisate oxidase)	21.85 down	0.00026
AA147646	317	DKFZP586A0522 protein	21.82 down	0
AA292158	706	EST	21.79 down	0.00031
D11835	1598	low density lipoprotein receptor (familial hypercholesterolemia)	21.76 down	0.00307
T87174	3239	EST	21.71 down	0.00681
M16961	2274	alpha-2-HS-glycoprotein	21.45 down	0.01175
D78011	1717	dihydropyrimidinase	21.37 down	0.00003
R98624	3012	EST	21.32 down	0
R65593	2934	kynurenine 3-monooxygenase (kynurenine 3-hydroxylase)	21.27 down	0.00007
K02766	2126	complement component 9	21.24 down	0

Table 6B. (page 8) Down in Metastatics vs Normal Sample Set 2

AA171694	366	ceruloplasmin (ferroxidase)	21.23 down	0.00179
T58775	3156	small inducible cytokine subfamily A (Cys-Cys), member 16	21.18 down	0.00006
N71542	2664	kidney- and liver-specific gene	21.05 down	0
AA343142	751	EST	20.87 down	0.00003
X12662	3694	arginase, liver	20.59 down	0
R64131	2929	EST	20.58 down	0.01028
M68516	2387	protein C inhibitor (plasminogen activator inhibitor III)	20.54 down	0
L07765	2147	carboxylesterase 1 (monocyte/macrophage serine esterase 1)	20.53 down	0.00025
D10040	1593	fatty-acid-Coenzyme A ligase, long-chain 2	20.51 down	0
D13243	1602	pyruvate kinase, liver and RBC	20.22 down	0
X01038	3666	apolipoprotein A-I, apolipoprotein C-III	19.97 down	0.0275
T78889	3220	fibronectin 1	19.87 down	0.00912
S95936	3040	transferrin	19.76 down	0.02009
R59722	2915	EST	19.74 down	0.00016
U08198	3291	complement component 8, gamma polypeptide	19.71 down	0
AA148480	318	flavin containing monooxygenase 5	19.64 down	0
M83772	2408	flavin containing monooxygenase 3	19.54 down	0
X03350	3673	alcohol dehydrogenase 2 (class I), beta polypeptide	19.32 down	0.00001
W86375	3623	EST	19.29 down	0.0061
M76665	2397	hydroxysteroid (11-beta) dehydrogenase 1	19.22 down	0.00004
J02943	2090	corticosteroid binding globulin	18.98 down	0.00087
T61389	3163	haptoglobin	18.95 down	0.04873
J04093	2106	UDP glycosyltransferase 1	18.92 down	0
Y09616	3854	carboxylesterase 2 (intestine, liver)	18.78 down	0.00026
Z40715	3920	delta-6 fatty acid desaturase	18.68 down	0.0007
M13149	2250	histidine-rich glycoprotein	18.65 down	0.02974
U32576	3346	apolipoprotein C-IV	18.59 down	0.00005
X00129	3664	retinol-binding protein 4, interstitial	18.57 down	0.02378
N69136	2644	EST	18.53 down	0.00366
Z49269	3942	small inducible cytokine subfamily A (Cys-Cys), member 14	18.46 down	0.00001
M29874	2319	cytochrome P450, subfamily IIB (phenobarbital-inducible)	18.44 down	0.00081
M11437	2238	kininogen	18.38 down	0.00006
Y00317	3842	UDP glycosyltransferase 2 family, polypeptide B4	18.34 down	0.00001

Table 6B. (page 9) Down in Metastatics vs Normal Sample Set 2

L09229	2150	fatty-acid-Coenzyme A ligase, long-chain 1, fatty-acid-Coenzyme A ligase, long-chain 2	18.34 down	0.00016
U37055	3352	macrophage stimulating 1 (hepatocyte growth factor-like), macrophage stimulating, pseudogene 9	18.28 down	0
S68805	3025	glycine amidinotransferase (L-arginine:glycine amidinotransferase)	18.19 down	0.00083
D49742	1668	hyaluronan-binding protein 2	18.13 down	0.00012
N49090	2532	EST	18 down	0.00501
M20867	2291	glutamate dehydrogenase 1	17.73 down	0.00002
AA435985	1049	EST	17.7 down	0
X95384	3830	translational inhibitor protein p14.5	17.69 down	0.00048
		solute carrier family 22 (extraneuronal monoamine transporter), member 3		
T51617	3137	mitogen inducible 2	17.67 down	0.00018
D59714	1700	asialoglycoprotein receptor 2	17.62 down	0.00014
M11025	2235	plasminogen, plasminogen-like	17.56 down	0.00003
M86873	2413	activating transcription factor 5	17.54 down	0
AA292328	707	EST	17.51 down	0.00689
HG1148-HT1148		EST	17.51 down	0.00024
D62518	1708	EST	17.49 down	0.00017
AA424798	947	EST	17.45 down	0.00352
L32140	2192	afamin	17.31 down	0.00003
		glucose-6-phosphatase, catalytic (glycogen storage disease type I, von Gierke disease)		
R02365	2754	ketohexokinase (fructokinase)	17.17 down	0.00124
N54950	2572	apolipoprotein C-II	17.17 down	0.00078
M10612	2232	EST	17.13 down	0.00746
H30270	1915	EST	17.09 down	0.00001
N73543	2674	EST	17 down	0.00003
M20786	2290	alpha-2-plasmin inhibitor	16.95 down	0.00709
U20530	3321	secreted phosphoprotein 2, 24kD	16.93 down	0
Z39833	3910	GTP-binding protein	16.89 down	0.00034
AA377087	771	EST	16.75 down	0.00002
H47838	1936	carboxypeptidase B2 (plasma)	16.74 down	0.00002
D00097	1588	amyloid P component, serum	16.72 down	0.00098
AA236401	510	EST	16.71 down	0.00088

Table 6B. (page 10) Down in Metastatics vs Normal Sample Set 2

T52813	3141	putative lymphocyte G0/G1 switch gene	16.71 down	0.03897
W92713	3651	EST	16.55 down	0.00097
H83109	2012	EST	16.55 down	0.00001
T63490	3170	EST	16.54 down	0
AA122345	238	glutamate dehydrogenase 1	16.53 down	0.00004
M11321	2237	group-specific component (vitamin D binding protein)	16.52 down	0.01416
K02215	2124	angiotensinogen	16.51 down	0.00006
AA449267	1120	EST	16.44 down	0.00926
N68974	2639	EST	16.44 down	0.00087
R43799	2850	EST	16.35 down	0.00208
N51773	2548	EST	16.32 down	0.0007
L11005	2154	aldehyde oxidase 1	16.3 down	0.00065
N71935	2666	multiple PDZ domain protein	16.28 down	0
M26393	2309	acyl-Coenzyme A dehydrogenase, C-2 to C-3 short chain	16.27 down	0.00007
J05037	2116	serine dehydratase	16.24 down	0.00015
M11437	2238	kininogen	16.19 down	0.02277
T73739	3213	alanine-glyoxylate aminotransferase (oxalosis I; hyperoxaluria I;	16.18 down	0.00277
AA404252	848	glycolicaciduria; serine-pyruvate aminotransferase)	16.15 down	0.00001
M58569	2361	lectin, mannose-binding, 1	16.15 down	0.00174
J05428	2120	EST	16.14 down	0.00563
AA194997	412	UDP glycosyltransferase 2 family, polypeptide B7	16.12 down	0.00103
X14690	3700	pre-alpha (globulin) inhibitor, H3 polypeptide	16.07 down	0.00438
H77597	2000	metallothionein 1H	16.03 down	0.00675
U08006	3289	complement component 8, alpha polypeptide	16 down	0.00111
AA458946	1209	EST	15.88 down	0.00004
M13699	2253	ceruloplasmin (ferroxidase)	15.85 down	0.00012
M21642	2294	antithrombin III	15.82 down	0.01027
W28824	3492	EST	15.8 down	0.00006
H60595	1966	progesterone binding protein	15.8 down	0.01078
R06746	2770	EST	15.77 down	0.00009
AA236455	512	EST	15.71 down	0.00286
AA253369	563	EST	15.59 down	0.00091

Table 6B. (page 11) Down in Metastatics vs Normal Sample Set 2

AA479885	1318	KIAA0843 protein	15.57 down	0.00024
		butyrobetaine (gamma), 2-oxoglutarate dioxygenase (gamma-		
AA455988	1184	butyrobetaine hydroxylase)	15.54 down	0.00001
AA381125	772	EST	15.48 down	0
AA455403	1177	EST	15.46 down	0.01547
U29953	3341	pigment epithelium-derived factor	15.33 down	0.00212
AA456289	1189	EST	15.31 down	0.00004
H93246	2035	EST	15.3 down	0.00233
AA015768	34	EST	15.3 down	0.00008
AA195656	418	KIAA0977 protein	15.29 down	0.00817
M21642	2294	antithrombin III	15.23 down	0.02088
X56692	3736	C-reactive protein, pentraxin-related	15.15 down	0.01884
AA196287	420	EST	15.07 down	0.00001
T48278	3131	EST	15.04 down	0.04751
N66857	2619	EST	15.03 down	0.00005
AA156565	344	4-nitrophenylphosphatase domain and non-neuronal SNAP25-like 1	15.01 down	0.01387
N58326	2578	EST	14.97 down	0.00647
W86431	3624	protein C inhibitor (plasminogen activator inhibitor III)	14.94 down	0.00152
W79422	3601	fumarylacetoacetate	14.94 down	0.00059
H58673	1959	EST	14.85 down	0.00005
Y12711	3858	progesterone binding protein	14.83 down	0.00285
N31741	2488	serine hydroxymethyltransferase 1 (soluble)	14.76 down	0.00001
N57464	2575	CCAAT/enhancer binding protein (C/EBP), delta	14.69 down	0.00018
X64877	3763	H factor (complement)-like 3	14.6 down	0
		aldehyde dehydrogenase 4 (glutamate gamma-semialdehyde		
U24266	3330	dehydrogenase; pyrroline-5-carboxylate dehydrogenase)	14.54 down	0
N91882	2719	alpha2,3-sialyltransferase	14.52 down	0.00024
AA402224	836	growth arrest and DNA-damage-inducible, gamma	14.41 down	0.00012
AA179004	377	EST	14.34 down	0.00008
AA034030	75	methylmalonyl Coenzyme A mutase	14.32 down	0.00004
M17262	2278	coagulation factor II (thrombin)	14.24 down	0.00028
U48707	3370	protein phosphatase 1, regulatory (inhibitor) subunit 1A	14.22 down	0

Table 6B. (page 12) Down in Metastatics vs Normal Sample Set 2

L35546	2203	glutamate-cysteine ligase (gamma-glutamylcysteine synthetase), regulatory (30.8kD)	14.18 down	0.00018
T74608	3215	hydroxyacid oxidase (glycolate oxidase) 1	14.03 down	0
U95090	3463	nephrosis 1, congenital, Finnish type (nephrin)	14.01 down	0.00018
AA092716	198	HLA-B associated transcript-3	13.97 down	0.00009
D20350	1624	EST	13.97 down	0.00057
Z49878	3943	guanidinoacetate N-methyltransferase	13.96 down	0.00021
HG1428-HT1428		hemoglobin, beta	13.89 down	0.01109
X53414	3725	alanine-glyoxylate aminotransferase (oxalosis I; hyperoxaluria I; glycolicaciduria; serine-pyruvate aminotransferase)	13.87 down	0.00003
M57731	2359	GRO2 oncogene	13.87 down	0.0123
Z48475	3940	glucokinase (hexokinase 4) regulatory protein	13.84 down	0
W86075	3621	EST	13.83 down	0.00057
N57934	2576	formiminotransferase cyclodeaminase	13.81 down	0.00171
AF000573	1543	homogentisate 1,2-dioxygenase (homogentisate oxidase)	13.76 down	0.00002
R36989	2825	hypothetical protein, estradiol-induced	13.7 down	0.00056
N78850	2698	macrophage stimulating 1 (hepatocyte growth factor-like),macrophage stimulating, pseudogene 9	13.69 down	0.00421
X63359	3756	UDP glycosyltransferase 2 family, polypeptide B10	13.66 down	0.00051
N80129	2702	metallothionein 1L	13.6 down	0.00196
T61256	3161	ketohexokinase (fructokinase)	13.59 down	0.00425
X07618	3688	cytochrome P450, subfamily IID (debrisoquine, sparteine, etc., -metabolising), polypeptide 7a (pseudogene)	13.58 down	0
HG2383-HT4824		cystathionine-beta-synthase	13.57 down	0.00035
X52520	3720	tyrosine aminotransferase	13.51 down	0.00002
X98337	3837	complement factor H related 3,complement factor H-related 4	13.5 down	0.00001
T17411	3077	transferrin (prealbumin, amyloidosis type I)	13.49 down	0.00203
D12620	1601	cytochrome P450, subfamily IVF, polypeptide 2,cytochrome P450, subfamily IVF, polypeptide 3 (leukotriene B4 omega hydroxylase)	13.45 down	0
N75870	2692	dual specificity phosphatase 1	13.41 down	0.00251
U01120	3273	glucose-6-phosphatase, catalytic (glycogen storage disease type I, von Gierke disease)	13.41 down	0.00147

Table 6B. (page 13) Down in Metastatics vs Normal Sample Set 2

T58756	3155	EST		13.39 down	0.00013
AA470153	1275	solute carrier family 21 (organic anion transporter), member 9		13.26 down	0.00315
T40995	3118	alcohol dehydrogenase 3 (class I), gamma polypeptide		13.25 down	0.01531
R92768	2988	EST		13.2 down	0.00001
AA148923	321	decidual protein induced by progesterone		13.2 down	0.00257
		inter-alpha (globulin) inhibitor H4 (plasma Kallikrein-sensitive glycoprotein)			
D38535	1654	solute carrier family 10 (sodium/bile acid cotransporter family), member 1		13.2 down	0.01165
L21893	2176	EST			
AA259064	602	EST		13.18 down	0.00155
N73561	2675	EST		13.15 down	0.00001
X59766	3746	alpha-2-glycoprotein 1, zinc		12.96 down	0.00011
AA233152	467	EST		12.96 down	0.00043
X72177	3787	complement component 6		12.95 down	0
Z40902	3923	SEC14 (S. cerevisiae)-like 2		12.94 down	0.00011
X95190	3829	acyl-Coenzyme A oxidase 2, branched chain		12.87 down	0.00001
R52822	2895	EST		12.81 down	0
W95041	3659	EST		12.79 down	0.00001
X13334	3696	CD14 antigen		12.79 down	0.00001
D14012	1612	HGF activator		12.77 down	0.00887
L12760	2162	phosphoenolpyruvate carboxykinase 1 (soluble)		12.75 down	0.0035
R08850	2781	EST		12.75 down	0.00035
AA608546	1463	EST		12.55 down	0.00009
AA398280	792	EST		12.52 down	0.00003
J03910	2101	EST		12.43 down	0.00134
AA599814	1456	EST		12.42 down	0.01167
W87532	3631	putative glycine-N-acyltransferase		12.37 down	0.00002
M14338	2260	protein S (alpha)		12.34 down	0.00014
X64877	3763	H factor (complement)-like 3		12.33 down	0
R80048	2971	EST		12.33 down	0
R06726	2769	protease inhibitor 1 (anti-elastase), alpha-1-antitrypsin		12.28 down	0.00128
AA405832	866	EST		12.26 down	0.03905
M29194	2315	lipase, hepatic		12.24 down	0.00441
				12.18 down	0.00012

Table 6B. (page 14) Down in Metastatics vs Normal Sample Set 2

W58756	3551	EST	12.17 down	0.00087
T24106	3088	EST	12.13 down	0.01687
AA402656	841	EST	12.05 down	0.00001
L11244	2155	complement component 4-binding protein, beta	12.03 down	0.0001
M65134	2385	complement component 5	12.01 down	0.00012
HG3543-HT3739		insulin-like growth factor 2 (somatomedin A)	11.97 down	0.00221
		bile acid Coenzyme A: amino acid N-acyltransferase (glycine N-choyltransferase)		
L34081	2199		11.96 down	0.00008
U77594	3427	retinotic acid receptor responder (tazarotene induced) 2	11.95 down	0.00527
AA400258	812	EST	11.89 down	0.00478
AA402799	842	EST	11.81 down	0.00031
M94065	2424	dihydroorotate dehydrogenase	11.78 down	0.00034
U76376	3424	harakiri, BCL2-interacting protein (contains only BH3 domain)	11.77 down	0.00002
AA090257	190	superoxide dismutase 2, mitochondrial	11.72 down	0.02072
AA021623	43	insulin induced gene 1	11.71 down	0.00094
W70115	3573	histidine ammonia-lyase	11.65 down	0.0003
M69177	2391	monoamine oxidase B	11.64 down	0.00001
		acetyl-Coenzyme A acyltransferase 1 (peroxisomal 3-oxoacyl-Coenzyme A thiolase)		
X14813	3702		11.61 down	0.0002
AA461444	1239	EST	11.56 down	0.00167
R73816	2960	EST	11.53 down	0.00259
U31449	3344	transmembrane 4 superfamily member 4	11.53 down	0.00187
H55759	1949	EST	11.52 down	0.00034
U27460	3338	UDP-glucose pyrophosphorylase 2	11.46 down	0.00088
H29568	1914	EST	11.45 down	0.00058
AA194833	411	claudin 1	11.45 down	0.00034
AA176233	376	EST	11.44 down	0.01856
M74587	2393	insulin-like growth factor binding protein 1	11.42 down	0.00274
AA436560	1055	claudin 1	11.41 down	0.00756
Z69923	3945	HGF activator	11.37 down	0.00053
U56814	3392	deoxyribonuclease I-like 3	11.36 down	0.00001
AA236455	512	EST	11.35 down	0.02859

Table 6B. (page 16) Down in Metastatics vs Normal Sample Set 2

AA347674	753	EST		10.59 down	0.03716
C20653	1578	EST		10.59 down	0.00001
D31815	1648	regucalcin (senescence marker protein-30)		10.55 down	0.00037
T51150	3136	EST		10.52 down	0.00377
Y00451	3845	aminolevulinate, delta-, synthase 1		10.52 down	0.00107
N67893	2628	EST		10.48 down	0.00341
T64575	3171	EST		10.46 down	0.00014
AA150776	330	EST		10.45 down	0.00015
R93714	2991	fetuin B		10.42 down	0.00043
T72171	3205	thyroxin-binding globulin		10.41 down	0.00163
S77410	3034	angiotensin receptor 1		10.4 down	0
N49595	2537	EST		10.39 down	0.00022
M13143	2249	kalikrein B plasma, (Fletcher factor) 1		10.39 down	0.00019
W90455	3643	alpha-2-macroglobulin		10.35 down	0.00063
		glycine dehydrogenase (decarboxylating; glycine decarboxylase,			
H11739	1876	glycine cleavage system protein P)		10.33 down	0.00023
T71776	3203	EST		10.3 down	0.00897
AA454177	1164	EST		10.3 down	0.0008
N73988	2682	EST		10.27 down	0.00083
L27050	2186	apolipoprotein F		10.26 down	0.00026
K02100	2123	ornithine carbamoyltransferase		10.24 down	0.00009
AA236365	509	3-phosphoglycerate dehydrogenase		10.23 down	0.00562
AA010750	28	calmodulin 1 (phosphorylase kinase, delta)		10.22 down	0.00959
R45656	2864	EST		10.21 down	0.00179
		gap junction protein, beta 1, 32kD (connexin 32, Charcot-Marie-			
X04325	3676	Tooth neuropathy, X-linked)		10.17 down	0.00061
R06002	2762	EST		10.15 down	0.00003
T82323	3230	immunoglobulin superfamily, member 4		10.14 down	0
AA017146	36	EST		10.1 down	0.00052
U32989	3347	tryptophan 2,3-dioxygenase		10.07 down	0.02825
AA035457	80	EST		10.06 down	0.00085
N89738	2709	EST		10.06 down	0.00052
N94930	2740	multiple PDZ domain protein		10.06 down	0.00226

Table 6B. (page 17) Down in Metastatics vs Normal Sample Set 2

M93143	2422	plasminogen-like	10.06 down	0.00098
AA448002	1113	putative type II membrane protein	10.05 down	0
M11313	2236	alpha-2-macroglobulin	10.05 down	0.00014
M23234	2299	ATP-binding cassette, sub-family B (MDR/TAP), member 4	10.05 down	0
W90128	3640	X-box binding protein 1	10.04 down	0.00018
AA284795	678	phosphatidylethanolamine N-methyltransferase	10.03 down	0.00019
T39897	3113	androgen induced protein	10 down	0.00466
Y00318	3843	I factor (complement)	10 down	0.00019
T51930	3138	EST	9.99 down	0.00066
		enoyl-Coenzyme A, hydratase/3-hydroxyacyl Coenzyme A		
N64036	2606	dehydrogenase	9.99 down	0.00125
AA235873	505	H factor (complement)-like 1, H factor 1 (complement)	9.98 down	0.01667
AA421561	933	insulin-like growth factor 2 (somatomedin A)	9.98 down	0.00007
R31641	2813	EST	9.96 down	0.00011
AA490670	1379	EST	9.96 down	0.00454
N59543	2586	PDZ domain containing 1	9.96 down	0.00052
S70004	3028	glycogen synthase 2 (liver)	9.96 down	0.00001
R08548	2778	EST	9.94 down	0.00326
Z11793	3861	selenoprotein P, plasma, 1	9.94 down	0.00021
AA035638	82	EST	9.91 down	0.00541
AA223902	450	EST	9.91 down	0.00003
AA452855	1150	lectin, mannose-binding, 1	9.88 down	0.00428
AA400915	823	EST	9.84 down	0.00351
M17466	2279	coagulation factor XII (Hageman factor)	9.76 down	0.00285
W67147	3565	deleted in liver cancer 1	9.74 down	0.00002
		methylenetetrahydrofolate dehydrogenase (NADP+ dependent),		
		methenyltetrahydrofolate cyclohydrolase, formyltetrahydrofolate		
		synthetase		
H10779	1872	synthetase	9.73 down	0.00035
R98413	3011	EST	9.71 down	0.00007
N51117	2543	EST	9.68 down	0.00081
		cytochrome P450, subfamily IIIA (niphedipine oxidase), polypeptide		
J04813	2114	5	9.67 down	0.0107
R91503	2981	ATP-binding cassette, sub-family C (CFTR/MRP), member 2	9.64 down	0.00584

Table 6B. (page 18) Down in Metastatics vs Normal Sample Set 2

X02176	3669	complement component 9	9.61 down	0.00004
D85181	1750	sterol-C5-desaturase (fungal ERG3, delta-5-desaturase)-like	9.56 down	0.00005
R99591	3015	CD5 antigen-like (scavenger receptor cysteine rich family)	9.52 down	0.00006
H56584	1951	4-nitrophenylphosphatase domain and non-neuronal SNAP25-like 1	9.5 down	0
H94247	2041	3-hydroxy-3-methylglutaryl-Coenzyme A synthase 2 (mitochondrial)	9.49 down	0.02373
D00003	1586	cytochrome P450, subfamily IIIA (niphedipine oxidase), polypeptide 3	9.46 down	0.00001
R67970	2939	gamma-glutamyl carboxylase	9.45 down	0.00212
N24879	2459	EST	9.44 down	0.00008
T86978	3238	glutamate dehydrogenase 1	9.44 down	0.00006
N23665	2454	hydroxysteroid (17-beta) dehydrogenase 2	9.4 down	0.00055
W42789	3512	EST	9.38 down	0.00059
U02388	3277	cytochrome P450, subfamily IVF, polypeptide 2	9.38 down	0.00001
AA039616	90	EST	9.36 down	0.00009
N73883	2681	EST	9.35 down	0
X16349	3709	sex hormone-binding globulin	9.34 down	0.00007
W61377	3559	EST	9.33 down	0.0012
H38246	1917	EST	9.25 down	0.00157
D16626	1622	histidine ammonia-lyase	9.25 down	0.00025
W87606	3632	protein Z, vitamin K-dependent plasma glycoprotein	9.23 down	0.00085
AA312946	731	EST	9.21 down	0.00106
R98074	3009	EST	9.21 down	0.00048
R64199	2932	SEC22, vesicle trafficking protein (S. cerevisiae)-like 1	9.19 down	0.00387
AA419608	925	EST	9.19 down	0.00005
AA459690	1221	EST	9.18 down	0.00732
N72695	2670	EST	9.18 down	0.00069
U49082	3372	transporter protein	9.17 down	0.00088
AA291323	699	BCL2-interacting killer (apoptosis-inducing)	9.15 down	0.00514
M25079	2305	hemoglobin, beta	9.15 down	0.01399
AA430028	1008	EST	9.14 down	0.00246
W55903	3543	adipose differentiation-related protein; adipophilin	9.12 down	0.00459

Table 6B. (page 20) Down in Metastatics vs Normal Sample Set 2

T66189	3177	glutaryl-Coenzyme A dehydrogenase	8.61 down	0.00003
AA405819	865	KIAA0668 protein	8.59 down	0.02034
AA480991	1323	EST	8.59 down	0.00156
AA488843	1362	cornichon-like	8.58 down	0.02131
AA521292	1422	EST	8.58 down	0.00064
AA598417	1426	UDP-N-acetylglucosamine-2-epimerase/N-acetylmannosamine	8.56 down	0.01638
AA010619	27	kinase	8.55 down	0.00057
H95978	2052	EST	8.55 down	0.00046
AA477978	1294	short-chain dehydrogenase/reductase 1	8.53 down	0.01651
AA491001	1386	EST	8.52 down	0.01118
J05158	2117	carboxypeptidase N, polypeptide 2, 83kD	8.52 down	0
AA112101	222	EST	8.5 down	0.00004
X17094	3714	paired basic amino acid cleaving enzyme (furin, membrane	8.5 down	0
AA101235	214	associated receptor protein)	8.46 down	0.00822
X54380	3727	EST	8.44 down	0.00059
AA406126	869	pregnancy-zone protein	8.43 down	0.00569
M96843	2434	EST	8.42 down	0.02394
N99542	2746	EST	8.41 down	0.00001
AA428325	988	orosomucoid 1	8.36 down	0.00002
AA430011	1006	EST	8.35 down	0.00729
AA182030	387	EST	8.32 down	0.00018
W61378	3560	EST	8.31 down	0
W03796	3467	EST	8.3 down	0.0032
X60673	3749	adenylate kinase 3	8.3 down	0.00016
F08817	1796	EST	8.29 down	0.0077
X15422	3705	mannose-binding lectin (protein C) 2, soluble (opsonic defect)	8.29 down	0.00015
AA398423	795	EST	8.26 down	0.00063
AA412063	895	EST	8.26 down	0.00001
AA458652	1202	EST	8.26 down	0.00001
AA126722	251	O-6-methylguanine-DNA methyltransferase	8.26 down	0.002
R96822	2999	EST	8.25 down	0.00008

Table 6B. (page 21) Down in Metastatics vs Normal Sample Set 2

R38709	2832	superoxide dismutase 2, mitochondrial	8.23 down	0.01578
AA397841	780	EST	8.21 down	0
Z40259	3916	EST	8.18 down	0.00002
AA125831	241	myosin, light polypeptide kinase	8.18 down	0.00039
D49387	1666	NADP dependent leukotriene b4 12-hydroxydehydrogenase	8.17 down	0.00972
M58286	2360	tumor necrosis factor receptor superfamily, member 1A	8.15 down	0.00037
W26769	3482	CGI-86 protein	8.14 down	0.00204
AA609519	1482	EST	8.13 down	0.00009
F10276	1814	dual specificity phosphatase 6	8.13 down	0.0001
R10378	2785	fibrinogen-like 1	8.13 down	0.00189
AA257057	586	EST	8.11 down	0.00379
D52097	1682	prostatic binding protein	8.1 down	0.00141
X76717	3794	metallothionein 1L	8.09 down	0.00025
AA447971	1110	EST	8.08 down	0.00035
		aldehyde dehydrogenase 5 family, member A1 (succinate-		
AA486410	1348	semialdehyde dehydrogenase)	8.08 down	0.00485
N34804	2496	DKFZP434J214 protein	8.08 down	0.00028
AA167565	362	EST	8.08 down	0.00046
AA234095	478	EST	8.08 down	0.00394
AA489629	1369	EST	8.08 down	0.00109
AA412481	902	EST	8.07 down	0.00014
N52271	2551	LIM protein (similar to rat protein kinase C-binding enigma)	8.06 down	0.00011
N94146	2738	EST	8.05 down	0
AA004521	8	prostate cancer overexpressed gene 1	8.03 down	0.00027
R49035	2876	EST	8.02 down	0.00991
M59815	2364	complement component 4A	8.02 down	0.00049
HG3044-HT3742		fibronectin 1	8.02 down	0.02094
AA007629	19	EST	8.01 down	0.00001
W33167	3498	EST	8.01 down	0.00026
H98771	2069	BCL2/adenovirus E1B 19kD-interacting protein 3	8 down	0.0018
AA450127	1132	growth arrest and DNA-damage-inducible, beta	7.98 down	0.00078
AA609316	1481	EGF-like-domain, multiple 5	7.97 down	0.00011
W87454	3629	homogentisate 1,2-dioxygenase (homogentisate oxidase)	7.93 down	0.00149

Table 6B. (page 22) Down in Metastatics vs Normal Sample Set 2

N63698	2603	EST		7.92 down	0.00001
Z24725	3867	mitogen inducible 2		7.9 down	0
Z30425	3875	nuclear receptor subfamily 1, group I, member 3		7.88 down	0.00006
		matrix metalloproteinase 2 (gelatinase A, 72kD gelatinase, 72kD type IV collagenase)			
F03969	1785	alpha-1-antichymotrypsin		7.87 down	0.00014
X68733	3778	short-chain dehydrogenase/reductase 1		7.87 down	0.03266
AA599211	1445	solute carrier family 25 (mitochondrial carrier; citrate transporter), member 1		7.85 down	0.00911
AA079758	174	growth factor receptor-bound protein 14		7.83 down	0.00359
AA398124	787	EST		7.82 down	0.00009
AA416873	908	cytochrome P450, subfamily IIC (mephenytoin 4-hydroxylase), polypeptide 18		7.82 down	0.00005
M61853	2369	EST		7.82 down	0.00024
W95795	3662	EST		7.8 down	0.00359
R69417	2941	EST		7.79 down	0.03795
AA430044	1010	EST		7.78 down	0.00124
AA460449	1228	EST		7.77 down	0.00011
R73485	2957	EST		7.77 down	0.0009
W20467	3479	EST		7.76 down	0.00008
AA481432	1328	fibronectin 1		7.76 down	0.0061
L29433	2191	coagulation factor X		7.74 down	0.00244
AA261954	604	EST		7.69 down	0.00334
T16484	3070	EST		7.69 down	0.00805
AA443272	1074	EST		7.68 down	0.00869
AA282516	660	7-dehydrocholesterol reductase		7.67 down	0.0008
AA459668	1219	3-hydroxyisobutyryl-Coenzyme A hydrolase		7.62 down	0.00225
AA431773	1026	EST		7.61 down	0.00063
X92720	3823	phosphoenolpyruvate carboxykinase 2 (mitochondrial)		7.6 down	0.00001
AA142849	306	EST		7.59 down	0.00804
W90766	3646	EST		7.58 down	0.00057
N40320	2513	EST		7.56 down	0.01584
AA410255	882	EST		7.56 down	0.00043
T72906	3209	EST		7.56 down	0.00062

Table 6B. (page 23) Down in Metastatics vs Normal Sample Set 2

M65292	2386	H factor (complement)-like 1,H factor 1 (complement)	7.56 down	0.01152
R59221	2911	progesterone binding protein	7.54 down	0.00159
N77326	2695	EST	7.51 down	0.00542
AA400864	821	EST	7.51 down	0.02237
HG2379-HT3996		serine hydroxymethyltransferase 1 (soluble)	7.49 down	0.00093
AA234634	486	CCAAT/enhancer binding protein C(EBP), delta	7.48 down	0.03318
		solute carrier family 25 (mitochondrial carrier; citrate transporter), member 1		
AA435777	1047	tetranectin (plasminogen-binding protein)	7.48 down	0.00613
W73889	3591	glutamate dehydrogenase 1	7.45 down	0.00091
X67491	3773	collagen, type XVIII, alpha 1	7.45 down	0.00019
AA292773	713	nephrosis 1, congenital, Finnish type (nephrin)	7.44 down	0.00158
U95090	3463	methylmalonyl Coenzyme A mutase	7.44 down	0.00004
M65131	2384	similar to yeast BET3 (S. cerevisiae)	7.43 down	0.00038
AA398892	800	EST	7.43 down	0.00065
AA621274	1519	B-factor, properdin	7.43 down	0.01197
T72268	3206	EST	7.41 down	0
AA010205	23	EST	7.41 down	0.00159
R32440	2816	EST	7.39 down	0.00565
N63391	2599	cytochrome b-5	7.39 down	0.02431
M22976	2297	UDP glycosyltransferase 2 family, polypeptide B15	7.38 down	0.00005
U08854	3292	protein C (inactivator of coagulation factors Va and VIIIa)	7.37 down	0.01866
M12712	2246	EST	7.37 down	0.00091
AA256341	578	EST	7.34 down	0.04562
AA256171	575	EST	7.34 down	0.001
AA436489	1053	EST	7.33 down	0.00062
AA09225	206	EST	7.29 down	0.00022
T77729	3217	pyruvate carboxylase		
		protein phosphatase 2 (formerly 2A), regulatory subunit A (PR 65), beta isoform	7.28 down	0
AA191310	397	DKFZP727G051 protein	7.28 down	0.01745
AA497052	1408	EST	7.28 down	0.00024
W85847	3616	complement component 8, gamma polypeptide	7.28 down	0.00206
AA344866	752	serine hydroxymethyltransferase 1 (soluble)	7.27 down	0.00041
L11931	2159			

Table 6B. (page 24) Down in Metastatics vs Normal Sample Set 2

AA429904	1005	EST		7.26 down	0.00524
T23986	3085	hydroxyacyl glutathione hydrolase; glyoxalase 2		7.26 down	0.0062
AA459420	1217	EST		7.25 down	0.0214
W94942	3658	dual specificity phosphatase 10		7.23 down	0.00137
L00972	2133	cystathionine-beta-synthase		7.19 down	0.00008
R48307	2869	EST		7.18 down	0.00007
AA442334	1069	EST		7.15 down	0.00018
AA243582	529	hemoglobin, gamma A		7.15 down	0.0021
AA437235	1060	EST		7.15 down	0.01455
N67378	2625	KIAA1053 protein		7.14 down	0
AA047151	116	EST		7.13 down	0.00007
R02572	2756	fibronectin 1		7.1 down	0.00059
M63509	2376	glutathione S-transferase M1, glutathione S-transferase M2 (muscle), glutathione S-transferase M4		7.06 down	0.03887
U49248	3373	ATP-binding cassette, sub-family C (CFTR/MRP), member 2		7.06 down	0.00067
D90042	1767	N-acetyltransferase 2 (arylamine N-acetyltransferase)		7.06 down	0
		succinate dehydrogenase complex, subunit D, integral membrane protein			
T67231	3180	protein		7.04 down	0.03554
AA293327	716	isocitrate dehydrogenase 1 (NADP+), soluble		7.04 down	0.04377
X02750	3670	protein C (inactivator of coagulation factors Va and VIIIa)		7.04 down	0.00079
AA460661	1229	EST		7.02 down	0.00053
W28798	3491	phosphodiesterase 6A, cGMP-specific, rod, alpha		7.01 down	0.00017
AA428900	992	EST		7.01 down	0.00037
R33146	2818	EST		7 down	0.00043
AA404352	850	EST		7 down	0.00059
L40401	2211	putative protein		6.97 down	0.00079
M31627	2330	X-box binding protein 1		6.97 down	0.00052
AA608802	1470	EST		6.95 down	0.00263
AA285053	681	EST		6.95 down	0.00125
N59474	2583	EST		6.93 down	0.00337
AA258567	597	EST		6.92 down	0.00096
N91087	2716	EST		6.91 down	0.00109
N81036	2705	EST		6.89 down	0.00276

Table 6B. (page 25) Down in Metastatics vs Normal Sample Set 2

H73535	1996	EST		6.89 down	0.00202
Y00339	3844	carbonic anhydrase II		6.89 down	0
AA057678	143	EST		6.88 down	0.00078
AA609934	1493	EST		6.84 down	0.00048
AA342446	748	insulin receptor		6.83 down	0.00412
H06935	1855	electron-transferring-flavoprotein dehydrogenase		6.82 down	0.00105
H27442	1910	erythrocyte membrane protein band 7.2 (stomatin)		6.81 down	0.00083
D79276	1722	succinate-CoA ligase, GDP-forming, beta subunit		6.8 down	0.00047
AA609164	1480	cytochrome b-561		6.8 down	0.02298
W27023	3484	neuroendocrine-specific protein C like (foocen)		6.79 down	0.00805
N78902	2699	leptin receptor		6.79 down	0.0041
X95715	3832	ATP-binding cassette, sub-family C (CFTR/MRP), member 6		6.78 down	0.00045
T95515	3260	KIAA0249 gene product		6.77 down	0.0001
H69138	1986	v-Ki-ras2 Kirsten rat sarcoma 2 viral oncogene homolog		6.76 down	0.00142
U68233	3411	nuclear receptor subfamily 1, group H, member 4		6.76 down	0.00022
AA143019	309	EST		6.75 down	0.00109
T71021	3201	EST		6.74 down	0.0017
M91432	2419	acyl-Coenzyme A dehydrogenase, C-4 to C-12 straight chain		6.74 down	0.00008
AA205724	426	EST		6.73 down	0.00027
N59532	2584	aminomethyltransferase (glycine cleavage system protein T)		6.73 down	0.00005
T63364	3169	ficolin (collagen/fibrinogen domain-containing) 3 (Hakata antigen)		6.72 down	0.00383
AA044755	104	EST		6.7 down	0.01228
D59554	1698	EST		6.7 down	0
H66367	1977	EST		6.68 down	0.0001
X68277	3774	dual specificity phosphatase 1		6.68 down	0.0036
R50008	2886	7-dehydrocholesterol reductase		6.67 down	0.00409
C20974	1581	Vanin 1		6.66 down	0.00272
R82074	2973	syndecan 1		6.66 down	0.01336
M14058	2256	complement component 1, r subcomponent		6.66 down	0.00229
AA400979	825	calcitonin receptor-like receptor activity modifying protein 3		6.65 down	0.01051
U03056	3279	hyaluronoglucosaminidase 1		6.64 down	0
AA215919	443	F-box protein 7		6.62 down	0.00921
AA426304	962	EST		6.61 down	0.01092

Table 6B. (page 26) Down in Metastatics vs Normal Sample Set 2

AA251114	539	prostate cancer overexpressed gene 1	6.6 down	0.00039
T60407	3160	EST	6.6 down	0.00167
AA416890	909	sphingomyelin phosphodiesterase 1, acid lysosomal (acid sphingomyelinase)	6.6 down	0.00112
AA235233	493	EST	6.59 down	0.00755
H04854	1842	interleukin 1 receptor accessory protein	6.58 down	0.00007
M16447	2270	quinoid dihydropteridine reductase	6.57 down	0.00015
C20911	1580	antithrombin III	6.56 down	0.00175
N70861	2660	EST	6.55 down	0.00001
AA010360	24	EST	6.55 down	0.00027
D00632	1591	glutathione peroxidase 3 (plasma)	6.55 down	0.00121
T69009	3191	quinoid dihydropteridine reductase	6.55 down	0.00145
M13829	2254	v-raf murine sarcoma 3611 viral oncogene homolog 1	6.52 down	0
M72885	2392	putative lymphocyte G0/G1 switch gene	6.5 down	0.03461
AA172372	370	EST	6.48 down	0.00344
D14695	1618	KIAA0025 gene product; MMS-inducible gene	6.48 down	0
AA253129	560	F-box protein FBL11	6.47 down	0.00001
T03651	3046	tubulin, beta polypeptide	6.47 down	0.00843
M94065	2424	dihydroorotate dehydrogenase	6.47 down	0.00013
M35410	2344	insulin-like growth factor binding protein 2 (36kD)	6.45 down	0.04517
Z40305	3917	EST	6.45 down	0.00001
D60856	1705	UDP-glucose dehydrogenase	6.45 down	0.01222
AA195657	419	EST	6.44 down	0.00016
H05985	1851	hypothetical protein	6.43 down	0.04887
AA281440	644	EST	6.43 down	0.01246
W26996	3483	EST	6.42 down	0.00005
U90544	3453	solute carrier family 17 (sodium phosphate), member 2	6.42 down	0.00023
		glycine dehydrogenase (decarboxylating; glycine decarboxylase,		
M64590	2381	glycine cleavage system protein P)	6.41 down	0.00002
H68953	1985	transferrin	6.4 down	0.00132
M20218	2288	coagulation factor XI (plasma thromboplastin antecedent)	6.4 down	0.00004
U26173	3334	nuclear factor, interleukin 3 regulated	6.4 down	0.00001
Z29481	3874	3-hydroxyanthranilate 3,4-dioxygenase	6.39 down	0.00029

Table 6B. (page 27) Down in Metastatics vs Normal Sample Set 2

AA410523	886	EST	6.37 down	0.03506
AA447549	1101	UDP-N-acteylglucosamine pyrophosphorylase 1; Sperm associated antigen 2	6.37 down	0.02815
X85116	3811	erythrocyte membrane protein band 7.2 (stomatin)	6.37 down	0.00356
W72079	3578	EST	6.36 down	0.00641
AA621209	1516	similar to Caenorhabditis elegans protein C42C1.9	6.34 down	0.00144
W68721	3569	cleft lip and palate associated transmembrane protein 1	6.34 down	0.01504
R38185	2828	EST	6.32 down	0.00063
H41084	1924	EST	6.31 down	0.0227
AA426609	968	EST	6.28 down	0.01233
H05974	1850	EST	6.28 down	0.00549
X83618	3810	3-hydroxy-3-methylglutaryl-Coenzyme A synthase 2 (mitochondrial)	6.27 down	0.02099
AA431337	1020	EST	6.26 down	0.00053
AA234817	490	EST	6.22 down	0.00099
AA398102	786	KIAA0429 gene product	6.22 down	0.00396
AA481670	1330	retinal short-chain dehydrogenase/reductase retSDR2	6.2 down	0.0078
AA608837	1472	EST	6.2 down	0.00006
N64535	2609	EST	6.19 down	0.00106
AA234527	483	nuclear receptor subfamily 3, group C, member 1	6.19 down	0.00864
M10942	2233	metallothionein 1E (functional)	6.19 down	0.00428
W42996	3514	EST	6.18 down	0.00587
Z47553	3936	flavin containing monooxygenase 5	6.17 down	0.00011
N36001	2503	EST	6.16 down	0.00222
N27670	2473	progesterone membrane binding protein	6.15 down	0.00321
N75203	2690	EST	6.15 down	0.00181
R06271	2765	EST	6.14 down	0.00063
R40946	2844	crystallin, zeta (quinone reductase)	6.14 down	0.00156
U66674	3407	ATP-binding cassette, sub-family C (CFTR/MRP), member 3	6.13 down	0.00127
D82061	1741	Ke6 gene, mouse, human homolog of	6.1 down	0.00104
R06977	2774	glucokinase (hexokinase 4) regulatory protein	6.1 down	0.00049
W87781	3633	EST	6.1 down	0.00045
M15465	2266	pyruvate kinase, liver and RBC	6.1 down	0.00069

Table 6B. (page 28) Down in Metastatics vs Normal Sample Set 2

AA609773	1489	EST		6.09 down	0.01103
AA197311	422	intercellular adhesion molecule 1 (CD54), human rhinovirus receptor		6.07 down	0.00053
M13690	2252	complement component 1 inhibitor (angioedema, hereditary)		6.07 down	0.00045
R48540	2872	EST		6.05 down	0.00086
AA453770	1157	EST		6.04 down	0.00524
AA455097	1172	EST		6.03 down	0.00419
D82422	1745	ferroportin 1; iron regulated gene 1		6.01 down	0.02351
F13702	1826	EST		6.01 down	0.00064
M83652	2407	properdin P factor, complement		6 down	0.00002
L11708	2158	hydroxysteroid (17-beta) dehydrogenase 2		5.99 down	0.01516
H71861	1993	glucan (1,4-alpha-), branching enzyme 1 (glycogen branching enzyme, Andersen disease, glycogen storage disease type IV)		5.97 down	0.00007
X97324	3836	adipose differentiation-related protein; adipophilin		5.97 down	0.04638
AA157799	348	aldo-keto reductase family 7, member A2 (aflatoxin aldehyde reductase)		5.96 down	0
M35590	2345	small inducible cytokine A4		5.96 down	0.00604
H02855	1832	EST		5.96 down	0.00458
C16420	1576	EST		5.95 down	0.00119
X07767	3691	protein kinase, cAMP-dependent, catalytic, alpha		5.94 down	0.00028
AA045870	108	EST		5.93 down	0.00017
Z80345	3948	acyl-Coenzyme A dehydrogenase, C-2 to C-3 short chain		5.93 down	0.0024
N93764	2736	EST		5.92 down	0.0109
AA031543	68	translocation protein 1		5.92 down	0.00405
AA620667	1506	protein tyrosine phosphatase type IVA, member 1		5.92 down	0.00206
M59499	2363	tissue factor pathway inhibitor (lipoprotein-associated coagulation inhibitor)		5.92 down	0.0005
X91148	3818	microsomal triglyceride transfer protein (large polypeptide, 88kD)		5.91 down	0.00045
R09053	2782	EST		5.9 down	0.0002
Z39476	3905	EST		5.9 down	0.00687
AA233347	470	zinc finger protein 216		5.9 down	0.0041
M13232	2251	coagulation factor VII (serum prothrombin conversion accelerator)		5.9 down	0.00014
T69384	3197	period (Drosophila) homolog 1		5.88 down	0.01219

Table 6B. (page 29) Down in Metastatics vs Normal Sample Set 2

D51279	1679	ovarian granulosa cell protein (13kD)	5.88 down	0.01271
M64554	2380	coagulation factor XIII, B polypeptide	5.87 down	0.00011
C02099	1560	CGI-131 protein	5.85 down	0.02377
Y08409	3851	thyroid hormone responsive SPOT14 (rat) homolog	5.84 down	0.00455
H99727	2080	adipose differentiation-related protein; adipophilin	5.83 down	0.04346
L13278	2163	crystallin, zeta (quinone reductase)	5.83 down	0.0034
S77356	3033	EST	5.83 down	0.00122
M16474	2271	butyrylcholinesterase	5.82 down	0.00113
U32576	3346	apolipoprotein C-IV	5.81 down	0.04343
D37931	1650	ribonuclease, RNase A family, 4	5.81 down	0.00836
AA446587	1091	EST	5.8 down	0.00012
R93908	2993	EST	5.8 down	0.02699
AA086201	185	EST	5.8 down	0.00012
AA164586	359	estrogen receptor 1	5.8 down	0.00182
AF007216	1550	solute carrier family 4, sodium bicarbonate cotransporter, member 4	5.79 down	0.00005
AA479498	1314	EST	5.78 down	0.01489
AA424813	948	EST	5.77 down	0.00503
H03348	1833	claudin 1	5.77 down	0.0001
R62173	2923	UDP-glucose dehydrogenase	5.76 down	0.0006
Z39976	3912	EST	5.76 down	0.00012
AA219039	446	EST	5.76 down	0.00053
AA608751	1469	EST	5.76 down	0.01404
T95064	3259	EST	5.75 down	0.00604
H09364	1867	succinate dehydrogenase complex, subunit A, flavoprotein (Fp)	5.74 down	0.03125
T90841	3250	EST	5.74 down	0.01876
T03441	3043	cytochrome b-561	5.74 down	0.02781
AA424307	944	EST	5.73 down	0.0074
AA398386	793	EST	5.71 down	0.00007
R43910	2851	EST	5.71 down	0
U12778	3300	acyl-Coenzyme A dehydrogenase, short/branched chain	5.68 down	0.00116
AA255903	573	CD39-like 4	5.67 down	0.01687

Table 6B. (page 30) Down in Metastatics vs Normal Sample Set 2

AA52289	552	quinolinate phosphoribosyltransferase (nicotinate-nucleotide	5.66 down	0.01389
AA262766	609	pyrophosphorylase (carboxylating))	5.66 down	0.03832
T64887	3172	EST	5.66 down	0.00349
D11802	1597	protein phosphatase 5, catalytic subunit	5.65 down	0.00009
D45714	1664	angiotensinogen	5.64 down	0.00384
U70732	3414	EST	5.64 down	0.00146
H88675	2022	glutamic-pyruvate transaminase (alanine aminotransferase)	5.63 down	0.00554
AA442342	1070	EST	5.62 down	0.00052
T79863	3225	EST	5.62 down	0.00074
AA454733	1169	EST	5.61 down	0.01182
W72972	3584	EST	5.61 down	0.00939
N95495	2741	EST	5.61 down	0.00308
J03764	2097	plasminogen activator inhibitor, type I	5.6 down	0.02196
L07956	2148	glucan (1,4-alpha-), branching enzyme 1 (glycogen branching	5.6 down	0.00029
AA090439	192	enzyme, Andersen disease, glycogen storage disease type IV)	5.58 down	0.00501
AA419507	924	ribosomal protein S6	5.58 down	0.00578
AA236982	520	EST	5.56 down	0.01542
L35546	2203	sterol carrier protein 2	5.56 down	0.0005
M16967	2275	glutamate-cysteine ligase (gamma-glutamylcysteine synthetase),	5.56 down	0.00047
AB002328	1536	regulatory (30.8kD)	5.55 down	0.00016
AA450281	1134	coagulation factor V (proaccelerin, labile factor)	5.55 down	0.00004
W47175	3531	calcineurin binding protein 1	5.54 down	0.00914
N52845	2553	EST	5.53 down	0.00088
AA425782	956	3-prime-phosphoadenosine 5-prime-phosphosulfate synthase 2	5.52 down	0.03433
R10684	2787	EST	5.51 down	0.00741
AA436926	1059	KIAA0874 protein	5.5 down	0.00984
AA452598	1148	EST	5.49 down	0.00163
D11756	1596	genethonin 1	5.49 down	0.01272
AA223335	449	EST	5.49 down	0.02761
D87436	1761	propionyl Coenzyme A carboxylase, beta polypeptide	5.49 down	0.00333
		KIAA0249 gene product		

Table 6B. (page 31) Down in Metastatics vs Normal Sample Set 2

J04080	2105	complement component 1, s subcomponent	5.48 down	0.0239
X65962	3766	cytochrome P450, subfamily IIC (mephenytoin 4-hydroxylase)	5.47 down	0.00014
AA443822	1082	EST	5.46 down	0.02538
AA485089	1341	EST	5.46 down	0.00044
AA032048	72	EST	5.45 down	0.00383
AA400471	816	EST	5.45 down	0.0056
AA490159	1374	glucose-6-phosphatase, transport (glucose-6-phosphate) protein 1	5.44 down	0
M12174	2242	ras homolog gene family, member B	5.44 down	0.0088
U11313	3296	sterol carrier protein 2	5.44 down	0.00187
N65959	2611	EST	5.43 down	0.00044
AA482594	1337	EST	5.42 down	0.00387
AA455865	1180	phosphatidylinositol glycan, class B	5.41 down	0.00004
N23761	2456	DKFZP586G011 protein	5.41 down	0.00448
U49352	3374	2,4-dienoyl CoA reductase 1, mitochondrial	5.41 down	0.02371
R63545	2926	EST	5.4 down	0.00202
AA258308	590	EST	5.4 down	0.00023
R34362	2821	KIAA0327 gene product	5.4 down	0.04615
AA621192	1515	EST	5.39 down	0.0016
T69020	3192	EST	5.39 down	0.00383
AA598679	1434	EST	5.37 down	0.00467
R43365	2849	EST	5.37 down	0.00103
AA455987	1183	EST	5.36 down	0.00029
C01257	1554	EST	5.35 down	0.00608
D31716	1647	basic transcription element binding protein 1	5.35 down	0.00086
L05779	2140	epoxide hydrolase 2, cytoplasmic	5.35 down	0.00006
		UDP-N-acetylglucosamine-2-epimerase/N-acetylmannosamine		
AA490775	1380	kinase	5.34 down	0.00118
R15825	2791	KIAA0946 protein; Huntingtin interacting protein H	5.33 down	0.00391
AA342771	749	EST	5.33 down	0.00331
F10466	1820	EST	5.32 down	0.02494
S72370	3029	pyruvate carboxylase	5.31 down	0.00075
N27834	2474	alpha2,3-sialyltransferase	5.31 down	0.00039
D31117	1640	ribosome binding protein 1 (dog 180kD homolog)	5.3 down	0.02749

Table 6B. (page 32) Down in Metastatics vs Normal Sample Set 2

AA032005	71	EST	adaptor-related protein complex 2, mu 1 subunit	5.3 down	0.01202
N48315	2526		cathepsin F	5.3 down	0.0149
T08879	3048		insulin receptor	5.29 down	0.0008
X02160	3668		mature T-cell proliferation 1	5.29 down	0.0001
Z24459	3866		EST	5.29 down	0.00001
AA236230	508	EST	EST	5.28 down	0.01517
AA258353	593	EST	EST	5.28 down	0.00193
N64017	2605	EST	hydroxyacyl glutathione hydrolase; glyoxalase 2	5.27 down	0.00022
X90999	3817	EST	GTP cyclohydrolase 1 (dopa-responsive dystonia)	5.27 down	0.00047
AA347717	754	EST	cytochrome P450, subfamily IIIA (naphthopine oxidase), polypeptide	5.25 down	0.00207
U19523	3319		3	5.25 down	0.00029
J04449	2110	EST	DNA segment on chromosome 6 (unique) 49 expressed sequence	5.25 down	0.01583
AA428150	985	EST	nuclear localization signal deleted in velocardiofacial syndrome	5.24 down	0.00167
N20113	2438	EST	guanine nucleotide binding protein (G protein), alpha inhibiting	5.24 down	0.01346
N70057	2653	EST	activity polypeptide 2	5.24 down	0.01178
N62652	2592	EST	Autosomal Highly Conserved Protein	5.23 down	0.03006
AA461057	1234		EST	5.22 down	0.00051
X04828	3680		amplified in osteosarcoma	5.22 down	0.01278
AA044842	105	EST	carboxyl reductase 1	5.21 down	0.0009
AA005358	14	EST	B-cell CLL/lymphoma 6 (zinc finger protein 51)	5.2 down	0.00318
N25082	2462	EST	EST	5.19 down	0.00895
Z39059	3896	EST	5,10-methylenetetrahydrofolate synthetase (5-formyltetrahydrofolate	5.19 down	0.0014
J04056	2104	EST	cyclo-ligase)	5.19 down	0.00001
U00115	3271	EST	growth factor receptor-bound protein 14	5.18 down	0.00045
AA046674	112	EST	ATP-binding cassette, sub-family A (ABC1), member 5	5.17 down	0.02561
C20810	1579	EST	EST	5.17 down	0.00614
L38928	2209		5,10-methylenetetrahydrofolate synthetase (5-formyltetrahydrofolate	5.17 down	0.00726
L76687	2227		cyclo-ligase)	5.16 down	0.00199
AA456055	1185	EST	growth factor receptor-bound protein 14	5.16 down	0.00158
H14372	1883	EST	ATP-binding cassette, sub-family A (ABC1), member 5	5.16 down	0.00012

Table 6B. (page 33) Down in Metastatics vs Normal Sample Set 2

H88359	2020	nuclear factor (erythroid-derived 2)-like 2	5.16 down	0.01253
U60205	3400	sterol-C4-methyl oxidase-like	5.16 down	0.00061
N79778	2701	extracellular matrix protein 2, female organ and adipocyte specific	5.15 down	0.00286
H54285	1947	EST	5.14 down	0.00426
M99439	2437	transducin-like enhancer of split 4, homolog of Drosophila E(sp1)	5.14 down	0.00001
AA094999	204	zinc finger protein 216	5.12 down	0.0257
		UDP-N-acteylglucosamine pyrophosphorylase 1; Sperm associated		
AA114949	228	antigen 2	5.12 down	0.01028
AA430666	1016	EST	5.12 down	0.00377
AA149253	323	EST	5.12 down	0.00863
R48732	2875	EST	5.12 down	0.00837
L36033	2204	stromal cell-derived factor 1	5.1 down	0.00603
F10875	1824	EST	5.09 down	0.00004
H98083	2067	EST	5.09 down	0.00025
AA258350	592	EST	5.08 down	0.00035
AA191014	396	EST	5.07 down	0.01455
AA478441	1302	cathepsin F	5.07 down	0.00752
AA599472	1451	succinate-CoA ligase, GDP-forming, beta subunit	5.07 down	0.00447
D79687	1723	KIAA1053 protein	5.06 down	0.00047
		glutamate-cysteine ligase (gamma-glutamylcysteine synthetase),		
H93053	2034	catalytic (72.8kD)	5.06 down	0.01029
W45560	3522	EST	5.06 down	0.00996
AA443756	1080	EST	5.05 down	0.00341
D51199	1677	EST	5.05 down	0.00192
AA620343	1500	EST	5.04 down	0.00407
T15482	3059	EST	5.04 down	0.00233
H46001	1931	EST	5.03 down	0.00563
R51831	2890	EST	5.03 down	0.00761
W57821	3545	EST	5.03 down	0.00277
W63728	3562	EST	5.03 down	0.00311
AA609574	1485	EST	5.03 down	0
N62523	2591	hepatic leukemia factor	5.02 down	0.00087
AA449306	1122	EST	5.01 down	0.0006

Table 6B. (page 34) Down in Metastatics vs Normal Sample Set 2

AA279533	627	EST		5.01 down	0.04448
N67105	2623	EST		5.01 down	0.00176
S74728	3032	antiquitin 1		5.01 down	0.00008
AA070091	153	EST		5 down	0
AA292086	705	EST		5 down	0.00161
R82837	2975	KIAA0970 protein		5 down	0.00181
AA486567	1350	EST		5 down	0.00002
H78628	2003	EST		4.98 down	0.00729
AA416936	910	5-methyltetrahydrofolate-homocysteine methyltransferase reductase		4.98 down	0.00632
AA400934	824	EST		4.98 down	0.02013
D31381	1644	dynein, axonemal, light polypeptide 4		4.97 down	0.01806
AA210850	431	EST		4.97 down	0.00735
L41067	2213	nuclear factor of activated T-cells, cytoplasmic 3		4.96 down	0.00473
AA450114	1131	EST		4.96 down	0.01238
X92744	3824	defensin, beta 1		4.96 down	0.01804
X07619	3689	cytochrome P450, subfamily IID (debrisoquine, sparteine, etc., -metabolising), polypeptide 7a (pseudogene)		4.96 down	0.00004
AA406125	868	EST		4.95 down	0.01027
M95767	2431	chitinase, di-N-acetyl-		4.94 down	0.00004
H03945	1835	EST		4.94 down	0.02603
X96752	3834	L-3-hydroxyacyl-Coenzyme A dehydrogenase, short chain		4.94 down	0.00359
AA282089	653	EST		4.93 down	0.00108
AA463194	1244	KIAA1037 protein		4.92 down	0.01866
W81053	3607	EST		4.91 down	0.00164
R06764	2771	apolipoprotein B (including Ag(x) antigen)		4.91 down	0.00167
X58528	3745	ATP-binding cassette, sub-family D (ALD), member 3		4.91 down	0.00728
AA425309	953	nuclear factor I/B		4.9 down	0.00466
AA451836	1137	EST		4.9 down	0.01412
H91456	2030	nuclear receptor subfamily 1, group H, member 4		4.9 down	0.00255
W86850	3628	solute carrier family 25 (mitochondrial carrier; citrate transporter), member 1		4.9 down	0.03105
S69232	3026	electron-transferring-flavoprotein dehydrogenase		4.9 down	0.00017

Table 6B. (page 35) Down in Metastatics vs Normal Sample Set 2

X62822	3755	sialyltransferase 1 (beta-galactoside alpha-2,6-sialyltransferase)	4.89 down	0.00274
W60002	3552	plastin 3 (T isoform)	4.88 down	0.01694
U51333	3382	hexokinase 3 (white cell)	4.88 down	0.00055
R56094	2904	EST	4.87 down	0.00214
AA314457	733	synaptonemal complex protein 3	4.86 down	0.0013
N90820	2714	DKFZP566B1346 protein	4.86 down	0.03008
T98199	3266	EST	4.86 down	0.00431
D61991	1706	EST	4.84 down	0.00005
AA446342	1088	seven in absentia (Drosophila) homolog 1	4.84 down	0.00015
U53003	3387	ES1 (zebrafish) protein, human homolog of	4.84 down	0.00077
D87466	1763	KIAA0276 protein	4.83 down	0.0007
D45556	1663	EST	4.83 down	0.01044
AA046747	114	EST	4.82 down	0.00022
AA464188	1256	EST	4.82 down	0.03208
N26184	2466	MYLE protein	4.82 down	0.00056
AA056482	141	EST	4.82 down	0.00199
AA370359	767	KIAA0382 protein; leukemia-associated rho guanine nucleotide	4.82 down	0.01077
N54311	2563	exchange factor (GEF)	4.82 down	0.00183
L07077	2145	enoyl-Coenzyme A, hydratase/3-hydroxyacyl Coenzyme A	4.82 down	0.00403
U68494	3412	dehydrogenase	4.82 down	0.00881
M55513	2354	EST	4.81 down	0.02141
W74158	3593	potassium voltage-gated channel, shaker-related subfamily, member 5	4.81 down	0.00233
D16294	1619	acetyl-Coenzyme A acyltransferase 2 (mitochondrial 3-oxoacyl-Coenzyme A thiolase)	4.81 down	0.03921
X13227	3695	D-amino-acid oxidase	4.81 down	0.0002
AA417373	917	EST	4.8 down	0.01342
F09350	1801	EST	4.79 down	0.00088
AA233837	474	EST	4.79 down	0.0034
N29353	2476	kynurenine 3-monooxygenase (kynurenine 3-hydroxylase)	4.78 down	0.00019
AA291749	703	estrogen receptor 1	4.78 down	0.00059

Table 6B. (page 36) Down in Metastatics vs Normal Sample Set 2

AA461303	1238	DKFZP586D1519 protein	4.77 down	0.0438
AA490620	1378	EST	4.77 down	0.00201
H94648	2044	EST	4.77 down	0.00266
AA228119	462	pre-B-cell colony-enhancing factor	4.77 down	0.00031
AA449327	1123	EST	4.77 down	0.01248
X00351	3665	actin, beta	4.76 down	0.0003
L05144	2139	phosphoenolpyruvate carboxykinase 1 (soluble)	4.76 down	0.02289
N49214	2535	EST	4.74 down	0.00064
N59089	2580	EST	4.74 down	0.00055
M35590	2345	small inducible cytokine A4	4.74 down	0.01225
T41047	3119	EST	4.74 down	0.00015
M55671	2355	protein Z, vitamin K-dependent plasma glycoprotein	4.74 down	0.00078
AA400834	820	EST	4.73 down	0.01523
X57025	3739	insulin-like growth factor 1 (somatomedin C)	4.72 down	0.00087
AA432168	1031	S-adenosylhomocysteine hydrolase-like 1	4.71 down	0.01377
AA435753	1045	EST	4.71 down	0.00078
AA227452	455	EST	4.7 down	0.02345
T70087	3199	EST	4.7 down	0.00173
AA477919	1293	EST	4.69 down	0.00141
AA194075	406	nuclear receptor coactivator 4	4.69 down	0.00862
AA424672	946	dermatopontin	4.69 down	0.00843
U03105	3280	proline-rich protein with nuclear targeting signal	4.69 down	0.00017
X78992	3799	butyrate response factor 2 (EGF-response factor 2)	4.69 down	0.01995
W45051	3518	EST	4.68 down	0.00433
W80609	3603	EST	4.68 down	0.01729
		cytochrome P450, subfamily 1J (arachidonic acid epoxigenase)		
N53549	2558	polypeptide 2	4.68 down	0.00818
		core-binding factor, runt domain, alpha subunit 2; translocated to, 3		
F09578	1804	EST	4.66 down	0.04463
H98071	2066	EST	4.66 down	0.03722
N59283	2582	EST	4.65 down	0.02343
N72259	2669	cornichon-like	4.65 down	0.0054

Table 6B. (page 37) Down in Metastatics vs Normal Sample Set 2

X59812	3747	cytochrome P450, subfamily XXVIIA (steroid 27-hydroxylase, cerebrotendinous xanthomatosis), polypeptide 1	4.65 down	0.036
X78706	3798	carnitine acetyltransferase	4.65 down	0.00442
M31169	2325	propionyl Coenzyme A carboxylase, beta polypeptide	4.65 down	0.00467
R22905	2800	EST	4.64 down	0.0043
D80050	1726	EST	4.64 down	0.01001
AA258813	600	EST	4.63 down	0.02395
AA256666	583	EST	4.63 down	0.0018
AA004905	11	KIAA0937 protein	4.63 down	0.00082
M35590	2345	small inducible cytokine A4	4.62 down	0.01268
AA069768	151	hevin	4.62 down	0.00202
AA419622	926	EST	4.62 down	0.00386
M27492	2312	interleukin 1 receptor, type I	4.62 down	0.0082
AA090434	191	diaphanous (Drosophila, homolog) 1	4.61 down	0.01704
AA233763	472	EST	4.61 down	0.00004
AA151210	333	EST	4.61 down	0.00008
M23263	2300	androgen receptor (dihydrotestosterone receptor; testicular feminization; spinal and bulbar muscular atrophy; Kennedy disease)	4.6 down	0.00005
H40149	1921	KIAA0937 protein	4.59 down	0.00112
U19495	3318	stromal cell-derived factor 1	4.59 down	0.00011
AA436690	1057	EST	4.58 down	0.00948
N29319	2475	EST	4.58 down	0.00011
R64144	2931	cAMP responsive element binding protein-like 2	4.58 down	0.00495
T73420	3210	short-chain dehydrogenase/reductase 1	4.58 down	0.00656
D87449	1762	KIAA0260 protein	4.58 down	0.00026
D12485	1600	phosphodiesterase 1/nucleotide pyrophosphatase 1 (homologous to mouse Ly-41 antigen)	4.57 down	0.00008
AA211388	433	EST	4.56 down	0.02703
AA133215	277	calcitonin receptor-like receptor activity modifying protein 1	4.55 down	0.02092
AA425836	957	EST	4.55 down	0.00035
N45307	2517	EST	4.55 down	0.00006
M12625	2245	lecithin-cholesterol acyltransferase	4.55 down	0.01584

Table 6B. (page 38) Down in Metastatics vs Normal Sample Set 2

AA348284	755	EST	4.54 down	0.00759
H10661	1871	EST	4.54 down	0.00276
AA485413	1344	EST	4.54 down	0.00137
C21238	1584	EST	4.54 down	0.02074
S72370	3029	pyruvate carboxylase	4.54 down	0.0001
AA521290	1421	EST	4.53 down	0.0148
R92737	2987	EST	4.53 down	0.04447
AA250775	537	EST	4.52 down	0.01752
AA052980	122	EST	4.52 down	0.023
AA253459	566	EST	4.51 down	0.00419
N47942	2522	progesterone membrane binding protein	4.51 down	0.00168
T25506	3089	EST	4.51 down	0.00529
R59325	2913	EST	4.48 down	0.00117
U77396	3425	LPS-induced TNF-alpha factor	4.47 down	0.00108
AA280413	638	spleen focus forming virus (SFFV) proviral integration oncogene spi1	4.46 down	0.02062
AA406231	873	KIAA0381 protein	4.46 down	0.04049
AA452454	1144	EST	4.45 down	0.00179
AA431462	1022	EST	4.45 down	0.00956
U79303	3435	protein predicted by clone 23882	4.45 down	0
AA621796	1531	kinesin family member 3B	4.44 down	0.00032
L76571	2226	nuclear receptor subfamily 0, group B, member 2	4.44 down	0.00312
D57823	1690	Sec23 (S. cerevisiae) homolog A	4.43 down	0
AA398257	791	7-dehydrocholesterol reductase	4.43 down	0.04169
AA214542	438	EST	4.43 down	0.00601
Z48199	3939	syndecan 1	4.43 down	0.00408
H88033	2019	KIAA0733 protein	4.42 down	0.02032
W69675	3572	EST	4.42 down	0.00019
C01409	1556	EST	4.41 down	0.01725
R94662	2994	heme-binding protein	4.41 down	0.02301
N70305	2654	EST	4.41 down	0.00078
AA262033	606	EST	4.41 down	0.00054
H57816	1957	EST	4.41 down	0.00206

Table 6B. (page 39) Down in Metastatics vs Normal Sample Set 2

N48787	2530	protease inhibitor 1 (anti-elastase), alpha-1-antitrypsin	4.4 down	0.00292
R44025	2853	EST	4.4 down	0.01325
Z39622	3907	EST	4.4 down	0.00001
N73468	2673	protein S (alpha)	4.4 down	0.00853
R36228	2823	EST	4.39 down	0.00033
T71978	3204	EST	4.39 down	0.0017
AA437265	1061	EST	4.39 down	0.00826
N93155	2728	calmodulin 1 (phosphorylase kinase, delta)	4.39 down	0.0002
Z38161	3881	EST	4.38 down	0.0011
H98910	2071	EST	4.38 down	0.00548
N23730	2455	v-fos FBJ murine osteosarcoma viral oncogene homolog	4.38 down	0.04395
T69164	3194	EST	4.38 down	0.00548
		cytochrome P450, subfamily I (aromatic compound-inducible), polypeptide 2		
M31667	2331		4.38 down	0.00078
AA193297	404	EST	4.37 down	0.04676
AA427783	979	EST	4.37 down	0.0004
N22434	2450	EST	4.37 down	0.01725
W37382	3501	EST	4.37 down	0.00677
AA282971	665	EST	4.37 down	0.03822
D11881	1599	KIAA0962 protein	4.37 down	0.01627
F09979	1809	EST	4.36 down	0.02555
W92771	3652	glycine cleavage system protein H (aminomethyl carrier)	4.36 down	0.0064
AA437295	1062	ribosomal protein L7a	4.35 down	0.00347
AA452559	1147	EST	4.35 down	0.00804
W90583	3645	EST	4.35 down	0.00318
T97234	3264	EST	4.35 down	0.00263
U57721	3394	kynureninase (L-kynurenine hydrolase)	4.34 down	0.0197
T85532	3235	EST	4.34 down	0.00591
AA421244	932	SH3-domain binding protein 5 (BTK-associated)	4.32 down	0.007
		protein kinase, cAMP-dependent, regulatory, type I, alpha (tissue specific extinguisher 1)		
N25969	2465		4.32 down	0.00304
W73818	3590	EST	4.32 down	0.00385
S90469	3039	P450 (cytochrome) oxidoreductase	4.32 down	0.0182

Table 6B. (page 40) Down in Metastatics vs Normal Sample Set 2

AA258613	598	EST		4.31 down	0.0344
AA001603	3	EST		4.31 down	0.00883
AA258323	591	EST		4.31 down	0.00046
D60769	1703	KIAA0096 protein		4.31 down	0.00142
		aldehyde dehydrogenase 9 (gamma-aminobutyraldehyde			
U34252	3349	dehydrogenase, E3 isozyme)		4.31 down	0.00613
AA431480	1023	EST		4.3 down	0.00876
N39163	2508	metallothionein 1L		4.3 down	0.03917
M35878	2346	insulin-like growth factor binding protein 3		4.3 down	0.0027
Z11559	3859	iron-responsive element binding protein 1		4.3 down	0.00066
AA454086	1161	UDP-glucose dehydrogenase		4.29 down	0.00981
X59834	3748	glutamate-ammonia ligase (glutamine synthase)		4.29 down	0.00255
W58540	3550	KIAA1131 protein		4.28 down	0.0184
T81315	3226	EST		4.28 down	0.00187
AA398445	796	EST		4.28 down	0.01764
AA521306	1423	EST		4.27 down	0.00567
R99909	3016	EST		4.27 down	0.00045
		solute carrier family 22 (extraneuronal monoamine transporter),			
AA460012	1224	member 3		4.27 down	0.04975
U46499	3364	microsomal glutathione S-transferase 1		4.27 down	0.00244
M83216	2406	caldesmon 1		4.27 down	0.00037
AA136079	297	EST		4.26 down	0.0057
L40401	2211	putative protein		4.26 down	0.00194
D31887	1649	KIAA0062 protein		4.26 down	0.00101
M80482	2402	paired basic amino acid cleaving system 4		4.26 down	0.00041
N73461	2672	EST		4.25 down	0.00162
M68895		alcohol dehydrogenase 6 (class V)		4.25 down	0.00354
U48296	3368	protein tyrosine phosphatase type IVA, member 1		4.25 down	0.02037
AA426330	963	N-acylsphingosine amidohydrolase (acid ceramidase)-like		4.24 down	0.00668
Y10032	3855	serum/glucocorticoid regulated kinase		4.24 down	0.00148
AA456147	1188	general transcription factor IIIA		4.23 down	0.00088
AA456589	1194	EST		4.23 down	0.00102
AA243495	528	lectin, mannose-binding, 1		4.23 down	0.00179

Table 6B. (page 41) Down in Metastatics vs Normal Sample Set 2

AA491000	1385	EST	4.23 down	0.02305
AA133296	278	EST	4.23 down	0.00041
AA299632	728	EST	4.23 down	0.00371
T10322	3052	dihydropyrimidinase-like 2	4.23 down	0.01527
M96233	2432	glutathione S-transferase M1, glutathione S-transferase M2	4.23 down	0.04227
N77606	2696	(muscle), glutathione S-transferase M4	4.22 down	0.00119
Y10659	3856	EST	4.22 down	0.00061
AA150891	331	interleukin 13 receptor, alpha 1	4.22 down	0.01692
AA203222	424	EST	4.21 down	0.00745
AB002311	1535	FERM, RhoGEF (ARHGEF) and pleckstrin domain protein 1	4.21 down	0.00476
AA428607	990	(chondrocyte-derived)	4.21 down	0.04305
AA417375	918	PDZ domain containing guanine nucleotide exchange factor(GEF)1;	4.21 down	0.00231
AA504492	1414	RA(Ras/Rap1A-associating)-GEF	4.21 down	0.00752
N52985	2554	ribosomal protein S5 pseudogene 1	4.21 down	0.01385
W81268	3609	EST	4.2 down	0.00007
H08054	1857	protein kinase, interferon-inducible double stranded RNA dependent	4.2 down	0.0009
AA193223	403	EST	4.2 down	0.02416
T48980	3133	calmodulin 1 (phosphorylase kinase, delta)	4.2 down	0.0046
X72012	3786	endoglin (Osler-Rendu-Weber syndrome 1)	4.2 down	0.005
M95585	2429	hepatic leukemia factor	4.2 down	0.00212
AA402006	834	EST	4.19 down	0.00094
AA101632	217	EST	4.19 down	0.00023
F10874	1823	EST	4.19 down	0.00025
L00352	2131	low density lipoprotein receptor (familial hypercholesterolemia)	4.19 down	0.00352
S67325	3023	propionyl Coenzyme A carboxylase, beta polypeptide	4.19 down	0.00151
Z39406	3902	nuclear receptor co-repressor 1	4.18 down	0.00439
D00723	1592	glycine cleavage system protein H (aminomethyl carrier)	4.18 down	0.00543
F13782	1827	LIM binding domain 2	4.17 down	0.00109
H90417	2028	EST	4.17 down	0.015

Table 6B. (page 42) Down in Metastatics vs Normal Sample Set 2

W38407	3503	EST		4.17	down	0.00392
AA135558	293	peptidase D		4.17	down	0.0068
D31289	1642	EST		4.16	down	0.02166
W88568	3635	glycogenin 2		4.16	down	0.00111
AA036662	83	EST		4.16	down	0.00235
AA404500	852	EST		4.16	down	0.01375
R05518	2761	EST		4.15	down	0.0125
		phosphorylase, glycogen; liver (Hers disease, glycogen storage				
H91680	2032	disease type VI)		4.15	down	0.00746
D87075	1760	solute carrier family 23 (nucleobase transporters), member 1		4.15	down	0.00067
U90545	3454	solute carrier family 17 (sodium phosphate), member 3		4.14	down	0.00005
H11274	1874	EST		4.13	down	0.01478
AA040087	92	EST		4.13	down	0.00123
R34133	2820	EST		4.13	down	0.00008
AA280130	636	EST		4.12	down	0.00114
T15674	3060	EST		4.12	down	0.02111
M62403	2373	insulin-like growth factor-binding protein 4		4.12	down	0.00226
C01286	1555	integral membrane protein 2B		4.11	down	0.00292
D62103	1707	EST		4.11	down	0.0263
H69565	1987	EST		4.11	down	0.00002
AA190816	395	EST		4.1 down		0.00037
N66422	2615	EST		4.1 down		0.00237
AA417078	916	EST		4.1 down		0.00414
N21079	2440	nucleolar cysteine-rich protein		4.1 down		0.00028
R87373	2977	EST		4.09 down		0.02253
X58022	3744	corticotropin releasing hormone-binding protein		4.09 down		0.00076
AA065173	148	EST		4.08 down		0.00377
AA219653	448	EST		4.08 down		0.00607
M96843	2434	EST		4.08 down		0.02912
AA400251	811	EST		4.07 down		0.00032
N91273	2717	EST		4.07 down		0.02965
AA133439	279	EST		4.07 down		0.00022
AA463729	1250	EST		4.07 down		0.00676

Table 6B. (page 43) Down in Metastatics vs Normal Sample Set 2

R70790	2947	EST		4.07	down	0.02354
AA279550	628	Kruppel-like factor		4.06	down	0.00957
N36250	2505	cellular repressor of E1A-stimulated genes		4.06	down	0.00776
N48674	2529	EST		4.06	down	0.00028
AA255624	571	EST		4.06	down	0.00069
L09717	2153	lysosomal-associated membrane protein 2		4.06	down	0.00034
HG2743-HT2845		caldesmon 1		4.06	down	0.00453
AA188921	393	similar to Caenorhabditis elegans protein C42C1.9		4.05	down	0.004
AA191647	399	ceruloplasmin (ferroxidase)		4.05	down	0.00029
AA084408	179	EST		4.05	down	0.00864
		cytochrome P450, subfamily I (aromatic compound-inducible),				
		polypeptide 1		4.05	down	0.04276
AA418907	922	inhibin, beta B (activin AB beta polypeptide)		4.05	down	0.00568
AA608807	1471	EST		4.04	down	0.00078
AA478416	1300	aldehyde dehydrogenase 5		4.04	down	0.00058
M63967	2378	short-chain dehydrogenase/reductase 1		4.03	down	0.01593
T68083	3184	EST		4.03	down	0.02369
AA446666	1094	EST		4.03	down	0.0046
AA465240	1270	alpha integrin binding protein 63		4.03	down	0.01363
W46391	3524	leucine aminopeptidase		4.02	down	0.03787
W52821	3541	EST		4.02	down	0.00012
AA135958	296	EST		4.02	down	0.00424
AA609774	1490	EST		4.02	down	0.01565
H96614	2054	EST		4.02	down	0.00051
R32036	2815	interleukin 1 receptor-like 1		4.02	down	0.00321
R61740	2922	EST		4.02	down	0.00096
L17128	2167	gamma-glutamyl carboxylase		4.01	down	0.04563
AA348485	757	KIAA0438 gene product		4.01	down	0.00911
AA151676	337	peptidyl arginine deiminase, type II		4.01	down	0.00242
F04944	1795	acyl-Coenzyme A oxidase		4.01	down	0.00391
D63160	1709	ficolin (collagen/fibrinogen domain-containing lectin) 2 (hucolin)		4.01	down	0.00042
J03242	2092	insulin-like growth factor 2 (somatomedin A)		4.01	down	0.00301
AA255546	569	EST		4	down	0.01491
AA411764	891	similar to APOBEC1		4	down	0.01491

Table 6B. (page 44) Down in Metastatics vs Normal Sample Set 2

AA479488	1313	S-adenosylhomocysteine hydrolase-like 1	4 down	0.0269
R10138	2783	EST	4 down	0.00032
T16478	3069	EST	4 down	0.01041
H71169	1992	putative protein similar to nussy (Drosophila)	4 down	0.00709
X76648	3793	glutaredoxin (thioltransferase)	4 down	0.00211
AA428567	989	EST	3.99 down	0.00788
N22404	2449	EST	3.99 down	0.01152
T90037	3245	EST	3.99 down	0.0016
AA452860	1151	EST	3.99 down	0.00831
H83442	2013	catechol-O-methyltransferase	3.99 down	0.00594
W85888	3619	EST	3.99 down	0.00697
X05409	3681	aldehyde dehydrogenase 2, mitochondrial	3.99 down	0.01029
R00296	2749	EST	3.98 down	0.04632
T69728	3198	heat shock 90kD protein 1, beta	3.98 down	0.00786
AA495820	1393	EST	3.98 down	0.00218
AA400030	806	EST	3.98 down	0.00088
N66130	2613	progesterone membrane binding protein	3.98 down	0.0106
HG2379-HT3997		serine hydroxymethyltransferase 1 (soluble)	3.98 down	0.00306
R42241	2845	EST	3.97 down	0.00129
AA449448	1125	EST	3.97 down	0.00103
N53757	2559	EST	3.97 down	0.00255
AA401376	829	EST	3.97 down	0.00797
M29971	2320	O-6-methylguanine-DNA methyltransferase	3.97 down	0.00424
AA281770	649	seven in absentia (Drosophila) homolog 1	3.96 down	0.00094
AA454184	1165	EST	3.96 down	0.04605
AA255878	572	KIAA0767 protein	3.96 down	0.00592
R52800	2894	EST	3.96 down	0.00749
M68840	2388	monoamine oxidase A	3.96 down	0.01396
U16660	3312	enoyl Coenzyme A hydratase 1, peroxisomal	3.96 down	0.00002
AA281677	648	DKFZP564M2423 protein	3.95 down	0.03606
AA495758	1391	EST	3.94 down	0.00772
W36290	3500	Kreisler (mouse) maf-related leucine zipper homolog	3.94 down	0.02718
AA609011	1476	EST	3.94 down	0.0313

Table 6B. (page 45) Down in Metastatics vs Normal Sample Set 2

T79758	3223	EST		3.94 down	0.00581
W88985	3637	KIAA0903 protein		3.94 down	0.00295
AA157112	345	EST		3.94 down	0.02571
AA398422	794	EST		3.94 down	0.00388
U78190	3430	GTP cyclohydrolase I feedback regulatory protein		3.94 down	0.034
R98774	3013	EST		3.93 down	0.00001
AA435824	1048	EST		3.93 down	0.02764
AA609996	1495	EST		3.93 down	0.00988
M55150	2352	fumarylacetoacetate		3.93 down	0.00213
U50527	3377	EST		3.93 down	0.00123
H11746	1877	EST		3.92 down	0.00012
L09708	2152	complement component 2		3.92 down	0.00693
U20938	3323	dihydropyrimidine dehydrogenase		3.92 down	0.00053
W63785	3564	EST		3.91 down	0.04089
R31917	2814	EST		3.91 down	0.00071
R96417	2997	EST		3.9 down	0.00019
F02245	1776	monoamine oxidase A		3.9 down	0.02943
F02345	1779	EST		3.9 down	0.0033
AA252365	554	EST		3.9 down	0.01796
C14963	1572	nicotinamide nucleotide transhydrogenase		3.9 down	0.0044
T24055	3086	ribosomal protein L26		3.9 down	0.00046
AA599234	1447	murine leukemia viral (bmi-1) oncogene homolog		3.9 down	0.0068
AA253043	559	DKFZP58611419 protein		3.89 down	0.00145
Z40192	3915	EST		3.89 down	0.00223
AA342301	746	EST		3.89 down	0.00038
AA608729	1468	EST		3.89 down	0.01757
AA234561	485	EST		3.88 down	0.02058
H65650	1976	EST		3.88 down	0.0083
N68730	2636	EST		3.88 down	0.00091
T90492	3247	EST		3.88 down	0.00454
M10943	2234	metallothionein 1F (functional)		3.88 down	0
T68510	3186	EST		3.87 down	0.00617
AA448282	1115	EST		3.87 down	0.00217

Table 6B. (page 46) Down in Metastatics vs Normal Sample Set 2

H18997	1893	F-box protein 21	3.87 down	0.00611
AA251837	547	EST	3.87 down	0.00782
AA342337	747	EST	3.87 down	0.0069
L22548	2178	collagen, type XVIII, alpha 1	3.87 down	0.0299
J03805	2098	protein phosphatase 2 (formerly 2A), catalytic subunit, beta isoform	3.87 down	0.0116
H87765	2017	KIAA0626 gene product	3.86 down	0.00131
W94427	3656	EST	3.86 down	0.02649
H97868	2064	EST	3.86 down	0.00362
H97986	2065	EST	3.86 down	0.01534
H18950	1892	EST	3.85 down	0.00162
T10108	3049	EST	3.85 down	0.01155
AA447977	1111	EST	3.84 down	0.00045
T10264	3050	EST	3.84 down	0.00874
Z11737	3860	flavin containing monooxygenase 4	3.84 down	0.00043
U49785	3375	D-dopachrome tautomerase	3.84 down	0.00044
M30185	2321	cholesteryl ester transfer protein, plasma	3.83 down	0.0013
W85765	3615	EST	3.83 down	0.00379
D80218	1728	brain acid-soluble protein 1	3.83 down	0.0137
H68097	1982	EST	3.83 down	0.00797
N49104	2533	nuclear receptor interacting protein 1	3.83 down	0.00144
D16350	1620	SA (rat hypertension-associated) homolog	3.83 down	0.00117
Z31690	3878	lipase A, lysosomal acid, cholesterol esterase (Wolman disease)	3.83 down	0.00103
AA056170	137	EST	3.82 down	0.0083
AA093923	200	EST	3.82 down	0.03924
U50196	3376	adenosine kinase	3.82 down	0.01425
W20276	3477	EST	3.82 down	0.00033
T82254	3228	EST	3.82 down	0.00091
D45529	1662	EST	3.82 down	0.00193
AA043501	98	v-maf musculoaponeurotic fibrosarcoma (avian) oncogene homolog	3.81 down	0.01304
AA376875	770	monoamine oxidase A	3.8 down	0.02746
AA430108	1013	EST	3.8 down	0.04484
AA598746	1437	EST	3.8 down	0.02667

Table 6B. (page 47) Down in Metastatics vs Normal Sample Set 2

AA046840	115	CCAAT/enhancer binding protein (C/EBP), delta	3.79 down	0.03319
N21646	2445	EST	3.79 down	0.00079
N66763	2618	EST	3.79 down	0.03015
R97798	3006	EST	3.79 down	0.00015
U73514	3418	hydroxyacyl-Coenzyme A dehydrogenase, type II	3.79 down	0.01392
HG2090-HT2152		CD163 antigen	3.79 down	0.01078
W45259	3519	EST	3.78 down	0.00069
AA398221	790	calcium/calmodulin-dependent protein kinase (CaM kinase) II beta	3.78 down	0.00019
AA449297	1121	EST	3.78 down	0.00039
AA076249	169	EST	3.78 down	0.00029
AA262349	607	EST	3.78 down	0.00043
X75252	3790	prostatic binding protein	3.78 down	0.00231
AA393961	777	EST	3.77 down	0.01029
W86756	3627	retinoid X receptor, alpha	3.77 down	0.02472
J03507	2095	complement component 7	3.77 down	0.00184
X52541	3721	early growth response 1	3.77 down	0.00894
N23817	2457	EST	3.76 down	0.00288
T74884	3216	EST	3.76 down	0.02547
X77548	3795	nuclear receptor coactivator 4	3.76 down	0.00758
F03200	1783	EST	3.75 down	0.01805
R22196	2798	EST	3.75 down	0.02867
R02371	2755	EST	3.75 down	0.00009
M86826	2412	insulin-like growth factor binding protein, acid labile subunit	3.75 down	0.01157
HG4322-HT4592		tubulin, beta polypeptide	3.75 down	0.00554
AA059489	145	RGC32 protein	3.74 down	0.00734
AA010530	25	EST	3.74 down	0.0481
D80312	1730	EST	3.74 down	0.01909
AA426168	960	KIAA0805 protein	3.73 down	0.01477
H51340	1941	EST	3.73 down	0.02643
AA455367	1176	DKFZP586F1018 protein	3.73 down	0.00202
AA481526	1329	EST	3.73 down	0.00002
AA491001	1386	EST	3.73 down	0.01957
D60670	1702	EST	3.73 down	0.00382

Table 6B. (page 48) Down in Metastatics vs Normal Sample Set 2

N75072	2688	EST		3.73 down	0.00379
R97302	3002	EST		3.73 down	0.01887
AA410507	884	EST		3.73 down	0.01703
W46404	3525	EST		3.73 down	0.00116
AA459389	1216	tyrosylprotein sulfotransferase 2		3.72 down	0.02252
H16768	1887	EST		3.72 down	0.00688
N54604	2569	EST		3.72 down	0.00741
N62443	2589	EST		3.72 down	0.01717
H49415	1938	EST		3.72 down	0.0005
N40188	2512	EST		3.72 down	0.01771
R05309	2758	EST		3.72 down	0.0008
AA428006	984	DKFZP564B167 protein		3.71 down	0.02325
AA463311	1248	EST		3.71 down	0.04902
N30856	2484	solute carrier family 19 (thiamine transporter), member 2		3.71 down	0.00393
S62539	3021	insulin receptor substrate 1		3.7 down	0.01307
AA179387	379	DKFZP434N126 protein		3.7 down	0.01588
AA235288	494	PTPL1-associated RhoGAP 1		3.7 down	0.00643
AA598926	1441	EST		3.7 down	0.00432
AA099589	210	GDP dissociation inhibitor 2		3.7 down	0.04069
AA382975	773	EST		3.7 down	0.00131
L15702	2165	B-factor, properdin		3.7 down	0.04693
D13705	1610	cytochrome P450, subfamily IVA, polypeptide 11		3.7 down	0.00038
X14787	3701	thrombospondin 1		3.69 down	0.01115
AA125861	243	EST		3.69 down	0.01547
AA460916	1233	EST		3.69 down	0.04841
AA156336	341	nuclear receptor co-repressor 1		3.69 down	0.01276
H41280	1925	EST		3.68 down	0.00455
R00843	2750	fragile histidine triad gene		3.68 down	0.03578
Z39431	3904	KIAA1086 protein		3.68 down	0.0013
AA426156	959	EST		3.67 down	0.00153
Z11737	3860	flavin containing monooxygenase 4		3.67 down	0.00632
AA283758	670	EST		3.67 down	0.04293
H66840	1978	EST		3.67 down	0.0143

Table 6B. (page 49) Down in Metastatics vs Normal Sample Set 2

W87824	3634	EST		3.67 down	0.01559
AA287122	686	EST		3.66 down	0.00161
L76927	2228	galactokinase 1		3.66 down	0.00999
AA031548	69	cell division cycle 42 (GTP-binding protein, 25kD)		3.65 down	0.03029
AA400259	813	EST		3.65 down	0.00476
H25124	1903	EST		3.65 down	0.00004
AA279802	631	EST		3.65 down	0.03366
U27699	3339	solute carrier family 6 (neurotransmitter transporter, betaine/GABA), member 12		3.65 down	0.00381
C02460	1562	EST		3.64 down	0.02705
Z29481	3874	3-hydroxyanthranilate 3,4-dioxygenase		3.64 down	0.00096
AA281545	645	EST		3.64 down	0.00002
AA235811	502	EST		3.64 down	0.01272
D86062	1752	ES1 (zebrafish) protein, human homolog of		3.63 down	0.00001
Z41042	3925	EST		3.63 down	0.00943
N69299	2648	EST		3.63 down	0.03776
AA044622	103	EST		3.62 down	0.03789
AA393825	776	EST		3.62 down	0.0065
D80217	1727	H91620p protein		3.61 down	0.01973
N45232	2516	EST		3.61 down	0.01308
U48959	3371	myosin, light polypeptide kinase		3.61 down	0.00084
F09058	1799	EST		3.6 down	0.00595
T90531	3249	EST		3.6 down	0.00301
AA025930	52	EST		3.59 down	0.00372
AA235765	501	KIAA0214 gene product		3.59 down	0.01148
D80905	1735	EST		3.59 down	0.0007
H99935	2085	interleukin 6 signal transducer (gp130, oncostatin M receptor)		3.59 down	0.00366
AA242766	523	EST		3.58 down	0.0151
AA441791	1065	EST		3.58 down	0.00357
F10640	1821	EST		3.58 down	0.00152
AA282886	663	EST		3.57 down	0.00049
AA416723	906	EST		3.57 down	0.01042
H98977	2073	EST		3.57 down	0.00298

Table 6B. (page 50) Down in Metastatics vs Normal Sample Set 2

T33011	3103	EST	3.57 down	0.02486
T41232	3121	EST	3.57 down	0.00846
T91348	3253	EST	3.57 down	0.00011
AA427778	978	EST	3.57 down	0.00368
H04142	1836	EST	3.57 down	0.01906
R40556	2842	EST	3.57 down	0.00184
AA032250	73	EST	3.56 down	0.0009
R21232	2797	EST	3.56 down	0.00246
AA127444	252	EST	3.56 down	0.0291
H40424	1922	butyrate response factor 1 (EGF-response factor 1)	3.56 down	0.04066
W15528	3474	EST	3.56 down	0.00424
Z39978	3913	EST	3.56 down	0.04051
L76465	2224	hydroxyprostaglandin dehydrogenase 15-(NAD)	3.56 down	0.00688
HG3417-HT3600		GTP cyclohydrolase 1 (dopa-responsive dystonia)	3.56 down	0.00317
R71491	2953	EST	3.55 down	0.01903
AA040291	94	KIAA0669 gene product	3.55 down	0.00308
N49902	2539	EST	3.55 down	0.00455
		prion protein (p27-30) (Creutzfeld-Jakob disease, Gerstmann-		
N67009	2621	Strausler-Scheinker syndrome, fatal familial insomnia)	3.55 down	0.00956
H25551	1904	EST	3.54 down	0.00366
R51309	2889	KIAA1077 protein	3.54 down	0.04112
AA039806	91	msh (Drosophila) homeo box homolog 1 (formerly homeo box 7)	3.53 down	0.00114
AA194146	407	EST	3.53 down	0.00352
AA037357	85	EST	3.53 down	0.02129
AA287550	689	DKFZP434C171 protein	3.53 down	0.00217
AA094507	201	EST	3.52 down	0.04783
AA496423	1399	WW domain binding protein 2	3.52 down	0.01314
AA421052	929	branched chain alpha-ketoacid dehydrogenase kinase	3.52 down	0.00869
X94563	3828	EST	3.52 down	0.00928
W07723	3470	EST	3.51 down	0.00026
X52150	3719	arylsulfatase A	3.51 down	0.00113
AA055992	136	calumenin	3.51 down	0.00604
N64436	2608	EST	3.51 down	0.00441

Table 6B. (page 51) Down in Metastatics vs Normal Sample Set 2

R26904	2804	EST		3.51 down	0.00058
L29008	2189	sorbitol dehydrogenase		3.51 down	0.00825
U79716	3436	reelin		3.51 down	0.00053
AA435591	1038	kinesin family member 3B		3.5 down	0.0001
R12579	2789	EST		3.5 down	0.00137
AA428863	991	EST		3.5 down	0.01726
AA400780	818	EST		3.5 down	0.00107
U44111	3362	histamine N-methyltransferase		3.5 down	0.00942
U46689	3365	aldehyde dehydrogenase 10 (fatty aldehyde dehydrogenase)		3.5 down	0.01292
Y08374	3850	chitinase 3-like 1 (cartilage glycoprotein-39)		3.5 down	0.04208
H42053	1927	EST		3.49 down	0.01057
AA489061	1367	EST		3.49 down	0.00223
AA400831	819	EST		3.49 down	0.00105
L07033	2144	3-hydroxymethyl-3-methylglutaryl-Coenzyme A lyase		3.49 down	0
AA056247	138	(hydroxymethylglutaricaciduria)		3.48 down	0.03277
AA496914	1401	v-maf musculoaponeurotic fibrosarcoma (avian) oncogene homolog		3.48 down	0.00361
H13696	1882	EST		3.48 down	0.01796
F08941	1798	EST		3.48 down	0.00428
T91161	3252	EST		3.48 down	0.00002
M60974	2368	growth arrest and DNA-damage-inducible, alpha		3.48 down	0.00209
AA069456	149	KIAA0438 gene product		3.47 down	0.02718
AA218727	445	EST		3.47 down	0.00125
H02848	1831	TEK tyrosine kinase, endothelial (venous malformations, multiple cutaneous and mucosal)		3.47 down	0.0089
AA282238	656	EST		3.47 down	0.00677
AA092596	197	bone morphogenetic protein 6		3.46 down	0.02532
U84569	3444	chromosome 21 open reading frame 2		3.46 down	0.01844
R52949	2896	EST		3.46 down	0.00395
W85886	3618	EST		3.46 down	0.00814
AA455896	1181	glypican 1		3.46 down	0.00887
N93155	2728	calmodulin 1 (phosphorylase kinase, delta)		3.46 down	0.00031
N59231	2581	pyruvate carboxylase		3.45 down	0.02066

Table 6B. (page 52) Down in Metastatics vs Normal Sample Set 2

W73194	3587	dermatopontin	3.45 down	0.02211
N54511	2568	KIAA0265 protein	3.45 down	0.03362
M14636	2262	phosphorylase, glycogen; liver (Hers disease, glycogen storage disease type VI)	3.45 down	0.00133
M18533	2284	dystrophin (muscular dystrophy, Duchenne and Becker types), includes DXS142, DXS164, DXS206, DXS230, DXS239, DXS268, DXS269, DXS270, DXS272	3.45 down	0.00313
M81182	2403	ATP-binding cassette, sub-family D (ALD), member 3	3.45 down	0.00499
M23161	2298	EST	3.44 down	0.00733
AA427819	980	midline 2	3.44 down	0.00063
AA430047	1011	EST	3.44 down	0.0016
AA621235	1517	EST	3.44 down	0.0021
AA451911	1139	EST	3.44 down	0.00221
H89514	2023	protein kinase, cAMP-dependent, catalytic, alpha	3.44 down	0.00435
AA017192	37	EST	3.43 down	0.04865
AA235618	499	EST	3.43 down	0.02127
H99393	2076	endothelin receptor type B	3.43 down	0.00093
AF005039	1548	secretory carrier membrane protein 3	3.42 down	0.04953
AA234831	491	EST	3.42 down	0.00206
AA620830	1509	DKFZP564I122 protein	3.42 down	0.02421
N70005	2652	EST	3.42 down	0.04229
T96969	3263	EST	3.42 down	0.00053
AA279112	622	EST	3.42 down	0.01444
H82966	2011	apolipoprotein B (including Ag(x) antigen)	3.42 down	0.00769
AA505198	1419	EST	3.41 down	0.0343
AA429478	998	EST	3.41 down	0.02599
AA463195	1245	EST	3.41 down	0.00413
AA476352	1284	EST	3.41 down	0.02233
F02094	1775	ecotropic viral integration site 5	3.41 down	0.00495
H87144	2016	EST	3.41 down	0.00387
U86529	3450	glutathione S-transferase zeta 1 (maleylacetoacetate isomerase)	3.41 down	0.0118
N49113	2534	EST	3.4 down	0.00162
AA127514	253	EST	3.4 down	0.00045

Table 6B. (page 53) Down in Metastatics vs Normal Sample Set 2

N69216	2645	EST	3.4 down	0.00497
		methylenetetrahydrofolate dehydrogenase (NADP+ dependent),		
		methenyltetrahydrofolate cyclohydrolase, formyltetrahydrofolate		
		synthetase		
J04031	2103	FBJ murine osteosarcoma viral oncogene homolog B	3.4 down	0.00786
L49169	2221	nidogen (enactin)	3.4 down	0.01193
M30269	2323	fructose-bisphosphatase 1	3.4 down	0.00026
U21931	3325	annexin A6	3.4 down	0.00709
Y00097	3841	EST	3.4 down	0.00233
AA047290	118	EST	3.39 down	0.00024
AA250744	536	EST	3.39 down	0.01137
H26763	1907	EST	3.39 down	0.04188
M30185	2321	cholesteryl ester transfer protein, plasma	3.39 down	0.00089
M25280	2306	selectin L (lymphocyte adhesion molecule 1)	3.39 down	0.004
AA463946	1254	pigment epithelium-derived factor	3.38 down	0.0018
AA279937	634	EST	3.38 down	0.02719
AA426468	966	EST	3.38 down	0.0099
		syndecan 2 (heparan sulfate proteoglycan 1, cell surface-associated,		
J04621	2113	fibroglycan)	3.38 down	0.00275
AA461458	1241	EST	3.37 down	0.02427
R17762	2794	EST	3.37 down	0.01822
R43166	2846	EST	3.37 down	0.00919
R97711	3004	EST	3.37 down	0.00838
AA112209	223	acyl-Coenzyme A dehydrogenase, long chain	3.37 down	0.00084
		SWI/SNF related, matrix associated, actin dependent regulator of		
M88163	2415	chromatin, subfamily a, member 1	3.37 down	0.00098
U02020	3276	pre-B-cell colony-enhancing factor	3.37 down	0.01112
N48180	2525	EST	3.36 down	0.00543
T16269	3066	EST	3.36 down	0.00282
AA134549	288	EST	3.36 down	0.03438
AA458923	1207	EST	3.36 down	0.00421
D80408	1731	EST	3.36 down	0.00102
AA293485	718	EST	3.36 down	0.02799
W31478	3495	EST	3.36 down	0.01511

Table 6B. (page 54) Down in Metastatics vs Normal Sample Set 2

M59916	2365	spingomyelin phosphodiesterase 1, acid lysosomal (acid spingomyelinase)	3.36 down	0.0038
M23263	2300	androgen receptor (dihydrotestosterone receptor; testicular feminization; spinal and bulbar muscular atrophy; Kennedy disease)	3.35 down	0.02551
H83451	2014	EST	3.35 down	0.00498
W90560	3644	EST	3.35 down	0.00388
AA456326	1191	EST	3.35 down	0.00489
Z38192	3882	EST	3.35 down	0.00184
AA284721	677	EST	3.34 down	0.03296
D59344	1695	EST	3.34 down	0.01337
N47469	2521	EST	3.34 down	0.00329
N22854	2451	CASP2 and RIPK1 domain containing adaptor with death domain	3.34 down	0.0084
N54399	2565	EST	3.34 down	0.00048
U82468	3441	tubby like protein 1	3.34 down	0.0097
AA460047	1226	EST	3.33 down	0.04011
AA001604	4	EST	3.33 down	0.0215
AA121140	235	EST	3.33 down	0.00058
HG2743-HT2846		caldesmon 1	3.33 down	0.00135
N51737	2546	mitogen-activated protein kinase kinase kinase 12	3.32 down	0.00376
AA430026	1007	EST	3.31 down	0.00786
H06166	1854	EST	3.31 down	0.03778
AA062744	147	EST	3.31 down	0.01909
W81079	3608	EST	3.31 down	0.0167
AA227480	456	pim-2 oncogene	3.31 down	0.02413
AA463876	1252	EST	3.31 down	0.00109
H09167	1860	KIAA0195 gene product	3.31 down	0.00313
H98822	2070	EST	3.31 down	0.00174
R92458	2985	hemoglobin, gamma G	3.31 down	0.00763
AA453917	1159	EST	3.3 down	0.01896
M61854	2370	cytochrome P450, subfamily IIC (nephentoin 4-hydroxylase)	3.3 down	0.04185
AA281796	650	mannose-P-dolichol utilization defect 1	3.3 down	0.04108
F09353	1802	solute carrier family 5 (inositol transporters), member 3	3.3 down	0.02841

Table 6B. (page 55) Down in Metastatics vs Normal Sample Set 2

N27563	2472	EST		3.3 down	0.00021
R01081	2752	EST		3.3 down	0.00839
H25836	1905	tumor necrosis factor (ligand) superfamily, member 10		3.3 down	0.03125
AA452549	1146	platelet-derived growth factor receptor, alpha polypeptide		3.3 down	0.04155
U28833	3340	Down syndrome candidate region 1		3.3 down	0.00306
T23680	3083	calcium channel, voltage-dependent, gamma subunit 3		3.29 down	0.0003
AA429038	995	EST		3.29 down	0.00927
AA490882	1381	EST		3.29 down	0.00319
AA460128	1227	similar to S. pombe dim1+		3.28 down	0.01299
AA496053	1396	EST		3.28 down	0.00095
T52564	3140	EST		3.28 down	0.01506
T55547	3147	EST		3.28 down	0.00047
Z38777	3892	nuclear receptor binding factor-2		3.28 down	0.022
AA235507	498	golgi autoantigen, golgin subfamily a, 5		3.28 down	0.00249
X83416	3808	prion protein (p27-30) (Creutzfeld-Jakob disease, Gerstmann-		3.28 down	0.00221
H04242	1837	Strausler-Scheinker syndrome, fatal familial insomnia)		3.27 down	0.04826
N52322	2552	RAB5B, member RAS oncogene family		3.27 down	0.00933
H63251	1972	KIAA0606 protein; SCN Circadian Oscillatory Protein (SCOP)		3.27 down	0.02455
AA281930	651	core-binding factor, runt domain, alpha subunit 2; translocated to, 3		3.27 down	0.02329
X02160	3668	insulin receptor		3.27 down	0.0007
C15871	1575	EST		3.26 down	0.00046
AA447617	1103	EST		3.26 down	0.04687
AA464603	1260	EST		3.26 down	0.0007
Z39818	3909	EST		3.26 down	0.00089
Z84718	3949	EST		3.26 down	0.02252
AA598675	1433	EST		3.25 down	0.03934
N93191	2729	EST		3.25 down	0.00232
H09959	1869	choline kinase		3.25 down	0.00225
H79820	2004	EST		3.25 down	0.01466
AA070090	152	EST		3.24 down	0.00804
AA406435	877	EST		3.24 down	0.00941

Table 6B. (page 56) Down in Metastatics vs Normal Sample Set 2

W60186	3554	EST	3.24 down	0.00228
H67094	1979	EST	3.24 down	0.00075
R39234	2834	EST	3.24 down	0.0412
T54160	3144	EST	3.24 down	0.00168
T72629	3208	EST	3.24 down	0.00556
W87480	3630	STAT induced STAT inhibitor-2	3.24 down	0.01063
Z14093	3862	branched chain keto acid dehydrogenase E1, alpha polypeptide (maple syrup urine disease)	3.24 down	0.00301
N54792	2570	cytidine monophosphate-N-acetylneuraminic acid hydroxylase (CMP-N-acetylneuraminate monooxygenase)	3.23 down	0.00099
AA076238	168	EST	3.23 down	0.00395
AA088698	188	EST	3.23 down	0.02543
AA281591	646	EST	3.23 down	0.00895
N67096	2622	EST	3.23 down	0.00446
U51903	3386	IQ motif containing GTPase activating protein 2	3.23 down	0.00242
AA436880	1058	EST	3.22 down	0.00699
H26417	1906	EST	3.22 down	0.03672
N53352	2557	EST	3.22 down	0.00416
AA447740	1106	EST	3.22 down	0.02518
HG3510-HT3704		nuclear receptor subfamily 2, group F, member 1	3.22 down	0.00034
HG3431-HT3616		decorin	3.22 down	0.01941
AA443993	1086	EST	3.21 down	0.02948
T65972	3176	EST	3.21 down	0.04847
S52028	3018	cystathionase (cystathionine gamma-lyase)	3.21 down	0.00476
M33318	2339	cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 6	3.21 down	0.01621
AA348466	756	regulator of G-protein signalling 5	3.2 down	0.00571
AA459293	1213	EST	3.2 down	0.0001
H27330	1909	EST	3.2 down	0.00067
AA046457	111	EST	3.2 down	0.00513
AA234916	492	EST	3.2 down	0.00799
R10662	2786	mutL (E. coli) homolog 1 (colon cancer, nonpolyposis type 2)	3.2 down	0.0005
H46990	1933	cytochrome P450, subfamily IIE (ethanol-inducible)	3.2 down	0.00095

Table 6B. (page 57) Down in Metastatics vs Normal Sample Set 2

U01824	3275	solute carrier family 1 (glial high affinity glutamate transporter), member 2	3.2 down	0.00021
X61123	3750	B-cell translocation gene 1, anti-proliferative	3.2 down	0.00796
H10482	1870	EST	3.19 down	0.01611
U82108	3440	solute carrier family 9 (sodium/hydrogen exchanger), isoform 3	3.19 down	0.01545
AA084668	180	regulatory factor 2	3.19 down	0.0419
H12257	1879	ubiquitin-like 3	3.19 down	0.0069
N74558	2686	EST	3.19 down	0.00247
R69031	2940	EST	3.19 down	0.00798
AA191488	398	solute carrier family 31 (copper transporters), member 1	3.19 down	0.00013
U67963	3409	lysophospholipase-like	3.19 down	0.00029
M24283	2303	intercellular adhesion molecule 1 (CD54), human rhinovirus receptor	3.19 down	0.04985
AA157520	347	EST	3.18 down	0.00516
AA418098	920	cAMP responsive element binding protein-like 2	3.18 down	0.03824
AA005202	12	retinol-binding protein 4, interstitial	3.18 down	0.00106
AA227901	459	SEC24 (S. cerevisiae) related gene family, member B	3.18 down	0.00397
H40534	1923	EST	3.18 down	0.01381
AA236942	519	EST	3.18 down	0
D16481	1621	hydroxyacyl-Coenzyme A dehydrogenase/3-ketoacyl-Coenzyme A thiolase/enoyl-Coenzyme A hydratase (trifunctional protein), beta subunit	3.18 down	0.00695
D31225	1641	EST	3.17 down	0.01073
H95358	2049	EST	3.17 down	0.00182
H89893	2025	EST	3.17 down	0.00658
N48602	2528	EST	3.17 down	0.02913
T86464	3236	EST	3.17 down	0.00498
AA125856	242	EST	3.17 down	0.01545
H93562	2038	proline synthetase co-transcribed (bacterial homolog)	3.17 down	0.00113
Y10659	3856	interleukin 13 receptor, alpha 1	3.17 down	0.00095
X67235	3770	hematopoietically expressed homeobox	3.17 down	0.0045
AA004231	7	EST	3.16 down	0.03067

Table 6B. (page 58) Down in Metastatics vs Normal Sample Set 2

F04335	1787	EST		3.16 down	0.0058
T10822	3054	EST		3.16 down	0.00635
T79842	3224	EST		3.16 down	0.03159
AA180356	382	EST		3.16 down	0.00917
AA207123	430	immunoglobulin superfamily, member 3		3.16 down	0.00328
AA397914	783	EST		3.16 down	0.00336
AA599954	1459	cell cycle progression 8 protein		3.15 down	0.00021
H06063	1852	chondroitin sulfate proteoglycan 3 (neurocan)		3.15 down	0.00599
W61000	3557	EST		3.15 down	0.03143
J02888	2089	NAD(P)H menadiene oxidoreductase 2, dioxin-inducible		3.15 down	0.02385
U62389	3401	isocitrate dehydrogenase 1 (NADP+), soluble		3.15 down	0.03949
X04729	3679	plasminogen activator inhibitor, type I		3.15 down	0.01337
N45998	2519	EST		3.14 down	0.00337
R54416	2900	EST		3.14 down	0.00236
AA446651	1093	EST		3.14 down	0.01902
AA608671	1466	EST		3.14 down	0.04543
W51951	3539	dCMP deaminase		3.14 down	0.01691
AA101055	213	leptin receptor		3.14 down	0.0071
J04615	2112	SNRPN upstream reading frame		3.14 down	0.02928
M20902	2292	apolipoprotein C-I		3.14 down	0.0389
		solute carrier family 25 (mitochondrial carrier; citrate transporter), member 1			
L77567	2229	member 1		3.14 down	0.04095
AA487161	1353	ubiquitin 2		3.13 down	0.00023
H19504	1895	EST		3.13 down	0.04948
N27524	2471	EST		3.13 down	0.00216
N31952	2489	EST		3.13 down	0.01481
N25193	2463	EST		3.13 down	0.01955
N63688	2602	EST		3.13 down	0.002
N99866	2747	EST		3.13 down	0.04148
AA452915	1152	EST		3.13 down	0.00561
AA477119	1289	EST		3.13 down	0.0338
U25182	3332	thioredoxin peroxidase (antioxidant enzyme)		3.13 down	0.02543
U79294	3434	Phosphatidic acid phosphatase type 2b		3.13 down	0.00129

Table 6B. (page 59) Down in Metastatics vs Normal Sample Set 2

X17025	3712	isopentenyl-diphosphate delta isomerase	3.13 down	0.0043
L38490	2207	ADP-ribosylation factor 4-like	3.13 down	0.01306
AA402095	835	EST	3.12 down	0.01412
AA479132	1309	EST	3.12 down	0.00876
R67751	2938	EST	3.12 down	0.00319
AA490214	1376	EST	3.12 down	0.02382
H09594	1868	EST	3.12 down	0.00231
H59141	1963	EST	3.12 down	0.00293
T23430	3079	EST	3.12 down	0.00949
T82259	3229	EST	3.12 down	0.01122
Z38435	3887	ribosomal protein L21	3.12 down	0.03617
AA074891	162	EST	3.12 down	0.01897
AA476346	1283	EST	3.12 down	0.01067
H05072	1843	EST	3.12 down	0.01248
AA405907	867	EST	3.12 down	0
N79435	2700	chromosome 15 open reading frame 3	3.12 down	0.00861
R44761	2857	aryl hydrocarbon receptor nuclear translocator	3.12 down	0.02663
D13814	1611	angiotensin receptor 1,angiotensin receptor 1B	3.12 down	0.00101
X95876	3833	G protein-coupled receptor 9	3.12 down	0.001
AA298180	726	EST	3.11 down	0.00747
W35309	3499	EST	3.11 down	0.029
AA243595	530	EST	3.11 down	0.008
AA280791	640	eukaryotic translation initiation factor 5	3.11 down	0.03339
T68426	3185	CD81 antigen (target of antiproliferative antibody 1)	3.11 down	0.01634
AA401343	828	EST	3.11 down	0.01929
AA454170	1163	EST	3.11 down	0.03
M30257	2322	vascular cell adhesion molecule 1	3.11 down	0.00064
H67840	1980	EST	3.1 down	0.00528
AA455962	1182	EST	3.1 down	0.03905
AA609576	1486	EST	3.1 down	0.00266
H06144	1853	EST	3.1 down	0.00745
H47391	1935	EST	3.1 down	0.03807
N31598	2487	EST	3.1 down	0.00203

Table 6B. (page 60) Down in Metastatics vs Normal Sample Set 2

N95585	2742	EST		3.1 down	0.0083
AA457377	1201	EST		3.1 down	0.00549
HG3998-HT4268		glycerol-3-phosphate dehydrogenase 1 (soluble)		3.1 down	0.00523
AA247453	533	EST		3.09 down	0.0015
AA284558	674	Nck, Ash and phospholipase C binding protein		3.09 down	0.00027
U06863	3287	follistatin-like 1		3.09 down	0.00091
AA282179	655	EST		3.09 down	0.01693
AA621430	1525	doublecortin; lissencephaly, X-linked (doublecortin)		3.09 down	0.00024
H62838	1971	EST		3.09 down	0.03201
W67199	3566	EST		3.09 down	0.01528
AA400246	810	mitogen-activated protein kinase-activated protein kinase 2		3.09 down	0.00476
AA412034	894	EST		3.09 down	0.02309
AA443934	1083	GTP-binding protein Rho7		3.09 down	0.00214
AA456687	1197	EST		3.08 down	0.01189
R80573	2972	EST		3.08 down	0.02126
R82229	2974	phosphatidylserine decarboxylase		3.08 down	0.03455
W52581	3540	CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 2 (lysosomal integral membrane protein II)		3.08 down	0.00091
N90584	2713	EST		3.08 down	0.02602
AA126059	246	EST		3.08 down	0.00706
AA485326	1342	ATP-binding cassette, sub-family D (ALD), member 4		3.08 down	0.00415
N21550	2443	EST		3.08 down	0.00006
AA412184	898	EST		3.08 down	0.00012
AA416740	907	EST		3.08 down	0.01592
U73682	3419	meningioma expressed antigen 6 (coiled-coil proline-rich)		3.08 down	0.01249
M16750	2273	pim-1 oncogene		3.08 down	0.01811
Z26491	3870	catechol-O-methyltransferase		3.08 down	0.00877
D58231	1692	ubiquitin-like 3		3.07 down	0.0002
T94862	3257	EST		3.07 down	0.01417
N34441	2495	EST		3.07 down	0.00186
T16175	3063	protein tyrosine phosphatase, non-receptor type substrate 1		3.07 down	0.01007
H39119	1919	EST		3.06 down	0.03349
R56602	2906	Ig superfamily protein		3.06 down	0.02464

Table 6B. (page 61) Down in Metastatics vs Normal Sample Set 2

T49061	3134	EST	3.06 down	0.00768
N68993	2640	EST	3.06 down	0.00867
U36922	3351	EST	3.06 down	0.01388
U69141	3413	glutaryl-Coenzyme A dehydrogenase	3.06 down	0.00053
AA253455	565	EST	3.05 down	0.00533
AA338512	742	EST	3.05 down	0.03427
AA487606	1358	EST	3.05 down	0.00291
R02752	2757	EST	3.05 down	0.00362
M12529	2244	apolipoprotein E	3.05 down	0.03776
T30341	3100	EST	3.04 down	0.04567
AA047187	117	EST	3.04 down	0.04306
R07637	2777	EST	3.04 down	0.00118
R51256	2888	EST	3.04 down	0.00286
W42483	3507	EST	3.04 down	0.02518
X87344	3814	EST	3.04 down	0.02779
AA040270	93	EST	3.03 down	0.01367
R05490	2760	SEC24 (S. cerevisiae) related gene family, member B	3.03 down	0.00317
N93246	2730	EST	3.03 down	0.00049
L20965	2175	phosphodiesterase 4A, cAMP-specific (dunce (Drosophila)-homolog phosphodiesterase E2)	3.02 down	0.01177
H57850	1958	protein phosphatase 2 (formerly 2A), regulatory subunit A (PR 65), beta isoform	3.02 down	0.00123
W61319	3558	EST	3.02 down	0.00031
AA599526	1453	cartilage associated protein	3.02 down	0.00043
AA609572	1484	EST	3.02 down	0.01534
AA490890	1382	EST	3.02 down	0.00007
X76105	3791	death-associated protein	3.02 down	0.00944
M92843	2420	zinc finger protein homologous to Zfp-36 in mouse	3.02 down	0.04958
C01686	1557	EST	3.01 down	0.00048
T92950	3255	EST	3.01 down	0.00497
AA349836	760	EST	3.01 down	0.00911
AA401151	827	lysozyme (renal amyloidosis)	3.01 down	0.0051
AA459256	1212	lectin, mannose-binding, 1	3.01 down	0.00094

Table 6B. (page 62) Down in Metastatics vs Normal Sample Set 2

AA215585	442	nudix	(nucleoside diphosphate linked moiety X)-type motif 3	3 down	0.03027
AA292711	711	EST		3 down	0.01053
AA410181	881	EST		3 down	0.00268
W70313	3575	EST		3 down	0.00643

Table 7A (page 1) Up in HCC vs Normal Sample Set 2

Fragment Name	SEQ ID:	Known Gene Name	Fold Change	Direction	Pvalue
N33920	2492	diubiquitin	50.29	up	0
Y00705	3847	serine protease inhibitor, Kazal type 1	28.88	up	0.00003
AA398908	801	EST	20.72	up	0.00114
AA099404	208	EST	20.22	up	0
AA610116	1499	tetraspan NET-6 protein	16.35	up	0.00249
N26904	2468	EST	15.38	up	0.00077
R91819	2983	EST	12.81	up	0.00037
AA505133	1417	solute carrier family 2 (facilitated glucose transporter), member 3	12.21	up	0.00169
AA405791	864	EST	11.79	up	0.00587
N59536	2585	EST	11.68	up	0.00484
AA055896	135	collagen, type V, alpha 1	10.87	up	0.00907
H99879	2084	EST	10.81	up	0.001
L47125	2218	glypican 3	10.69	up	0.04129
AA430032	1009	pituitary tumor-transforming 1	10.67	up	0.00052
Z37987	3879	glypican 3	10.66	up	0.02304
J03464	2094	collagen, type I, alpha 2	10.37	up	0.00979
W45320	3520	KRAB-associated protein 1	10.05	up	0.00002
M94250	2425	midkine (neurite growth-promoting factor 2)	9.86	up	0.02104
AA428172	986	Notch (Drosophila) homolog 3	9.63	up	0.00195
AA620881	1510	trinucleotide repeat containing 3	9.49	up	0.00062
AA142857	307	EST	9.48	up	0.00376
D51276	1678	leukemia-associated phosphoprotein p18 (stathmin)	9.42	up	0.00015
AA156187	339	ATP synthase, H+ transporting, mitochondrial F0 complex, subunit b, isoform 1	9.38	up	0.02007
D31094	1639	G8 protein	9.37	up	0.0048
AA148977	322	EST	9.3	up	0.00002
F08876	1797	EST	9.06	up	0
AA232837	465	EST	8.85	up	0.0048
AA429472	997	DKFZP434P106 protein	8.78	up	0.00063
T24068	3087	EST	8.65	up	0.00118
AA149889	326	neighbor of A-kinase anchoring protein 95	8.55	up	0.00224
AA398926	802	EST	8.25	up	0.00066
C01766	1559	EST	8.18	up	0.00505
N36432	2506	erythrocyte membrane protein band 4.1-like 2	7.95	up	0.00067

Table 7A (page 2) Up in HCC vs Normal Sample Set 2

AA452724	1149	programmed cell death 5	7.7	up	0.00085
AA401965	833	tumor suppressor deleted in oral cancer-related 1	7.58	up	0.00089
AA620553	1504	flap structure-specific endonuclease 1	7.56	up	0.00101
AA024658	47	ribosomal protein S19	7.55	up	0.00592
AA136269	298	EST	7.5	up	0.00014
H78211	2001	EST	7.5	up	0.02674
AA393139	775	geminin	7.44	up	0.00888
AA251792	546	fatty-acid-Coenzyme A ligase, long-chain 4	7.44	up	0.00285
AA417030	914	EST	7.35	up	0.00555
AA394258	779	RD RNA-binding protein	7.27	up	0.00054
AA292765	712	ZW10 interactor	7.24	up	0.00498
T16226	3065	EST	7.23	up	0.00119
H08863	1859	hypothetical protein	7.18	up	0.02102
M12125	2241	tropomyosin 2 (beta)	7.13	up	0.0004
R96924	3000	EST	7.04	up	0.00012
AA243133	525	serine/threonine kinase 15	7.03	up	0.00005
R06986	2775	peptidylprolyl isomerase B (cyclophilin B)	7.03	up	0.00628
N93299	2731	nuclear receptor co-repressor 1	6.99	up	0.0371
Z39682	3908	KIAA0954 protein	6.96	up	0.01966
D26129	1635	ribonuclease, RNase A family, 1 (pancreatic)	6.9	up	0.00008
AA280734	639	KIAA0618 gene product	6.83	up	0.001
T58607	3154	EST	6.83	up	0.03711
H97013	2059	ephrin-A4	6.8	up	0.00023
AA283182	668	EST	6.78	up	0.01784
M57710	2357	lectin, galactoside-binding, soluble, 3 (galectin 3)	6.76	up	0.00103
AA434418	1036	KIAA1115 protein	6.75	up	0.0032
AA263032	614	ATP synthase, H+ transporting, mitochondrial F0 complex, subunit b, isoform 1	6.73	up	0.04478
AA173755	374	EST	6.73	up	0.00666
AA421951	936	EST	6.69	up	0.00013
W31906	3496	secretagogin	6.62	up	0.00926
AA148885	320	minichromosome maintenance deficient (S. cerevisiae) 4	6.59	up	0.00112
AA159025	353	EST	6.58	up	0.01946
R44617	2856	MyoD family inhibitor	6.54	up	0.02505
W94885	3657	EST	6.53	up	0
L29218	2190	CDC-like kinase 2	6.51	up	0.00019
H99473	2077	regulator of nonsense transcripts 1	6.51	up	0.00025

Table 7A (page 3) Up in HCC vs Normal Sample Set 2

AA258421	595	hypothetical protein	6.5	up	0.00559
AA454830	1170	DKFZP586M2123 protein	6.48	up	0.00555
R45994	2866	EST	6.48	up	0.00358
AA335191	741	creatine kinase, brain	6.47	up	0.01462
T95057	3258	EST	6.46	up	0.00613
AA011209	30	melanoma-associated antigen recognised by T lymphocytes	6.45	up	0.00088
N73808	2678	EST	6.44	up	0.00352
N62126	2588	EST	6.42	up	0.00109
AA454908	1171	KIAA0144 gene product	6.39	up	0.01835
W80852	3606	KDEL (Lys-Asp-Glu-Leu) endoplasmic reticulum protein retention receptor 3	6.37	up	0.00005
AA043111	97	EST	6.36	up	0.0005
AA446242	1087	EST	6.3	up	0.00169
F04320	1786	replication factor C (activator 1) 4 (37kD)	6.29	up	0.00042
H94471	2042	occludin	6.26	up	0.00379
AA284945	680	EST	6.25	up	0.0002
J00231	2087	immunoglobulin heavy constant gamma 3 (G3m marker)	6.23	up	0.00177
AA258131	587	putative GTP-binding protein similar to RAB1C	6.23	up	0.00931
AA291139	695	EST	6.22	up	0.03491
AA459254	1211	EST	6.22	up	0.00001
H10933	1873	EST	6.18	up	0.00003
R48594	2874	EST	6.15	up	0.03831
AA204927	425	tropomyosin 1 (alpha)	6.11	up	0.0014
AA405098	855	EST	6.09	up	0.01224
T47032	3123	partner of RAC1 (arfaptin 2)	6.09	up	0.00019
W81654	3613	SRY (sex determining region Y)-box 13	6.06	up	0.00127
R79246	2968	melanoma adhesion molecule	6.06	up	0.00057
R70801	2949	EST	6.06	up	0.00291
D59355	1696	cytoskeleton-associated protein 1	6.05	up	0.0015
X05610	3682	collagen, type IV, alpha 2	6.04	up	0.00062
F01831	1773	EST	5.95	up	0.00532
D59553	1697	golgin-67	5.95	up	0.00169
Z74616	3947	collagen, type I, alpha 2	5.95	up	0.02212
AA181705	385	EST	5.9	up	0.00023
C01721	1558	phospholipase C, beta 3, neighbor pseudogene	5.89	up	0.0383
T16550	3071	vacuolar protein sorting 45B (yeast homolog)	5.88	up	0.00004
AA282247	657	EST	5.88	up	0.01112

Table 7A (page 4) Up in HCC vs Normal Sample Set 2

N54841	2571	EST	5.87	up	0.02752
M31303	2327	leukemia-associated phosphoprotein p18 (stathmin)	5.86	up	0.00071
H05084	1844	EST	5.85	up	0.0059
H27188	1908	collagen-binding protein 2 (colligen 2)	5.84	up	0.01826
AA496981	1404	v-erb-b2 avian erythroblastic leukemia viral oncogene homolog 3	5.82	up	0.00521
H59617	1964	EST	5.81	up	0.0115
W42957	3513	calmodulin 2 (phosphorylase kinase, delta)	5.79	up	0.03669
AA282343	658	purine-rich element binding protein B	5.78	up	0.00128
AA455239	1174	chromosome-associated polypeptide C	5.78	up	0.00003
AA234096	479	EST	5.75	up	0.01169
U45285	3363	T-cell, immune regulator 1	5.75	up	0.00006
AA504512	1415	KIAA0943 protein	5.72	up	0.00384
AA443602	1078	EST	5.71	up	0.00736
AA092129	194	EST	5.67	up	0.00011
F02807	1781	KIAA0838 protein	5.67	up	0.02064
N80703	2703	EST	5.65	up	0.0001
AA235448	497	EST	5.62	up	0.00077
AA449073	1117	EST	5.61	up	0.01214
T47325	3124	EST	5.6	up	0.02923
AA135153	291	EST	5.58	up	0.00327
D00596	1590	thymidylate synthetase	5.58	up	0.0098
N72116	2667	solute carrier family 11 (proton-coupled divalent metal ion transporters), member 2	5.57	up	0.00709
T03580	3045	pyruvate kinase, muscle	5.57	up	0.01344
R07172	2776	EST	5.54	up	0.01322
W78057	3597	EST	5.53	up	0.01231
R72886	2955	KIAA0422 protein	5.5	up	0.00091
AA458878	1204	EST	5.49	up	0.00977
D55716	1686	minichromosome maintenance deficient (S. cerevisiae) 7	5.48	up	0.00003
W26716	3481	non-histone chromosome protein 2 (S. cerevisiae)-like 1	5.47	up	0.00146
AA134052	285	Rab geranylgeranyltransferase, alpha subunit	5.47	up	0.00982
Z74615	3946	collagen, type I, alpha 1	5.47	up	0.00283
AA410469	883	EST	5.45	up	0.00068
R44793	2858	EST	5.4	up	0.00329
AA133666	283	cysteine-rich protein 2	5.35	up	0.00433
W02041	3465	EST	5.34	up	0.00027

Table 7A (page 5) Up in HCC vs Normal Sample Set 2

U75285	3421	apoptosis inhibitor 4 (survivin)	5.32	up	0.01127
AA416970	912	Mad4 homolog	5.3	up	0.00418
AA102489	219	EST	5.28	up	0.02122
T89703	3243	EST	5.27	up	0.00019
N69263	2647	EST	5.26	up	0.0276
T62918	3168	EST	5.25	up	0.00687
AA226932	453	DKFZP564F0923 protein	5.25	up	0.00612
AA007507	18	KIAA1080 protein; Golgi-associated, gamma-adaptin ear containing, ARF-binding protein 2	5.23	up	0.00159
AA133527	281	EST	5.23	up	0.00037
AA249819	535	EST	5.22	up	0.00049
T15852	3061	EST	5.21	up	0.00642
R39191	2833	KIAA1020 protein	5.18	up	0.03185
M86752	2411	stress-induced-phosphoprotein 1 (Hsp70/Hsp90-organizing protein)	5.15	up	0.02881
T17066	3074	SET domain, bifurcated, 1	5.14	up	0.00073
W46846	3529	EST	5.11	up	0.00025
F02254	1777	Fas-activated serine/threonine kinase	5.1	up	0.00329
W86748	3626	EST	5.09	up	0.01882
T53590	3143	cytochrome P450, subfamily XIA (cholesterol side chain cleavage)	5.09	up	0.00002
H41529	1926	EST	5.06	up	0.03309
AA608897	1473	EST	5.05	up	0.01782
AA491188	1387	solute carrier family 2 (facilitated glucose transporter), member 3	5.04	up	0.02291
AA026356	57	EST	5.04	up	0.02483
W46634	3527	EST	5.03	up	0.02152
AA460909	1232	EST	5.02	up	0.01354
AA421562	934	anterior gradient 2 (Xenopus laevis) homolog	5.02	up	0.02818
AA027833	59	EST	5.02	up	0.01123
AA435748	1044	EST	5.01	up	0.01812
R44839	2860	i-beta-1,3-N-acetylglucosaminyltransferase	5	up	0.01812
T67053	3179	EST	5	up	0.01846
AA470156	1276	EST	4.99	up	0.0206
R70005	2943	EST	4.98	up	0.00007
W80763	3605	EST	4.98	up	0.01026
T33508	3105	phosphatidylinositol-4-phosphate 5-kinase, type II, beta	4.96	up	0.00064
AA442054	1067	phospholipase C, gamma 1 (formerly subtype 148)	4.94	up	0.04102
H28333	1912	melanoma adhesion molecule	4.94	up	0.00166

Table 7A (page 6) Up in HCC vs Normal Sample Set 2

R49476	2882	EST		4.93	up	0.00763
AA291168	696	EST		4.93	up	0.01633
AA410962	887	peroxisome proliferative activated receptor, delta		4.91	up	0.0044
N93798	2737	protein tyrosine phosphatase type IVA, member 3		4.91	up	0.00245
W85875	3617	EST		4.91	up	0.01198
AA089997	189	EST		4.9	up	0.0241
AA482319	1335	putative type II membrane protein		4.9	up	0.00028
AA037433	86	EST		4.9	up	0.0194
W79773	3602	EST		4.89	up	0.00034
AA188378	392	EST		4.88	up	0.01653
AA252060	550	EST		4.88	up	0.00169
F01538	1771	RAP1, GTPase activating protein 1		4.88	up	0.00292
R06251	2763	tumor protein D52-like 2		4.88	up	0.03097
T90190	3246	H1 histone family, member 2		4.88	up	0.00555
AA281599	647	EST		4.87	up	0.00248
T88814	3241	EST		4.87	up	0.00001
W92608	3650	BAI1-associated protein 3		4.84	up	0.00599
AA477549	1291	T-cell, immune regulator 1		4.84	up	0.04096
W73038	3585	EST		4.83	up	0.00902
S78187	3035	cell division cycle 25B		4.83	up	0.00547
N54067	2561	mitogen-activated protein kinase kinase kinase 4		4.82	up	0.00229
W60097	3553	DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide, Y chromosome		4.82	up	0.04903
AA215299	439	U6 snRNA-associated Sm-like protein LSM7		4.81	up	0.00119
AA497018	1406	adenylate cyclase 1 (brain)		4.81	up	0.00352
AA115735	230	EST		4.8	up	0.02671
C14051	1565	phosphoprotein enriched in astrocytes 15		4.79	up	0.00548
H09271	1862	EST		4.78	up	0.00072
AA482104	1332	non-metastatic cells 3, protein expressed in		4.78	up	0.00135
AA283832	672	EST		4.77	up	0.00156
AA464963	1265	EST		4.77	up	0.00086
R48447	2870	EST		4.76	up	0.00533
AA251299	541	KIAA0014 gene product		4.74	up	0.0252
H64493	1973	immunoglobulin heavy constant gamma 3 (G3m marker)		4.74	up	0.00751
M60784	2366	small nuclear ribonucleoprotein polypeptide A		4.74	up	0.00001
AA146849	313	target of myb1 (chicken) homolog		4.72	up	0.00326
AA179787	380	polyglutamine binding protein 1		4.71	up	0.00725

Table 7A (page 7) Up in HCC vs Normal Sample Set 2

AA430474	1015	EST		4.69	up	0.00007
Z38462	3889	KIAA0938 protein		4.69	up	0.0142
AA489712	1372	EST		4.69	up	0.00587
R52649	2893	EST		4.69	up	0.00135
AA424487	945	EST		4.68	up	0.0013
D82558	1746	novel centrosomal protein RanBPM		4.67	up	0.00458
X99920	3840	S100 calcium-binding protein A13		4.66	up	0.00113
M35252	2343	transmembrane 4 superfamily member 3		4.65	up	0.04128
U73377	3416	SHC (Src homology 2 domain-containing) transforming protein 1		4.64	up	0.00081
X57129	3740	H1 histone family, member 2		4.63	up	0.00663
L28821	2188	mannosidase, alpha, class 2A, member 2		4.63	up	0.00876
AA431571	1024	EST		4.62	up	0.0174
C14098	1566	EST		4.62	up	0.01654
R96527	2998	KIAA0253 protein		4.62	up	0.00702
AA451877	1138	EST		4.6	up	0.04045
T33489	3104	EST		4.6	up	0.00285
M27830	2314	EST		4.6	up	0.04719
AA621242	1518	hypothetical protein,peptidylprolyl isomerase B (cyclophilin B)		4.59	up	0.00081
M87339	2414	replication factor C (activator 1) 4 (37kD)		4.59	up	0.00116
H46486	1932	nesca protein		4.57	up	0.00749
AA262477	608	ribonuclease HI, large subunit		4.57	up	0.00724
AA194730	410	EST		4.57	up	0.00801
R49708	2885	EST		4.56	up	0.03767
T34377	3110	potassium voltage-gated channel, shaker-related subfamily, beta member 2		4.55	up	0.00041
AA424029	943	EST		4.54	up	0.02721
AA151435	336	EST		4.52	up	0.01134
AA086232	186	kangai 1 (suppression of tumorigenicity 6, prostate; CD82 antigen (R2 leukocyte antigen, antigen detected by monoclonal and antibody IA4))		4.52	up	0.00452
AA280840	641	casein kinase 1, gamma 2		4.51	up	0.0186
AA127741	256	EST		4.49	up	0.0463
H86072	2015	EST		4.49	up	0.01301
AA482224	1334	putative type II membrane protein		4.47	up	0.0001
U47025	3367	phosphorylase, glycogen; brain		4.47	up	0.00037
T30214	3098	EST		4.46	up	0.03654
W70336	3576	EST		4.46	up	0.00023
AA251769	544	EST		4.45	up	0.01431

Table 7A (page 9) Up in HCC vs Normal Sample Set 2

AA399251	804	EST	4.3	up	0.01578
AA461063	1235	EST	4.3	up	0.00074
W86214	3622	EST	4.3	up	0.00194
M19267	2286	tropomyosin 1 (alpha)	4.3	up	0.00893
AA416973	913	EST	4.29	up	0.00155
T16206	3064	EST	4.29	up	0.00868
AA252627	556	chaperonin containing TCP1, subunit 6A (zeta 1), homeo box B5	4.28	up	0.00363
W60486	3555	EST	4.27	up	0.0046
AA478017	1295	zyxin	4.25	up	0.01223
M37583	2349	H2A histone family, member Z	4.25	up	0.00135
T55196	3146	EST	4.24	up	0.00046
AA454597	1166	EST	4.23	up	0.00917
T03749	3047	KIAA1089 protein	4.23	up	0.00776
AA256688	584	EST	4.23	up	0.03094
T16983	3073	cleavage and polyadenylation specific factor 4, 30kD subunit	4.23	up	0.0106
AA398205	789	EST	4.22	up	0.00059
AA488432	1361	phosphoserine phosphatase	4.2	up	0.00128
R05316	2759	EST	4.2	up	0.00011
AA136547	302	EST	4.19	up	0.00098
AA112679	224	EST	4.19	up	0.00572
R39390	2836	EST	4.18	up	0.0004
D83783	1748	trinucleotide repeat containing 11 (THR-associated protein, 230 kDa subunit)	4.16	up	0.00055
AA291786	704	FE65-LIKE 2	4.15	up	0.00362
AA291659	702	EST	4.15	up	0.00019
H88674	2021	collagen, type I, alpha 2	4.15	up	0.02664
AA488892	1364	EST	4.14	up	0.04766
F01568	1772	EST	4.13	up	0.00084
F04444	1788	EST	4.13	up	0.00944
N70481	2657	EST	4.13	up	0.0099
AA102837	221	EST	4.13	up	0.0067
AA365742	765	tetraspan NET-6 protein	4.12	up	0.00255
R71395	2951	EST	4.12	up	0.03719
AA447574	1102	EST	4.12	up	0.00779
AA400184	809	KIAA0907 protein	4.11	up	0.01123
AA211483	435	EST	4.11	up	0.0365
AA037058	84	laminin, gamma 1 (formerly LAMB2)	4.11	up	0.02264

Table 7A (page 10) Up in HCC vs Normal Sample Set 2

W44557	3515	chromosome 1 open reading frame 2	4.1	up	0.00433
T62521	3167	EST	4.1	up	0.00392
D38073	1651	minichromosome maintenance deficient (<i>S. cerevisiae</i>) 3	4.1	up	0.01195
N92948	2725	nuclear phosphoprotein similar to <i>S. cerevisiae</i> PWP1	4.09	up	0.0019
AA464414	1258	EST	4.08	up	0.02299
AA142858	308	EST	4.07	up	0.0022
AA610089	1498	U4/U6-associated RNA splicing factor	4.07	up	0.00361
Z39200	3899	EST	4.07	up	0.00075
AA443802	1081	EST	4.07	up	0.01546
AA453783	1158	EST	4.07	up	0.00786
AA053680	130	high-mobility group protein 2-like 1	4.07	up	0.03144
L03411	2134	RD RNA-binding protein	4.06	up	0.00467
AA405505	860	RNA helicase family	4.05	up	0.00747
AA293420	717	EST	4.05	up	0.01189
AA400643	817	GAS2-related on chromosome 22	4.04	up	0.03751
AA609008	1475	EST	4.04	up	0.00002
N56935	2574	EST	4.04	up	0.00797
AA446581	1090	DKFZP564P0462 protein	4.04	up	0.00479
H52937	1944	roundabout (axon guidance receptor, <i>Drosophila</i>) homolog 1	4.02	up	0.00163
D42040	1657	female sterile homeotic-related gene 1 (mouse homolog)	4.02	up	0.00389
W04550	3469	EST	4.01	up	0.00349
AA460665	1230	EST	4.01	up	0.01866
AA463254	1247	histone deacetylase 3	4.01	up	0.01856
U85625	3447	ribonuclease 6 precursor	4	up	0.01664
T77733	3218	tubulin, gamma 1	4	up	0.00526
AA464043	1255	EST	3.99	up	0.00056
N69390	2649	EST	3.99	up	0.00016
X54941	3729	CDC28 protein kinase 1	3.99	up	0.0016
HG2259-HT2348		tubulin, alpha 1 (testis specific), tubulin, alpha, ubiquitous	3.99	up	0.00945
AA425852	958	EST	3.98	up	0.02796
D84557	1749	minichromosome maintenance deficient (<i>mis5</i> , <i>S. pombe</i>) 6	3.97	up	0.0017
AA338760	744	EST	3.96	up	0.01307
R45569	2863	DKFZP547E1010 protein	3.96	up	0.00259
X17567	3716	small nuclear ribonucleoprotein polypeptides B and B1	3.96	up	0.00317
M68864	2389	ORF	3.95	up	0.00144
X53331	3724	matrix Gla protein	3.95	up	0.0151

Table 7A (page 11) Up in HCC vs Normal Sample Set 2

AA258614	599	EST		3.94	up	0.0048
T65957	3175	ribosomal protein S3A		3.94	up	0.04187
AA435665	1040	EST		3.94	up	0.00274
M32977	2336	vascular endothelial growth factor		3.93	up	0.04917
F10199	1813	EST		3.93	up	0.03209
AA256606	581	EST		3.92	up	0.03087
R61557	2921	KIAA0100 gene product		3.9	up	0.00292
T33859	3108	KIAA0365 gene product		3.9	up	0.0019
U18018	3316	ets variant gene 4 (E1A enhancer-binding protein, E1AF)		3.9	up	0.0403
T78922	3221	stem cell growth factor; lymphocyte secreted C-type lectin		3.89	up	0.00604
D63478	1711	KIAA0144 gene product		3.89	up	0.00253
AA320369	735	chromosome 19 open reading frame 3		3.88	up	0.00452
AA598405	1424	membrane interacting protein of RGS16		3.87	up	0.00649
AA127444	252	EST		3.87	up	0.01751
AA465000	1266	EST		3.86	up	0.00431
D80420	1732	ubiquinol-cytochrome c reductase hinge protein		3.86	up	0.00412
T10698	3053	EST		3.86	up	0.00195
X74801	3788	chaperonin containing TCP1, subunit 3 (gamma)		3.86	up	0.00453
AA451680	1136	hepatocellular carcinoma associated protein; breast cancer associated gene 1		3.85	up	0.0018
L76191	2222	interleukin-1 receptor-associated kinase 1		3.85	up	0.00152
N68018	2630	TBP-associated factor 172		3.84	up	0.00277
AA132032	271	trinucleotide repeat containing 1		3.84	up	0.01136
N67815	2626	EST		3.84	up	0.00439
D14657	1615	KIAA0101 gene product		3.84	up	0.02048
AA478422	1301	unc-51 (C. elegans)-like kinase 1		3.83	up	0.00116
AA485060	1339	EST		3.83	up	0.03172
AA101272	215	EST		3.83	up	0.0386
AA425852	958	EST		3.82	up	0.0395
L29218	2190	CDC-like kinase 2		3.82	up	0.00035
AA485431	1345	EST		3.81	up	0.00441
AA233897	476	EST		3.8	up	0.02145
R26744	2803	midline 1 (Opitz/BBB syndrome)		3.8	up	0.00266
AA160775	355	BCL2-antagonist of cell death		3.8	up	0.01145
X54942	3730	CDC28 protein kinase 2		3.8	up	0.0035
T03438	3042	EST		3.79	up	0.02042
AA182001	386	EST		3.78	up	0.04446

Table 7A (page 12) Up in HCC vs Normal Sample Set 2

N70678	2659	TAR (HIV) RNA-binding protein 1	3.78	up	0.02858
L25444	2181	TATA box binding protein (TBP)-associated factor, RNA polymerase II, E, 70/85kD	3.78	up	0.00011
AA086071	184	chromosome-associated polypeptide C	3.77	up	0.01993
AA278768	617	EST	3.77	up	0.03239
Z39379	3900	EST	3.77	up	0.00513
J03040	2091	secreted protein, acidic, cysteine-rich (osteonectin)	3.77	up	0.00594
AA449431	1124	translation initiation factor IF2	3.76	up	0.00571
T26471	3093	EST	3.76	up	0.0165
AA262957	612	EST	3.76	up	0.00157
N47956	2523	eukaryotic translation initiation factor 3, subunit 3 (gamma, 40kD)	3.76	up	0.00968
AA478300	1298	CD39-like 2	3.75	up	0.00152
C14756	1570	MLN51 protein	3.75	up	0.0226
N73705	2676	EST	3.75	up	0.01762
AA046103	109	EST	3.75	up	0.02893
AA076138	167	H2A histone family, member Y	3.75	up	0.01442
AA129757	264	EST	3.75	up	0.0166
H99877	2083	exportin, tRNA (nuclear export receptor for tRNAs)	3.75	up	0.00302
AA488074	1360	cell division cycle 42 (GTP-binding protein, 25kD)	3.74	up	0.01887
H00540	1829	EST	3.74	up	0.00234
AA173430	371	EST	3.74	up	0.01159
N29742	2480	EST	3.74	up	0.00104
AA402272	837	EST	3.73	up	0.02336
AA404560	853	O-linked N-acetylglucosamine (GlcNAc) transferase (UDP-N-acetylglucosamine:polypeptide-N-acetylglucosaminyl transferase)	3.73	up	0.0143
N21648	2446	MpV17 transgene, murine homolog, glomerulosclerosis	3.73	up	0.00071
H56345	1950	EST	3.73	up	0.00853
R76782	2962	O-linked N-acetylglucosamine (GlcNAc) transferase (UDP-N-acetylglucosamine:polypeptide-N-acetylglucosaminyl transferase)	3.73	up	0.00094
J05614	2122	EST	3.73	up	0.03419
AA461476	1243	EST	3.72	up	0.00744
AA255486	568	EST	3.72	up	0.00154
AA423841	942	EST	3.71	up	0.01481
AA491295	1390	calcium/calmodulin-dependent protein kinase kinase 2, beta	3.71	up	0.0103
Z38299	3884	EST	3.71	up	0.0036
AA600153	1460	DEK oncogene (DNA binding)	3.71	up	0.02967

Table 7A (page 13) Up in HCC vs Normal Sample Set 2

AA609080	1478	EST		3.71	up	0.0306
AA010065	22	CDC28 protein kinase 2		3.71	up	0.00432
D31417	1645	secreted protein of unknown function		3.69	up	0.0004
AA018346	38	EST		3.69	up	0.04582
N69252	2646	ferritin, light polypeptide		3.69	up	0.04116
Z23090	3865	heat shock 27kD protein 1		3.69	up	0.00628
AA402968	844	EST		3.68	up	0.00123
N98464	2743	EST		3.68	up	0.03007
AA165526	360	3-prime-phosphoadenosine 5-prime-phosphosulfate synthase 1		3.68	up	0.00021
W46286	3523	EST		3.68	up	0.00311
M21259	2293	small nuclear ribonucleoprotein polypeptide E		3.68	up	0.00415
U91930	3459	adaptor-related protein complex 3, delta 1 subunit		3.68	up	0.00009
		procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha polypeptide II				
F09788	1808			3.67	up	0.01682
AA291137	694	EST		3.67	up	0.03243
H68794	1984	EST		3.67	up	0.00327
N73762	2677	EST		3.67	up	0.00796
R56095	2905	EST		3.67	up	0.0158
R77451	2963	EST		3.67	up	0.00078
N52168	2550	EST		3.66	up	0.00127
AA456852	1199	suppressor of white apricot homolog 2		3.66	up	0.00614
X83425	3809	Lutheran blood group (Aubergier b antigen included)		3.66	up	0.02661
H47357	1934	EST		3.65	up	0.03799
AA292788	714	EST		3.65	up	0.01765
		siah binding protein 1; FBP interacting repressor; pyrimidine tract binding splicing factor; Ro ribonucleoprotein-binding protein 1				
U51586	3385			3.65	up	0.00403
X56494	3735	pyruvate kinase, muscle		3.65	up	0.04795
F10453	1819	EST		3.64	up	0.01878
T23465	3080	EST		3.64	up	0.00265
Z24727	3868	tropomyosin 1 (alpha)		3.64	up	0.00388
X57809	3743	immunoglobulin lambda locus		3.64	up	0.02655
AA040465	95	EST		3.63	up	0.01806
T16652	3072	BCS1 (yeast homolog)-like		3.63	up	0.00434
AA037766	87	EST		3.63	up	0.0328
AA227541	457	NS1-binding protein		3.6	up	0.02801
AA313213	732	flotillin 1		3.59	up	0.00878

Table 7A (page 14) Up in HCC vs Normal Sample Set 2

AA251909	549	EST	3.59	up	0.01129
AA487856	1359	KIAA0676 protein	3.59	up	0.01408
M63573	2377	peptidylprolyl isomerase B (cyclophilin B)	3.59	up	0.00916
M94345	2426	capping protein (actin filament), gelsolin-like	3.59	up	0.04508
AF003521	1545	jagged 2	3.58	up	0.00299
AA489091	1368	EST	3.58	up	0.0002
W49791	3538	plasminogen activator, tissue	3.58	up	0.02438
W90146	3641	EST	3.58	up	0.00322
Z39429	3903	EST	3.58	up	0.00416
X06700	3685	collagen, type III, alpha 1 (Ehlers-Danlos syndrome type IV, autosomal dominant)	3.58	up	0.02964
W79421	3600	EST	3.57	up	0.00895
X64364	3761	basigin	3.57	up	0.00902
Z21507	3864	eukaryotic translation elongation factor 1 delta (guanine nucleotide exchange protein)	3.57	up	0.01898
U62392	3402	zinc finger protein 193	3.56	up	0.0407
AA135871	294	EST	3.56	up	0.01718
W72276	3580	EST	3.56	up	0.0476
D63486	1712	KIAA0152 gene product	3.56	up	0.00063
AA258182	589	EST	3.55	up	0.01198
AA179845	381	EST	3.55	up	0.02484
AA599850	1457	EST	3.55	up	0.03215
D13640	1608	KIAA0015 gene product	3.55	up	0.00347
U66661	3405	gamma-aminobutyric acid (GABA) A receptor, epsilon	3.55	up	0.0045
R73569	2959	EST	3.54	up	0.01962
Z40006	3914	EST	3.54	up	0.00156
AA400896	822	EST	3.54	up	0.00889
N98758	2744	EST	3.54	up	0.02609
M27830	2314	EST	3.54	up	0.00777
U90551	3456	H2A histone family, member L	3.54	up	0.01523
M55998	2356	collagen, type I, alpha 1	3.54	up	0.01449
AA485697	1346	EST	3.53	up	0.03566
H07873	1856	EST	3.53	up	0.0391
R06254	2764	tumor protein D52-like 2	3.53	up	0.04865
R27016	2805	myristoylated alanine-rich protein kinase C substrate (MARCKS, 80K-L)	3.53	up	0.03056
U26727	3336	cyclin-dependent kinase inhibitor 2A (melanoma, p16, inhibits CDK4)	3.53	up	0.02913

Table 7A (page 15) Up in HCC vs Normal Sample Set 2
polymerase (RNA) II (DNA directed) polypeptide K (7.0kD)

D81608	1740	polymerase (RNA) II (DNA directed) polypeptide K (7.0kD)	3.52	up	0.00437
R22565	2799	EST	3.52	up	0.04352
T17353	3076	EST	3.52	up	0.02085
AA490212	1375	H2A histone family, member Y	3.52	up	0.02202
R66469	2936	pleckstrin and Sec7 domain protein	3.52	up	0.0272
AA464722	1263	DKFZP566C243 protein	3.51	up	0.00101
H97012	2058	EST	3.51	up	0.03505
T23426	3078	EST	3.51	up	0.00674
AA399264	805	EST	3.51	up	0.00327
H99774	2081	EST	3.51	up	0.00009
W94281	3655	integral membrane protein 2C	3.51	up	0.01689
X54667	3728	cystatin S,cystatin SN	3.51	up	0.00187
AA278817	618	EST	3.5	up	0.01159
AA489707	1371	EST	3.5	up	0.03208
T59668	3159	lysyl oxidase	3.5	up	0.00083
AA598447	1428	exportin, tRNA (nuclear export receptor for tRNAs)	3.5	up	0.01201
H91632	2031	EST	3.5	up	0.03688
N51771	2547	KIAA0652 gene product	3.5	up	0.00028
R33498	2819	EST	3.5	up	0.03336
AA621409	1524	putative type II membrane protein	3.5	up	0.00462
L04270	2135	lymphotoxin beta receptor (TNFR superfamily, member 3)	3.5	up	0.01547
AA243173	526	EST	3.49	up	0.0401
AA442763	1072	cyclin B2	3.49	up	0.04176
AA235868	504	nuclear transcription factor Y, beta	3.49	up	0.01897
T26646	3096	X-ray repair complementing defective repair in Chinese hamster cells 1	3.49	up	0.02482
M34309	2342	v-erb-b2 avian erythroblastic leukemia viral oncogene homolog 3	3.49	up	0.00191
N35913	2502	EST	3.48	up	0.0016
M26576	2310	EST	3.48	up	0.00062
Y08302	3849	dual specificity phosphatase 9	3.48	up	0.00787
Z39191	3898	EST	3.47	up	0.00756
N21407	2442	EST	3.47	up	0.01037
M55210	2353	laminin, gamma 1 (formerly LAMB2)	3.47	up	0.02551
AA236150	507	3-prime-phosphoadenosine 5-prime-phosphosulfate synthase 1	3.46	up	0.0008
R48473	2871	EST	3.46	up	0.01196
N99944	2748	EST	3.46	up	0.00104

Table 7A (page 16) Up in HCC vs Normal Sample Set 2
SWI/SNF related, matrix associated, actin dependent regulator of chromatin,

AA598648	1432	flap structure-specific endonuclease 1	3.46	up	0.00293
C00358	1552	subfamily a, member 4	3.45	up	0.00985
AA464251	1257	nucleolar protein 3 (apoptosis repressor with CARD domain)	3.45	up	0.02229
AA598712	1436	EST	3.45	up	0.00005
AA620461	1501	EST	3.45	up	0.01146
R91753	2982	EST	3.45	up	0.02391
Z41349	3928	EST	3.45	up	0.01503
N39237	2510	EST	3.45	up	0.02481
HG4074-HT4344					
U24704	3331	proteasome (prosome, macropain) 26S subunit, non-ATPase, 4	3.45	up	0.01695
X87212	3813	cathepsin C	3.45	up	0.00037
AA094752	203	hypothetical 43.2 Kd protein	3.45	up	0.02486
AA471384	1278	divalent cation tolerant protein CUTA	3.44	up	0.04445
AA443271	1073	KIAA0546 protein	3.44	up	0.01161
R62456	2924	EST	3.44	up	0.00324
R70532	2946	EST	3.44	up	0.00285
T51972	3139	EST	3.44	up	0.02186
AA122386	239	collagen, type V, alpha 2	3.44	up	0.00406
AA496715	1400	spectrin SH3 domain binding protein 1	3.44	up	0.02566
H65042	1975	EST	3.44	up	0.00069
AA024776	48	EST	3.44	up	0.0006
X62153	3751	minichromosome maintenance deficient (S. cerevisiae) 3	3.44	up	0.00334
D30946	1638	kinesin family member 3B	3.44	up	0.00704
AA384184	774	DKFZP586B0519 protein	3.43	up	0.01458
AA461282	1237	dihydropyrimidinase-like 2	3.42	up	0.01222
AA417884	919	cyclin-dependent kinase inhibitor 2C (p18, inhibits CDK4)	3.42	up	0.02014
W46947	3530	EST	3.42	up	0.02997
AA479139	1310	acid phosphatase 1, soluble	3.42	up	0.04665
AA412301	899	EST	3.42	up	0.01853
AA116036	233	chromosome 20 open reading frame 1	3.42	up	0.0129
AA370163	766	EST	3.41	up	0.00089
AA598831	1440	EST	3.41	up	0.00134
R31607	2812	EST	3.41	up	0.00452
R27296	2806	EST	3.41	up	0.00163
R52161	2892	EST	3.41	up	0.00309
			3.41	up	0.00053

Table 7A (page 17) Up in HCC vs Normal Sample Set 2

Accession	Name	Score	E-value
X66899	Ewing sarcoma breakpoint region 1	3769	0.03777
AA187579	MCT-1 protein	390	0.02455
AA459542	regulatory factor X-associated ankyrin-containing protein	1218	0.00841
AA227145	EST	454	0.03422
AA406216	EST	871	0.00529
AA443316	v-Ha-ras Harvey rat sarcoma viral oncogene homolog	1075	0.00133
H99489	quiescin Q6	2078	0.02682
L11669	tetracycline transporter-like protein	2157	0.02062
	excision repair cross-complementing rodent repair deficiency, complementation group 4		
L76568	group 4	2225	0.0172
AA424881	EST	949	0.03546
N51855	ADP-ribosyltransferase (NAD+; poly (ADP-ribose) polymerase)-like 3	2549	0.00115
R43952	homeo box B5	2852	0.04829
T23516	3-phosphoglycerate dehydrogenase	3082	0.00551
F10290	EST	1815	0.02392
H62474	EST	1970	0.04173
M57730	ephritin-A1	2358	0.00199
X62534	high-mobility group (nonhistone chromosomal) protein 2	3752	0.0186
Z38444	KIAA0923 protein	3888	0.02918
R70253	EST	2944	0.03125
D28589	EST	1637	0.01144
AA173597	EST	373	0.03622
AA456583	PL6 protein	1193	0.00139
AA621535	FE65-LIKE 2	1527	0.0167
AA029288	EST	65	0.04908
AA207103	EST	429	0.00131
AA286911	EST	684	0.00037
T33625	EST	3107	0.04096
AA052941	EST	121	0.00088
R15740	carbohydrate (keratan sulfate Gal-6) sulfotransferase 1	2790	0.00268
T33619	EST	3106	0.01283
M14483	prothymosin, alpha (gene sequence 28)	2261	0.00033
AA488872	EST	1363	0.03191
W80730	EST	3604	0.01526
AA115562	EST	229	0.00283
AA620779	golgin-67	1508	0.00297

Table 7A (page 18) Up in HCC vs Normal Sample Set 2

C14835	1571	EST		3.35	up	0.0316
AA442155	1068	transforming acidic coiled-coil containing protein 3		3.35	up	0.00344
AA449828	1130	EST		3.35	up	0.01609
		transmembrane protein (63kD), endoplasmic reticulum/Golgi intermediate compartment		3.35	up	0.00898
X69910	3784	Lsm3 protein		3.34	up	0.00198
AA421213	931	EST		3.34	up	0.0309
AA456646	1196	EST		3.34	up	0.00986
W84447	3614	EST		3.34	up	0.03289
AA479881	1317	EST		3.34	up	0.0254
D51072	1674	biliverdin reductase A		3.34	up	0.00315
U55206	3391	gamma-glutamyl hydrolase (conjugase, folypolygamaglutamyl hydrolase)		3.34	up	0.00123
X04347	3677	heterogeneous nuclear ribonucleoprotein A1		3.33	up	0.01696
AA451992	1140	HSPC039 protein		3.33	up	0.00355
D82277	1743	LDL induced EC protein		3.33	up	0.01163
AA426521	967	Sjogren's syndrome nuclear autoantigen 1		3.33	up	0.02298
AA128407	259	EST		3.33	up	0.00648
AA046745	113	Wolf-Hirschhorn syndrome candidate 1		3.33	up	0.00211
AA521149	1420	EST		3.33	up	0.02014
AA608668	1465	erythrocyte membrane protein band 4.1-like 2		3.33	up	0.00319
H99261	2074	EST		3.33	up	0.02443
W63608	3561	EST		3.32	up	0.00155
AA456415	1192	KIAA0537 gene product		3.32	up	0.00118
AA479096	1308	EST		3.32	up	0.01566
T97679	3265	EST		3.32	up	0.00654
N48790	2531	EST		3.32	up	0.0023
T81393	3227	HMT1 (hnRNP methyltransferase, S. cerevisiae)-like 1		3.32	up	0.00808
U73379	3417	ubiquitin carrier protein E2-C		3.31	up	0.0001
AA071387	158	jumping translocation breakpoint		3.31	up	0.00036
AA504413	1413	EST		3.31	up	0.02144
AA429572	1000	ribosomal protein S6		3.31	up	0.00867
R49395	2880	EST		3.31	up	0.02406
R53109	2898	dimethylarginine dimethylaminohydrolase 2		3.31	up	0.01232
AA485084	1340	EST		3.31	up	0.00346
AA136864	304	zinc finger protein homologous to Zfp-36 in mouse		3.31	up	0.004
D31294	1643	EST		3.3	up	0.00211
AA398141	788	EST		3.3	up	0.00211

Table 7A (page 19) Up in HCC vs Normal Sample Set 2

AA465093	1267	TIA1 cytotoxic granule-associated RNA-binding protein	3.3	up	0.01314
H16251	1886	EST	3.3	up	0.03286
AA620761	1507	EST	3.3	up	0.00285
AA053662	129	EST	3.3	up	0.00558
M27830	2314	EST	3.3	up	0.02453
AF004022	1546	serine/threonine kinase 12	3.29	up	0.00841
AA476944	1288	EST	3.29	up	0.00189
AA452167	1142	EST	3.29	up	0.03337
T17339	3075	EST	3.29	up	0.00669
AA291644	701	EST	3.28	up	0.00033
Z47727	3937	polymerase (RNA) II (DNA directed) polypeptide K (7.0kD)	3.28	up	0.00317
AA242757	522	EST	3.27	up	0.00286
AA458890	1206	EST	3.27	up	0.00079
R49482	2883	EST	3.27	up	0.0161
W42778	3510	EST	3.27	up	0.02411
AA022623	44	EST	3.27	up	0.01556
AA435662	1039	EST	3.27	up	0.0433
AA284565	675	EST	3.27	up	0.0362
N34825	2497	DKFZP434P106 protein	3.27	up	0.01334
H65030	1974	phospholipase A2, group VII (platelet-activating factor acetylhydrolase, plasma)	3.26	up	0.02278
Z40883	3921	EST	3.26	up	0.01863
AA621530	1526	EST	3.26	up	0.00298
AA091752	193	purine-rich element binding protein B	3.25	up	0.01419
AA092290	195	EST	3.25	up	0.01616
AA478971	1306	disabled (Drosophila) homolog 2 (mitogen-responsive phosphoprotein)	3.25	up	0.02698
AA610073	1497	EST	3.25	up	0.00859
AA251230	540	EST	3.25	up	0.01417
N64374	2607	KIAA0537 gene product	3.25	up	0.01652
W69468	3571	EST	3.25	up	0.00055
AA426374	964	tubulin, alpha 2	3.25	up	0.04346
D21063	1628	minichromosome maintenance deficient (S. cerevisiae) 2 (mitotin)	3.25	up	0.03558
AA598589	1431	EST	3.24	up	0.00432
R16144	2793	EST	3.24	up	0.0087
AA195067	414	GTPase activating protein-like	3.24	up	0.00606
W42788	3511	deoxynucleotidyltransferase, terminal	3.24	up	0.02261
U90426	3452	nuclear RNA helicase, DECD variant of DEAD box family	3.24	up	0.00035

Table 7A (page 20) Up in HCC vs Normal Sample Set 2

AA279418	626	EST		3.23	up	0.02054
F04479	1789	KIAA1067 protein		3.23	up	0.04522
T94452	3256	EST		3.23	up	0.02245
W47206	3532	EST		3.23	up	0.01931
AA074162	159	superkiller viralicidic activity 2 (S. cerevisiae homolog)-like		3.23	up	0.00642
AA406384	875	KIAA0670 protein/acinus		3.23	up	0.00486
L06797	2143	chemokine (C-X-C motif), receptor 4 (fusin)		3.23	up	0.04782
T99312	3269	EST		3.22	up	0.00084
R54614	2901	EST		3.22	up	0.00334
D38305	1652	transducer of ERBB2, 1		3.22	up	0.0215
AA495857	1394	EST		3.21	up	0.02243
W28366	3488	EST		3.21	up	0.01007
AA465342	1271	EST		3.21	up	0.01378
M97856	2435	nuclear autoantigenic sperm protein (histone-binding)		3.21	up	0.00444
T10316	3051	EST		3.2	up	0.04794
AA429470	996	EST		3.2	up	0.0153
AA047704	120	EST		3.2	up	0.0029
AA132514	272	EST		3.2	up	0.00876
X14487	3699	keratin 10 (epidermolytic hyperkeratosis; keratosis palmaris et plantaris)		3.19	up	0.01268
AA167708	363	EST		3.19	up	0.01871
AA431719	1025	EST		3.19	up	0.00294
AA070485	156	interleukin 13 receptor, alpha 1		3.19	up	0.03465
T47969	3127	ceroid-lipofuscinosis, neuronal 3, juvenile (Batten, Spielmeier-Vogt disease)		3.19	up	0.02283
M91083	2418	chromosome 11 open reading frame 13		3.19	up	0.00243
AA476754	1287	EST		3.18	up	0.01696
AA046410	110	EST		3.18	up	0.00797
AA131220	267	EST		3.18	up	0.00974
H73484	1995	ferritin, heavy polypeptide 1		3.18	up	0.00432
M61916	2372	laminin, beta 1		3.18	up	0.01171
AA453628	1154	EST		3.17	up	0.00849
AA465218	1268	DKFZP586M1523 protein		3.17	up	0.00357
N31597	2486	DKFZP564G2022 protein		3.17	up	0.03017
AA021549	42	EST		3.17	up	0.00158
AA025166	50	fusion, derived from t(12;16) malignant liposarcoma		3.17	up	0.00009
AA252524	555	EST		3.17	up	0.00686
W46810	3528	HMT1 (hnRNP methyltransferase, S. cerevisiae)-like 2		3.17	up	0.03434

Table 7A (page 21) Up in HCC vs Normal Sample Set 2

AA045365	106	EST	activated RNA polymerase II transcription cofactor 4	3.17	up	0.0149
D57317	1688		integral type I protein	3.17	up	0.00464
D80710	1734		seven transmembrane domain protein	3.17	up	0.04549
AA296994	724		glycophosphatidylinositol anchor attachment 1	3.16	up	0.0076
AA256131	574		FSHD region gene 1	3.16	up	0.00011
AA282571	662		EST	3.16	up	0.01355
AA321833	736		Fanconi anemia, complementation group G	3.16	up	0.00523
AA430675	1019		CGI-96 protein	3.16	up	0.01007
AA235853	503		EST	3.16	up	0.00744
N93316	2732		EST	3.16	up	0.01262
R51908	2891		Meis (mouse) homolog 2	3.16	up	0.0083
AA136474	301		splicing factor 3b, subunit 4, 49kD	3.15	up	0.02837
AA463934	1253		EST	3.15	up	0.00952
W56642	3544		EST	3.15	up	0.00654
AA070206	155		EST	3.15	up	0.03914
AA251428	542		DKFZP586I2223 protein	3.15	up	0.01223
AA253011	558		KIAA0713 protein	3.15	up	0.00035
AA258387	594		EST	3.15	up	0.02028
AA621146	1514		MUF1 protein	3.15	up	0.02116
N69879	2650		drebrin 1	3.15	up	0.01659
AA047379	119		karyopherin (importin) beta 1	3.15	up	0.01572
AA398563	797		EST	3.14	up	0.01895
AA478415	1299		EST	3.14	up	0.0483
U18321	3317		death associated protein 3	3.14	up	0.00833
AA482319	1335		putative type II membrane protein	3.13	up	0.00071
AA086412	187		DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 16	3.13	up	0.00327
AA256268	576		EST	3.13	up	0.03874
AA450247	1133		EST	3.13	up	0.00531
AA621752	1529		26S proteasome-associated pad1 homolog	3.13	up	0.01571
D20899	1626		EST	3.13	up	0.02128
H89987	2027		ATP-binding cassette, sub-family C (CFTR/MRP), member 5	3.13	up	0.01194
N90238	2711		EST	3.13	up	0.02492
R39610	2837		calpain, large polypeptide L2	3.13	up	0.01863
X14850	3703		H2A histone family, member X	3.13	up	0.01523
Y08999	3852		actin related protein 2/3 complex, subunit 1A (41 kD)	3.13	up	0.02376
HG2994-HT4850			elastin (supravalvular aortic stenosis, Williams-Beuren syndrome)	3.13	up	0.01206

Table 7A (page 22) Up in HCC vs Normal Sample Set 2

AA446570	1089	EST	general transcription factor IIIC, polypeptide 2 (beta subunit, 110kD)	3.12	up	0.02228
D13636	1606		transcription elongation factor B (SIII), polypeptide 1 (15kD, elongin C)	3.12	up	0.00022
L34587	2200		heat shock 27kD protein 2	3.12	up	0.00946
S67070	3022		DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 17 (72kD)	3.12	up	0.01688
U59321	3397		DKFZP566B023 protein	3.11	up	0.02469
AA429825	1003		EST	3.11	up	0.01857
W49743	3537		EST	3.11	up	0.01121
N69084	2642		EST	3.11	up	0.0094
AA236412	511		EST	3.1	up	0.04463
W02695	3466		EST	3.1	up	0.04745
AA285132	682		apoptotic protease activating factor	3.1	up	0.00844
AA621367	1523		EST	3.1	up	0.00066
H48459	1937		KIAA0186 gene product	3.1	up	0.02325
N53067	2556		DKFZP547E1010 protein	3.1	up	0.00101
X92896	3826		DNA segment on chromosome X (unique) 9879 expressed sequence	3.1	up	0.0405
AA005262	13		EST	3.09	up	0.0064
AA430154	1014		EST	3.09	up	0.04401
AA433947	1034		EST	3.09	up	0.00253
AA599808	1455		EST	3.09	up	0.00726
Z38431	3886		EST	3.09	up	0.0083
AA405544	861		EST	3.09	up	0.04146
AA446970	1098		EST	3.09	up	0.01627
D80917	1736		KIAA0670 protein/acinus	3.09	up	0.00168
W72187	3579		EST	3.09	up	0.00134
AA478615	1305		H1 histone family, member X	3.09	up	0.0499
W15495	3473		chromosome 21 open reading frame 5	3.09	up	0.00491
W58247	3548		kinesin family member 4	3.08	up	0.00048
AA428204	987		cofactor required for Sp1 transcriptional activation, subunit 6 (77kD)	3.08	up	0.00313
AA481060	1326		EST	3.08	up	0.00029
AA481420	1327		EST	3.08	up	0.0206
AA505141	1418		EST	3.08	up	0.02327
T41078	3120		bromodomain adjacent to zinc finger domain, 2B	3.08	up	0.03426
N29484	2477		EST	3.08	up	0.04834
R60512	2917		KIAA0191 protein	3.08	up	0.00856
AA011679	32		EST	3.08	up	0.03649
AA427734	977		cholinergic receptor, nicotinic, epsilon polypeptide	3.08	up	0.04796

Table 7A (page 23) Up in HCC vs Normal Sample Set 2

D86957	1754	KIAA0202 protein	3.08	up	0.02949
M86667	2410	nucleosome assembly protein 1-like 1	3.08	up	0.00473
AA031814	70	KIAA0958 protein	3.07	up	0.00681
AA236904	518	EST	3.07	up	0.01503
D80946	1737	SFRS protein kinase 1	3.07	up	0.00986
W42674	3509	EST	3.07	up	0.0261
W74536	3595	advanced glycosylation end product-specific receptor	3.07	up	0.00251
AA435681	1041	EST	3.07	up	0.01166
AA599469	1450	EST	3.07	up	0.04154
D13370	1603	APEX nuclease (multifunctional DNA repair enzyme)	3.07	up	0.00857
HG4297-HT4567		activated RNA polymerase II transcription cofactor 4	3.07	up	0.00787
M93036	2421	membrane component, chromosomal 4, surface marker (35kD glycoprotein)	3.07	up	0.04199
U30825	3342	splicing factor, arginine/serine-rich 9	3.07	up	0.01928
H67964	1981	EST	3.06	up	0.02707
AA194998	413	purinergic receptor (family A group 5)	3.06	up	0.04752
AA435769	1046	EST	3.06	up	0.00615
AA464423	1259	EST	3.06	up	0.01416
AA251766	543	EST	3.06	up	0.0098
AA256524	580	AD022 protein	3.06	up	0.00626
AA412720	905	EST	3.06	up	0.02153
H11320	1875	SUMO-1 activating enzyme subunit 2	3.06	up	0.00167
R28636	2808	UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 3	3.06	up	0.03678
T40439	3114	small nuclear ribonucleoprotein polypeptide B"	3.06	up	0.02842
X79536	3801	heterogeneous nuclear ribonucleoprotein A1	3.06	up	0.00449
H09241	1861	EST	3.05	up	0.01487
AA425544	955	eukaryotic translation initiation factor 2B, subunit 2 (beta, 39kD)	3.05	up	0.0346
F02863	1782	EST	3.05	up	0.03504
AA477316	1290	calumenin	3.05	up	0.00608
W58081	3547	neuroendocrine-specific protein C like (foocen)	3.05	up	0.03767
AA293868	721	EST	3.04	up	0.0054
AA125808	240	EST	3.04	up	0.02112
AA236532	513	EST	3.04	up	0.03747
Z41747	3933	succinate dehydrogenase complex, subunit A, flavoprotein (Fp)	3.04	up	0.01336
AA598829	1439	heterogeneous nuclear ribonucleoprotein U (scaffold attachment factor A)	3.04	up	0.00967
Y00764	3848	ubiquinol-cytochrome c reductase hinge protein	3.04	up	0.01294
N42272	2514	EST	3.03	up	0.0017

Table 7A (page 24) Up in HCC vs Normal Sample Set 2

AA284720	676	EST		3.03	up	0.00252
R46079	2867	EST		3.03	up	0.00755
H96850	2055	dolichyl-diphosphooligosaccharide-protein glycosyltransferase		3.03	up	0.00679
AA426291	961	EST		3.03	up	0.00365
H99364	2075	chloride channel 7		3.03	up	0.01727
R06400	2767	EST		3.03	up	0.03266
R20817	2796	ubiquitin-conjugating enzyme E2A (RAD6 homolog)		3.03	up	0.01091
D86977	1757	KIAA0224 gene product		3.03	up	0.00053
AA442400	1071	hepatitis B virus x-interacting protein (9.6kD)		3.02	up	0.04037
AA055892	134	EST		3.02	up	0.04984
W04507	3468	prefoldin 4		3.02	up	0.04091
Z38904	3893	EST		3.02	up	0.00814
AA252355	553	EST		3.02	up	0.00715
AA293589	719	zinc finger protein		3.02	up	0.01809
AA453656	1155	EST		3.02	up	0.00958
U68142	3410	RAB2, member RAS oncogene family-like		3.02	up	0.0296
U90904	3457	EST		3.02	up	0.00381
J04029	2102	keratin 10 (epidermolytic hyperkeratosis; keratosis palmaris et plantaris)		3.02	up	0.00032
AA598749	1438	EST		3.01	up	0.03714
F10741	1822	KIAA0622 protein		3.01	up	0.03079
AA365708	764	microfibrillar-associated protein 1		3.01	up	0.02372
AA426447	965	EST		3.01	up	0.02414
W57931	3546	EST		3.01	up	0.02661
AA181580	383	karyopherin (importin) beta 1		3.01	up	0.0125
H27897	1911	hypothetical protein		3.01	up	0.00174
N51590	2545	EST		3.01	up	0.04345
R46337	2868	secretory carrier membrane protein 3		3.01	up	0.00374
T66935	3178	EST		3.01	up	0.00123
AA173505	372	EST		3	up	0.01736
AA476473	1285	EST		3	up	0.01324
AA448252	1114	EST		3	up	0.00256
W95841	3663	EST		3	up	0.00466

Table 7B. (page 1) Down in HCC 2 vs Normal Sample Set 2

Fragment Name	SEQ ID :	Known Gene Name	Fold Change	Direction	Pvalue
H81070	2006	RNA helicase-related protein	39.64	down	0.00002
AA007395	17	alcohol dehydrogenase 4 (class II), pi polypeptide	37.78	down	0.00939
T68711	3187	EST	35.98	down	0.0003
T48075	3129	hemoglobin, alpha 1	35.75	down	0.00471
N80129	2702	metallothionein 1L	26.87	down	0.00999
AA010605	26	4-hydroxyphenylpyruvate dioxygenase	25.52	down	0.00855
W88946	3636	putative glycine-N-acyltransferase	25.28	down	0.00221
T48278	3131	EST	24.1	down	0.00595
T95813	3261	KIAA1051 protein	20.36	down	0.01361
H58692	1960	formyltetrahydrofolate dehydrogenase	20.18	down	0.00485
R97419	3003	cytochrome P450, subfamily VIIIB (sterol 12-alpha-hydroxylase), polypeptide 1	19.3	down	0.00807
H80901	2005	ficolin (collagen/fibrinogen domain-containing) 3 (Hakata antigen)	18.59	down	0
J03910	2101	EST	18.13	down	0.00119
M29873	2318	cytochrome P450, subfamily IIB (phenobarbital-inducible)	17.92	down	0.01469
U56814	3392	deoxyribonuclease I-like 3	17.69	down	0.00007
T67931	3183	fibrinogen, B beta polypeptide	17.25	down	0.00128
T58756	3155	EST	16.61	down	0
R49602	2884	EST	16.17	down	0.00279
T69305	3196	EST	15.87	down	0.02258
Z20777	3863	EST	15.73	down	0.00147
H58673	1959	EST	15.49	down	0.00002
T56281	3150	RNA helicase-related protein	14.64	down	0.00027
K03192	2127	cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 6	14.19	down	0.0307
AA448002	1113	putative type II membrane protein	14.14	down	0
T68873	3189	metallothionein 1L	13.68	down	0.00593
R89811	2979	HGF activator	13.29	down	0.00148
M14777	2263	glutathione S-transferase A2, glutathione S-transferase A3	13.23	down	0.03224
D31628	1646	4-hydroxyphenylpyruvate dioxygenase	13.18	down	0.02064
H20543	1897	DKFZP586B1621 protein	13.06	down	0.00218
W81552	3612	EST	12.97	down	0.00244
N54053	2560	secreted phosphoprotein 2, 24kD	12.87	down	0.01821
R40395	2840	lecithin-cholesterol acyltransferase	12.85	down	0.01334
H08102	1858	breast cell glutaminase	12.85	down	0.0424

Table 7B (page 2) Down in HCC 2 vs Normal Sample Set 2

butyrobetaine (gamma), 2-oxoglutarate dioxygenase (gamma-butyrobetaine hydroxylase)	1184	12.51	down	0
EST	2788	12.09	down	0.02379
cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 7	3326	11.85	down	0.03538
EST	1095	11.57	down	0.0001
metallothionein 1L	2702	11.48	down	0.00167
cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 7	2338	11.47	down	0.02611
fatty-acid-Coenzyme A ligase, long-chain 1, fatty-acid-Coenzyme A ligase, long-chain 2	758	11.4	down	0.00848
EST	3268	11.15	down	0.0323
serum amyloid A4, constitutive	2404	10.97	down	0.01946
macrophage receptor with collagenous structure	161	10.88	down	0.00087
complement component 8, alpha polypeptide	2277	10.85	down	0.02313
solute carrier family 10 (sodium/bile acid cotransporter family), member 1	2662	10.8	down	0.02894
deoxyribonuclease I-like 3	630	10.52	down	0.00181
betaine-homocysteine methyltransferase	2635	10.46	down	0.01971
EST	1033	10.24	down	0.00663
oxidative 3 alpha hydroxysteroid dehydrogenase; retinol dehydrogenase	3581	9.89	down	0.03091
alcohol dehydrogenase 4 (class II), pi polypeptide	3734	9.87	down	0.01416
cytochrome P450, subfamily IIIA (nifedipine oxidase), polypeptide 3	1586	9.46	down	0.00001
FXYD domain-containing ion transport regulator 1 (phospholemman)	1116	9.27	down	0.00108
metallothionein 1H	2000	9.01	down	0.00022
hemoglobin, beta		8.98	down	0.02071
plasminogen-like	2779	8.77	down	0.01284
EST	3136	8.65	down	0.00553
EST	2036	8.62	down	0.01271
formiminotransferase cyclodeaminase	2577	8.52	down	0.01808
fatty-acid-Coenzyme A ligase, very long-chain 1	915	8.49	down	0.02476
paraoxonase 3	3151	8.47	down	0.01048
growth hormone receptor	2656	8.47	down	0.00816
paraoxonase 3	579	8.37	down	0.02326
EST	3008	8.37	down	0.01436
deiodinase, iodothyronine, type I	2684	8.18	down	0.01363
EST	2543	8.17	down	0.00105
cytochrome P450, subfamily IIB (phenobarbital-inducible)	2319	8.13	down	0.01064
cytochrome P450, subfamily IVA, polypeptide 11	2138	8.13	down	0.02065

Table 7B. (page 3) Down in HCC 2 vs Normal Sample Set 2

X13930	3697	cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 6	8.1	down	0.0219
U50929	3379	betaine-homocysteine methyltransferase	8.04	down	0.0188
		aldo-keto reductase family 1, member D1 (delta 4-3-ketosteroid-5-beta-reductase)			
Z28339	3872	phytanoyl-CoA hydroxylase (Refsum disease)	8.03	down	0.00853
T83397	3232	cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 6	8.03	down	0.02173
K03192	2127	EST	8.02	down	0.03483
AA401562	830		7.97	down	0.00527
AA035245	79	aldehyde oxidase 1	7.97	down	0.02387
M94065	2424	dihydrorotate dehydrogenase	7.87	down	0.0011
AA453988	1160	methionine adenosyltransferase I, alpha	7.78	down	0.02695
X54380	3727	pregnancy-zone protein	7.71	down	0.00069
H57060	1954	EST	7.57	down	0.00875
R99591	3015	CD5 antigen-like (scavenger receptor cysteine rich family)	7.41	down	0.00043
Z84721	3950	hemoglobin, zeta	7.39	down	0.01921
D14012	1612	HGF activator	7.27	down	0.00145
Z49269	3942	small inducible cytokine subfamily A (Cys-Cys), member 14	7.24	down	0.01047
T74542	3214	UDP glycosyltransferase 2 family, polypeptide B10	7.19	down	0.011
AA235310	496	EST	7.08	down	0.04056
R73816	2960	EST	7.05	down	0.01287
AA287566	690	KIAA0187 gene product	6.99	down	0.00023
N51773	2548	EST	6.92	down	0.01839
W28944	3493	EST	6.9	down	0.01014
N54429	2567	EST	6.85	down	0.03334
N63845	2604	phytanoyl-CoA hydroxylase (Refsum disease)	6.82	down	0.00369
D00003	1586	cytochrome P450, subfamily IIIA (niphedipine oxidase), polypeptide 3	6.8	down	0.01328
AA236455	512	EST	6.73	down	0.02418
		coagulation factor IX (plasma thromboplastic component, Christmas disease, hemophilia B)			
K02402	2125	disease, hemophilia B	6.64	down	0.04082
H59136	1962	EST	6.63	down	0.00033
AA057678	143	EST	6.63	down	0.00089
X16349	3709	sex hormone-binding globulin	6.61	down	0.00008
R65593	2934	kynurenine 3-monooxygenase (kynurenine 3-hydroxylase)	6.6	down	0.01982
AA099225	206	EST	6.59	down	0.00064
N54950	2572	ketohexokinase (fructokinase)	6.47	down	0.0223
N54417	2566	fibrinogen, A alpha polypeptide	6.47	down	0.00733
R92475	2986	flavin containing monooxygenase 3	6.46	down	0.02269

Table 7B. (page 4) Down in HCC 2 vs Normal Sample Set 2

R69417	2941	EST		6.43	down	0.00778
R40492	2841	EST		6.4	down	0.00527
U06641	3286	UDP glycosyltransferase 2 family, polypeptide B15		6.37	down	0.01594
AA59937	1458	insulin-like growth factor-binding protein 4		6.31	down	0.0477
T63364	3169	ficollin (collagen/fibrinogen domain-containing) 3 (Hakata antigen)		6.27	down	0.00455
AA490620	1378	EST		6.25	down	0.03613
R59722	2915	EST		6.24	down	0.02361
M10943	2234	metallothionein 1F (functional)		6.23	down	0.00007
X95190	3829	acyl-Coenzyme A oxidase 2, branched chain		6.22	down	0.00162
AA232114	463	epoxide hydrolase 2, cytoplasmic		6.18	down	0.00231
J02843	2088	cytochrome P450, subfamily IIE (ethanol-inducible)		6.18	down	0.01308
AA150776	330	EST		6.17	down	0.00004
T51617	3137	solute carrier family 22 (extraneuronal monoamine transporter), member 3		6.16	down	0.04198
N64036	2606	enoyl-Coenzyme A, hydratase/3-hydroxyacyl Coenzyme A dehydrogenase		6.12	down	0.00476
T74608	3215	hydroxyacid oxidase (glycolate oxidase) 1		6.1	down	0.00249
M76665	2397	hydroxysteroid (11-beta) dehydrogenase 1		6.06	down	0.01317
L12760	2162	phosphoenolpyruvate carboxykinase 1 (soluble)		6.06	down	0.01005
W86075	3621	EST		6.04	down	0.01486
D12620	1601	cytochrome P450, subfamily IVF, polypeptide 2, cytochrome P450, subfamily IVF, polypeptide 3 (leukotriene B4 omega hydroxylase)		6.03	down	0.03947
M83652	2407	properdin P factor, complement		6	down	0.00002
D62518	1708	EST		5.96	down	0.00027
L16883	2166	cytochrome P450, subfamily IIC (mephenytoin 4-hydroxylase), polypeptide 9		5.85	down	0.04368
AA233152	467	EST		5.8	down	0.00272
AA343142	751	EST		5.79	down	0.02747
U56814	3392	deoxyribonuclease I-like 3		5.75	down	0.00152
T78433	3219	glycogen synthase 2 (liver)		5.74	down	0.00949
AA454733	1169	EST		5.73	down	0.00748
AA010205	23	EST		5.71	down	0.00014
AA284795	678	phosphatidylethanolamine N-methyltransferase		5.7	down	0.00004
N31741	2488	serine hydroxymethyltransferase 1 (soluble)		5.66	down	0.00212
X76717	3794	metallothionein 1L		5.64	down	0.00215
W55903	3543	adipose differentiation-related protein; adipophilin		5.64	down	0.00014

Table 7B. (page 5) Down in HCC 2 vs Normal Sample Set 2

AA253369	563	EST		5.64	down	0.00478
D13243	1602	pyruvate kinase, liver and RBC		5.58	down	0.04029
AA007629	19	EST		5.56	down	0.00005
R93776	2992	EST		5.55	down	0.00084
D78011	1717	dihydropyrimidinase		5.54	down	0.0312
AA005358	14	EST		5.51	down	0.00059
R77628	2965	insulin induced gene 1		5.51	down	0.0404
W87532	3631	putative glycine-N-acyltransferase		5.5	down	0.00739
AA460661	1229	EST		5.46	down	0.00151
M16594	2272	glutathione S-transferase A2		5.42	down	0.03813
T52813	3141	putative lymphocyte G0/G1 switch gene		5.4	down	0.02021
L32140	2192	afamin		5.39	down	0.02767
AA039335	89	coagulation factor XII (Hageman factor)		5.33	down	0.03807
U20530	3321	secreted phosphoprotein 2, 24kD		5.31	down	0.01119
AA236401	510	EST		5.31	down	0.01787
AA478298	1297	adipose specific 2		5.29	down	0.00943
AA010619	27	EST		5.28	down	0.002
AA609519	1482	EST		5.23	down	0.00068
L21893	2176	solute carrier family 10 (sodium/bile acid cotransporter family), member 1		5.23	down	0.03367
AA287122	686	EST		5.21	down	0.00523
AA608837	1472	EST		5.15	down	0.00005
M83772	2408	flavin containing monooxygenase 3		5.14	down	0.02023
S70004	3028	glycogen synthase 2 (liver)		5.13	down	0.00183
AA172372	370	EST		5.12	down	0.00032
AA090439	192	ribosomal protein S6		5.11	down	0.01108
AA236455	512	EST		5.1	down	0.00307
J04449	2110	cytochrome P450, subfamily IIIA (nephedipine oxidase), polypeptide 3		5.07	down	0.01733
AA291749	703	estrogen receptor 1		5.06	down	0.00044
		aldo-keto reductase family 1, member C4 (chlordecone reductase; 3-alpha				
S68287	3024	hydroxysteroid dehydrogenase, type I; dihydrodiol dehydrogenase 4)		5.04	down	0.02895
AA458652	1202	EST		5.03	down	0.00065
K02766	2126	complement component 9		5.03	down	0.0433
AA297532	725	EST		5.01	down	0.00745
H29568	1914	EST		5	down	0.00426
AA265053	681	EST		5	down	0.00718

Table 7B. (page 6) Down in HCC 2 vs Normal Sample Set 2

Z40902	3923	SEC14 (S. cerevisiae)-like 2	down	0.04627
T72906	3209	EST	down	0.00512
N22938	2452	serum amyloid A4, constitutive	down	0.01918
R79750	2970	EST	down	0.00695
AA609537	1483	hepatic leukemia factor	down	0.00118
N57464	2575	CCAAT/enhancer binding protein (C/EBP), delta	down	0.00111
AA196287	420	EST	down	0.01656
J05428	2120	UDP glycosyltransferase 2 family, polypeptide B7	down	0.03414
D49357	1665	methionine adenosyltransferase I, alpha	down	0.04435
R40899	2843	glycine receptor, beta	down	0.02369
AA480991	1323	EST	down	0.03498
M99439	2437	transducin-like enhancer of split 4, homolog of Drosophila E(sp1)	down	0.00121
X06562	3683	growth hormone receptor	down	0.00507
AA426640	969	small inducible cytokine subfamily B (Cys-X-Cys), member 14 (BRAK)	down	0.00539
AA194997	412	EST	down	0.00153
N39201	2509	protease inhibitor 4 (kallistatin)	down	0.02015
T16484	3070	EST	down	0.00009
N59550	2587	EST	down	0.02924
AA046747	114	EST	down	0.00023
T72502	3207	EST	down	0.00404
AA085987	183	UDP glycosyltransferase 1	down	0.03035
D12620	1601	cytochrome P450, subfamily IVF, polypeptide 2, cytochrome P450,	down	0.04091
U51010	3380	subfamily IVF, polypeptide 3 (leukotriene B4 omega hydroxylase)	down	0.03099
N67105	2623	nicotinamide N-methyltransferase	down	0.00194
R93714	2991	EST	down	0.03704
AA076383	171	fetuin B	down	0.00593
N73543	2674	EST	down	0.03981
Y00317	3842	UDP glycosyltransferase 2 family, polypeptide B4	down	0.02986
U95090	3463	nephrosis 1, congenital, Finnish type (nephryn)	down	0.01595
T40936	3117	EST	down	0.02844
AA477119	1289	EST	down	0.00072
HG2841-HT2968		albumin	down	0.00552
AA377087	771	EST	down	0.01616
Z48475	3940	glucokinase (hexokinase 4) regulatory protein	down	0.01693
R94674	2995	EST	down	0.0047

Table 7B. (page 7) Down in HCC 2 vs Normal Sample Set 2

N52322	2552	EST		4.58	down	0.02077
AA621131	1513	EST		4.57	down	0.03867
R01023	2751	glucokinase (hexokinase 4) regulatory protein		4.56	down	0.04036
		fatty-acid-Coenzyme A ligase, long-chain 1, fatty-acid-Coenzyme A ligase,				
		long-chain 2				
L09229	2150	EST		4.5	down	0.01347
N29764	2481	EST		4.48	down	0.013
Z40259	3916	EST		4.47	down	0.00093
		cytochrome P450, subfamily I (aromatic compound-inducible), polypeptide				
		2		4.47	down	0.01116
M31667	2331	EST		4.46	down	0.00734
W26996	3483	cytochrome P450, subfamily IVF, polypeptide 2		4.4	down	0.00761
U02388	3277	deleted in liver cancer 1		4.37	down	0.00069
W67147	3565	EST		4.36	down	0.0398
H55759	1949	EST		4.36	down	0.03175
AA112101	222	EST		4.34	down	0.00836
D79276	1722	succinate-CoA ligase, GDP-forming, beta subunit		4.33	down	0.00789
R66002	2935	EST		4.33	down	0.0184
N66066	2612	EST		4.33	down	0.01326
AA398892	800	similar to yeast BET3 (S. cerevisiae)		4.32	down	0.00718
C20653	1578	EST		4.31	down	0.01744
R22905	2800	EST		4.31	down	0.01567
M25079	2305	hemoglobin, beta		4.3	down	0.03917
N39163	2508	metallothionein 1L		4.3	down	0.02294
M26393	2309	acyl-Coenzyme A dehydrogenase, C-2 to C-3 short chain		4.29	down	0.0138
H02855	1832	EST		4.26	down	0.04759
X90579	3816	EST		4.26	down	0.01725
X63359	3756	UDP glycosyltransferase 2 family, polypeptide B10		4.25	down	0.01598
X72177	3787	complement component 6		4.22	down	0.01005
W95041	3659	EST		4.22	down	0.01315
AA223902	450	EST		4.21	down	0.03192
AA435746	1043	GTPase activating protein-like		4.18	down	0.02474
T68878	3190	carboxylesterase 1 (monocyte/macrophage serine esterase 1)		4.18	down	0.00567
AA100026	211	EST		4.18	down	0.04901
L27050	2186	apolipoprotein F		4.15	down	0.02947
D10040	1593	fatty-acid-Coenzyme A ligase, long-chain 2		4.14	down	0.0014
AA253216	561	EST		4.14	down	0.00058
H93246	2035	EST		4.14	down	0.00058

Table 7B. (page 8) Down in HCC 2 vs Normal Sample Set 2

[illegible]

Table 7B. (page 9) Down in HCC 2 vs Normal Sample Set 2

AA039616	90	EST		3.84	down	0.00997
HG2730-HT2827		fibrinogen, A alpha polypeptide		3.84	down	0.00795
H66367	1977	EST		3.84	down	0.00133
M30185	2321	cholesteryl ester transfer protein, plasma		3.82	down	0.00131
AA167565	362	EST		3.81	down	0.04057
HG2379-HT3996		serine hydroxymethyltransferase 1 (soluble)		3.81	down	0.01837
D90042	1767	N-acetyltransferase 2 (arylamine N-acetyltransferase)		3.79	down	0.00697
X16260	3707	inter-alpha (globulin) inhibitor, H1 polypeptide		3.76	down	0.00291
AA122345	238	glutamate dehydrogenase 1		3.75	down	0.01058
M86826	2412	insulin-like growth factor binding protein, acid labile subunit		3.75	down	0.01157
L11931	2159	serine hydroxymethyltransferase 1 (soluble)		3.74	down	0.0056
AA460012	1224	solute carrier family 22 (extraneuronal monoamine transporter), member 3		3.73	down	0.0313
X97324	3836	adipose differentiation-related protein; adipophilin		3.72	down	0.00202
D63160	1709	ficolin (collagen/fibrinogen domain-containing lectin) 2 (hucolin)		3.72	down	0.00312
W86600	3625	EST		3.67	down	0.04208
N52271	2551	LIM protein (similar to rat protein kinase C-binding enigma)		3.67	down	0.01102
AA402224	836	growth arrest and DNA-damage-inducible, gamma		3.66	down	0.0033
N91087	2716	EST		3.66	down	0.00725
C02386	1561	hypothetical protein		3.66	down	0.00673
U27699	3339	solute carrier family 6 (neurotransmitter transporter, betaine/GABA), member 12		3.65	down	0.00381
U08021	3290	nicotinamide N-methyltransferase		3.63	down	0.03726
HG2730-HT2828		fibrinogen, A alpha polypeptide		3.62	down	0.01013
R80048	2971	EST		3.61	down	0.01209
M94065	2424	dihydroorotate dehydrogenase		3.61	down	0.00229
J03810	2099	solute carrier family 2 (facilitated glucose transporter), member 2		3.6	down	0.02376
D00408	1589	cytochrome P450, subfamily IIIA (niphedipine oxidase), polypeptide		3.58	down	0.02048
C20810	1579	3, cytochrome P450, subfamily IIIA (niphedipine oxidase), polypeptide		3.57	down	0.02116
T61256	3161	5, cytochrome P450, subfamily IIIA, polypeptide 7		3.56	down	0.04957
AA164586	359	ketohexokinase (fructokinase)		3.56	down	0.01231
S77356	3033	estrogen receptor 1		3.55	down	0.03874
		EST				
		acetyl-Coenzyme A acyltransferase 1 (peroxisomal 3-oxoacyl-Coenzyme A thiolase)		3.53	down	0.00059
X14813	3702					

Table 7B. (page 10) Down in HCC 2 vs Normal Sample Set 2

AA460449	1228	EST		3.53	down	0.01247
N99542	2746	orosomucoid 1		3.53	down	0.00607
W07723	3470	EST		3.51	down	0.00026
F02245	1776	monoamine oxidase A		3.51	down	0.01692
AA182030	387	EST		3.51	down	0.0403
W45560	3522	EST		3.48	down	0.0179
W73818	3590	EST		3.47	down	0.00927
AA455367	1176	DKFZP586F1018 protein		3.47	down	0.00138
T87174	3239	EST		3.46	down	0.00026
AA282061	652	KIAA0962 protein		3.46	down	0.00698
AA233837	474	EST		3.46	down	0.01365
W73601	3589	EST		3.45	down	0.01382
R09053	2782	EST		3.45	down	0.03074
AA142849	306	EST		3.45	down	0.03495
M61854	2370	cytochrome P450, subfamily IIC (mephenytoin 4-hydroxylase)		3.45	down	0.02949
AA376875	770	monoamine oxidase A		3.45	down	0.00105
N29353	2476	kynurenine 3-monooxygenase (kynurenine 3-hydroxylase)		3.44	down	0.01212
N22404	2449	EST		3.44	down	0.02267
AA608802	1470	EST		3.44	down	0.01709
T40995	3118	alcohol dehydrogenase 3 (class I), gamma polypeptide		3.42	down	0.00957
AA035457	80	EST		3.41	down	0.00968
AA401376	829	EST		3.39	down	0.01403
AA018922	40	core promoter element binding protein		3.39	down	0.01801
N65959	2611	EST		3.38	down	0.00785
AA188921	393	similar to Caenorhabditis elegans protein C42C1.9		3.38	down	0.00862
Z41042	3925	EST		3.37	down	0.00703
H27330	1909	EST		3.37	down	0.01318
AA450127	1132	growth arrest and DNA-damage-inducible, beta		3.37	down	0.00647
J05158	2117	carboxypeptidase N, polypeptide 2, 83kD		3.37	down	0.01156
N90584	2713	EST		3.36	down	0.01561
		matrix metalloproteinase 2 (gelatinase A, 72kD gelatinase, 72kD type IV				
F03969	1785	collagenase)		3.36	down	0.01685
M95585	2429	hepatic leukemia factor		3.36	down	0.00492
HG4533-HT4938		protease inhibitor 4 (kallistatin)		3.35	down	0.01605
X06985	3686	heme oxygenase (decycling) 1		3.34	down	0.00045
H66840	1978	EST		3.34	down	0.01884

Table 7B. (page 11) Down in HCC 2 vs Normal Sample Set 2

M72885	2392	putative lymphocyte G0/G1 switch gene	3.34	down	0.02943
W28798	3491	phosphodiesterase 6A, cGMP-specific, rod, alpha	3.33	down	0.00222
T47778	3126	fibrinogen, A alpha polypeptide	3.33	down	0.00637
AA599472	1451	succinate-CoA ligase, GDP-forming, beta subunit	3.31	down	0.02619
AA084668	180	ubiquitin-like 3	3.31	down	0.02055
M30185	2321	cholesteryl ester transfer protein, plasma	3.31	down	0.00109
L00352	2131	low density lipoprotein receptor (familial hypercholesterolemia)	3.3	down	0.03487
D13705	1610	cytochrome P450, subfamily IVA, polypeptide 11	3.3	down	0.0051
Z31690	3878	lipase A, lysosomal acid, cholesterol esterase (Wolman disease)	3.29	down	0.00161
AA450114	1131	EST	3.29	down	0.01171
AA282886	663	EST	3.29	down	0.00025
AA397841	780	EST	3.29	down	0.00825
N57934	2576	forminotransferase cyclodeaminase	3.28	down	0.01555
J04093	2106	UDP glycosyltransferase 1	3.28	down	0.02286
X64177	3760	metallothionein 1H	3.26	down	0.03928
T10264	3050	EST	3.26	down	0.01718
C21130	1583	EST	3.24	down	0.03355
AA070191	154	EST	3.24	down	0.00216
H62212	1969	telomeric repeat binding factor 2	3.23	down	0.00513
X13227	3695	D-amino-acid oxidase	3.22	down	0.01753
Z80345	3948	acyl-Coenzyme A dehydrogenase, C-2 to C-3 short chain	3.21	down	0.04734
M68895		alcohol dehydrogenase 6 (class V)	3.21	down	0.02095
AA400177	808	EST	3.21	down	0.03901
H09317	1864	EST	3.2	down	0.00914
T68510	3186	EST	3.19	down	0.01504
AA465233	1269	succinate-CoA ligase, GDP-forming, beta subunit	3.19	down	0.00036
AA461444	1239	EST	3.19	down	0.02844
AA147646	317	DKFZP586A0522 protein	3.19	down	0.00508
D78725	1720	KIAA0914 gene product	3.19	down	0.01083
U65932	3404	extracellular matrix protein 1	3.18	down	0.00575
U21931	3325	fructose-bisphosphatase 1	3.17	down	0.0143
T64575	3171	EST	3.16	down	0.01855
M57731	2359	GRO2 oncogene	3.16	down	0.02204
F02028	1774	EST	3.15	down	0.00902
T41232	3121	EST	3.14	down	0.02012
AA210850	431	EST	3.12	down	0.00288

Table 7B. (page 12) Down in HCC 2 vs Normal Sample Set 2

W72044	3577	insulin induced gene 1	3.1	down	0.03445
M68840	2388	monoamine oxidase A	3.1	down	0.01953
H57816	1957	EST	3.09	down	0.01327
H10779	1872	methylenetetrahydrofolate dehydrogenase (NADP+ dependent),	3.09	down	0.0496
M93405	2423	methenyltetrahydrofolate cyclohydrolase, formyltetrahydrofolate synthetase	3.09	down	0.03285
T41047	3119	methyilmalonate-semialdehyde dehydrogenase	3.08	down	0.00553
AA157799	348	EST	3.08	down	0.00207
M34276	2341	aldo-keto reductase family 7, member A2 (aflatoxin aldehyde reductase)	3.08	down	0.02754
H05704	1848	plasminogen	3.07	down	0.00363
AA069696	150	EST	3.07	down	0.01569
M16750	2273	pim-1 oncogene	3.07	down	0.02391
AA056482	141	EST	3.06	down	0.01313
AA046457	111	EST	3.05	down	0.02078
M13143	2249	kallikrein B plasma, (Fletcher factor) 1	3.04	down	0.008
U50196	3376	adenosine kinase	3.03	down	0.00975
AA090257	190	superoxide dismutase 2, mitochondrial	3.03	down	0.02774
N49902	2539	EST	3.02	down	0.00951
AA442334	1069	EST	3.02	down	0.01936
D45529	1662	EST	3.01	down	0.03105
AA404487	851	EST	3.01	down	0.0059

Table 8A. (page 1) Genes and ESTs expressed only in HCC2 vs Normal2

Fragment Name	SEQ ID :	Known Gene Name	fold change in hcc set 2	p value	hcc sample set 2: Mean	hcc sample set 2: Median	hcc sample set 2: Std Dev	normal set 2: Mean	normal set 2: Median	normal set 2: Std Dev
AA093497	199	DEK oncogene (DNA binding)	#N/A	#N/A	180.58	107.64	165.71	52.11	48.84	26.51
AA248283	534	EST	#N/A	#N/A	67.18	45.86	55.18	21.63	18.96	11.71
AA291456	700	EST	#N/A	#N/A	828.34	830.24	196.63	671.21	509.58	629.13
AA400643	817	GAS2-related on chromosome 22	4.04	0.03751	118.72	123.18	137.15	-43.6	-33.96	60.39
AA421079	930	EST	#N/A	#N/A	37.17	34.26	18.5	15.27	16.75	15.28
AA428172	986	Notch (Drosophila) homolog 3	9.63	0.00195	335.57	374.9	231.52	-9.64	-15.61	56.16
AA464043	1255	EST	3.99	0.00056	116.97	115.99	53.49	14.27	10.06	25.86
H19562	1896	PTD010 protein	#N/A	#N/A	522.13	432.65	256.94	393.61	326.53	182.71
L08044	2149	trefoil factor 3 (intestinal)	#N/A	#N/A	214.6	108.17	238.79	107.82	58.55	184.16
L29218	2190	CDC-like kinase 2	6.51	0.00019	219.64	237.35	104.29	6.53	-10.03	59.8
L37747	2206	lamin B1	#N/A	#N/A	43.42	28.65	37.33	5.97	5.1	7.57
N34257	2494	EST	#N/A	#N/A	20.76	21.48	19.54	-1.84	-2.74	8.53
R50692	2887	KIAA0476 gene product	#N/A	#N/A	197.89	187.87	101.08	148.53	151.12	63.03
R60368	2916	EST	#N/A	#N/A	29.68	28.93	31.9	-28.29	-26.44	41.68
R66475	2937	EST	#N/A	#N/A	45.68	32.34	34.37	7.64	8.26	6.3
T34377	3110	potassium voltage-gated channel, shaker-related subfamily, beta member 2	4.55	0.00041	113.59	120.58	51.65	6.87	11.17	25.69
U75968	3422	DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 11 (S.cerevisiae CHL1-like helicase)	#N/A	#N/A	187.33	200.16	90.35	115.5	102.24	77.72
W21426	3480	KIAA0806 gene product	#N/A	#N/A	63.36	64.93	20.23	45.59	40.39	19.89
W28696	3490	EST	#N/A	#N/A	14.7	20.64	17.12	4.28	4.33	2.47
X57129	3740	H1 histone family, member 2	4.63	0.00663	137.13	137.75	87.31	8.38	5.39	28.3
AA024658	47	ribosomal protein S19	7.55	0.00592	278.11	120.83	373.3	7.62	5.03	10.68
AA029288	65	EST	3.36	0.04908	134.53	56.15	209.69	4.09	3.35	8.39
AA037828	88	KIAA0614 protein	#N/A	#N/A	53.61	46.86	41.68	13.32	10.65	11.96
AA040465	95	EST	3.63	0.01806	229.8	210.67	180.94	47.15	45.53	5.48
AA053660	128	EST	#N/A	#N/A	543.66	223.47	685.44	95.24	79.97	42.99
AA136332	299	cAMP responsive element binding protein 3 (human)	#N/A	#N/A	49.04	33.07	31.07	-18.27	-20.23	13.05
AA149530	324	interferon regulatory factor 3	#N/A	#N/A	32.94	23.12	34.23	4.21	5.38	8.53
AA149586	325	EST	#N/A	#N/A	24.99	26.6	34.37	5.26	9.11	23.41
AA206023	427	EST	#N/A	#N/A	154.13	170.36	85.33	108.57	111.76	58.39
AA234530	484	N-ethylmaleimide-sensitive factor	#N/A	#N/A	143.67	135.48	82.59	51.33	42.9	35.02
AA251909	549	EST	3.59	0.01129	92.19	79.34	72.73	8.88	11.22	8.27

Table 8A. (page 2) Genes and ESTs expressed only in HCC2 vs Normal2

AA262030	605	EST	#N/A	119.75	89.66	103.84	31.51	32.91	14.46
AA262477	608	ribonuclease H1, large subunit	4.57	242.42	199.5	182.26	44.51	36.87	22.37
AA283759	671	EST	#N/A	91.82	76.73	42.28	46.87	45.86	21.54
AA291644	701	EST	0.00033	114.73	117.29	44.59	32.77	30.24	21.1
AA338760	744	EST	3.96	129.77	130.26	87.27	14.91	21.91	26.96
AA398205	789	EST	4.22	125.4	107.84	63.85	15.01	7.37	26.26
AA401965	833	tumor suppressor deleted in oral cancer-related 1	7.58	932.74	924.02	593.69	120.58	93.29	109.41
AA402272	837	EST	3.73	348.91	340	230.15	99.7	92.28	80.27
AA404597	854	EST	#N/A	609.98	525.02	371.31	379.26	336.33	167.43
AA417030	914	EST	7.35	200.3	168.21	135.63	6.42	7.5	7.77
AA423820	940	EST	#N/A	111.38	111.23	120.84	41.9	21.93	44.58
AA425852	958	EST	3.82	131.52	95.35	166.76	7.02	5.22	4.75
AA430032	1009	pituitary tumor-transforming 1	10.67	377.69	320.44	294.49	26.8	15.31	35.24
AA430673	1017	EST	#N/A	45.74	34.15	44.8	-1.21	3.63	15.26
AA443321	1076	EST	#N/A	33.93	32.89	11.76	10.79	9.65	7.26
AA443941	1085	tumor suppressing subtransferable candidate 1	#N/A	97.74	103.38	47.48	31.09	34.9	16.61
AA447223	1100	EST	#N/A	31.66	18.91	31.1	4.45	3.74	6.5
AA449431	1124	translation initiation factor IF2	3.76	94.41	95.64	54.08	17.4	16.96	5.38
AA454597	1166	EST	4.23	342.59	311.81	207.71	66.6	57.29	23.41
AA458882	1205	EST	#N/A	93.56	52.28	98.72	24.97	22.52	17.66
AA458934	1208	EST	#N/A	33.6	28.19	29.02	7.1	7.91	4.22
AA465342	1271	EST	3.21	131.07	109.99	95.4	30.07	33.06	23.97
AA477561	1292	EST	#N/A	146.3	127.03	97.99	63.83	76.56	37.87
AA491295	1390	calcium/calmodulin-dependent protein kinase kinase 2, beta	3.71	180.61	173.47	118.85	46.95	31.51	65.56
AA608545	1462	RAD51 (S. cerevisiae) homolog (E coli RecA homolog)	#N/A	70.5	57.51	53.36	7.76	8.92	6.17
AA620553	1504	flap structure-specific endonuclease 1	7.56	262.87	232.63	201.66	14.44	4.85	38.53
AA621325	1522	HNK-1 sulfotransferase	#N/A	74.57	70.64	46.61	27.23	25.89	16.03
AA621780	1530	CGI-96 protein	#N/A	81.72	92.23	49.69	12.06	11.27	19.2
F02807	1781	KIAA0838 protein	5.67	260.02	219.01	229.96	20.93	16.66	22.24
F04444	1788	EST	4.13	371.21	360.5	186.45	119.68	121.27	109.82
F04524	1790	stomatatin-like protein 1	#N/A	117.77	135.65	68.29	46.56	44.53	33.75
F08876	1797	EST	9.06	209.64	201.85	53.21	-22.5	-20.17	37.21
F10161	1811	EST	#N/A	50.78	46.73	32.42	15.4	14.78	11.87
F10453	1819	EST	3.64	135.07	138.53	85.7	27.28	14.2	54.04
H04649	1838	EST	#N/A	180.25	158.18	164.34	50.86	41.2	33.9

Table 8A. (page 3) Genes and ESTs expressed only in HCC2 vs Normal2

H04793	1840	DKFZP434F091 protein	#/N/A	#/N/A	23.18	20	41.25	-14.45	-20.45	29
H59617	1964	EST	5.81	0.0115	212.68	209.19	157.42	19.24	21.65	16.88
H97012	2058	EST	3.51	0.03505	171.34	138.12	170.68	27.69	38.46	36.08
H98657	2068	EST	#/N/A	#/N/A	141.17	131.42	69.63	111.2	84.74	128.92
N23319	2453	EST	#/N/A	#/N/A	70.62	66.39	49.4	13.74	8.56	21.62
N23868	2458	EST	#/N/A	#/N/A	79.69	81.67	56.06	20.52	20.19	11.48
N45224	2515	EST	#/N/A	#/N/A	349.73	360.67	164.87	215.49	223.16	151.06
N48595	2527	EST	#/N/A	#/N/A	85.77	67.62	51.78	28.84	29.38	8.3
N75541	2691	EST	4.43	0.01059	182.83	131.35	183.41	34.1	15.82	56.07
N90273	2712	EST	#/N/A	#/N/A	105.53	96.01	41.89	68.92	59.56	35.69
N93465	2734	EST	#/N/A	#/N/A	803.68	716.56	385.5	624.57	694.14	306.11
R39191	2833	KIAA1020 protein	5.18	0.03185	331.72	80.62	590.96	17.46	18.33	16.04
R44793	2858	EST	5.4	0.00329	155.86	121.83	125.26	10.1	7.86	16.54
R44817	2859	EST	#/N/A	#/N/A	594.46	602.82	206.15	255.91	249.29	69.09
R44896	2861	EST	#/N/A	#/N/A	67.08	57.13	34.18	19.1	20.75	23.04
R64137	2930	EST	#/N/A	#/N/A	31.25	24.23	21	2.9	2.65	6.94
R71395	2951	EST	4.12	0.03719	166.03	99.42	190.98	14.99	12.28	14.58
R72087	2954	EST	#/N/A	#/N/A	262.11	302.11	95	201.97	183.76	83.41
R91819	2983	EST	12.81	0.00037	467.79	364.2	426.16	11.34	9.35	36.49
T03749	3047	KIAA1089 protein	4.23	0.00776	103	97.55	74.34	-5.18	-6.08	13.69
T25744	3091	EST	#/N/A	#/N/A	72.74	73.3	37.84	15.56	12.65	13.18
T62918	3168	EST	5.25	0.00687	136.22	142.37	83.63	-12.41	-6.89	17.59
T89731	3244	EST	#/N/A	#/N/A	63.59	65.07	20.47	5.75	3.83	11.8
W32176	3497	zinc metalloproteinase, STE24 (yeast, homolog)	#/N/A	#/N/A	550.53	614.92	234.79	290.18	277.95	129.45
W47388	3533	rab6 GTPase activating protein (GAP and centrosome-associated)	#/N/A	#/N/A	97.33	71	59.73	43.93	36.52	48.34
W78057	3597	EST	5.53	0.01231	265.23	222.35	199.24	29.21	29.9	34.33
W80763	3605	EST	4.98	0.01026	147.37	138.37	122.38	16.84	15.48	9.22
W90146	3641	EST	3.58	0.00322	82.11	69.02	47.2	9.93	8.63	6.49
Z38299	3684	EST	3.71	0.0036	140.86	127.16	96.62	30.48	25.94	23.34
Z38404	3885	EST	#/N/A	#/N/A	59.77	56.71	37.29	29.82	30.16	9
Z38462	3889	KIAA0938 protein	4.69	0.0142	137.19	116.11	116.16	-0.86	0.53	7.64
Z38688	3890	EST	#/N/A	#/N/A	49.85	46.83	42.25	21.38	13.4	29.47
Z38729	3891	EST	#/N/A	#/N/A	77.67	57.81	60.7	-2.4	-5.01	46.96
Z40556	3918	CGI-96 protein	#/N/A	#/N/A	176.19	76.96	285.02	59.62	55.07	16.66
AA021549	42	tyrosyl-tRNA synthetase	3.17	0.00158	100.01	83.02	44.39	31.74	20.12	36.74
AA026270	56	collagen, type V, alpha 1	#/N/A	#/N/A	269.96	261.31	191.51	76.85	76.68	45.22
AA055896	135		10.87	0.00907	414.16	454.82	330.75	-3.14	-5.8	33.88

Table 8A. (page 4) Genes and ESTs expressed only in HCC2 vs Normal2

AA112979	225	vaccinia related kinase 1	#N/A	37.93	31.05	16.86	8.54	8.02	2.59
AA134063	286	EST	#N/A	25.71	13.84	34.35	-5.21	-6.17	6
AA150053	327	EST	#N/A	270.14	248.87	144.92	101.87	88.37	73.73
AA206914	428	EST	#N/A	89.35	94.1	46.27	66.34	69.2	26.35
AA243133	525	serine/threonine kinase 15	0.00005	147.5	162.28	43.03	9.69	12.1	9.8
AA243466	527	EST	#N/A	61.94	42.38	37.6	13.66	13.42	9.63
AA243598	531	EST	#N/A	60.15	62.79	32.67	11.41	13.18	13.43
AA252147	551	EST	#N/A	95.91	56.69	122.31	3.65	-0.82	22.5
AA255566	570	EST	#N/A	64.28	50.15	52.25	16.18	14.38	13.17
AA279667	629	EST	#N/A	184.99	102.43	289.71	8.06	7.61	23.78
AA279943	635	EST	#N/A	137.05	63.54	232.2	-4.7	-5.33	11.18
AA290594	691	EST	#N/A	59.19	56.31	23.84	21.4	18.8	23.98
AA290776	693	EST	#N/A	524.07	516.6	88.67	441.83	355.04	245.84
AA292765	712	ZW10 interactor	7.24	202.52	192.15	142.78	11.33	18.29	13.27
AA398908	801	EST	0.00498	629.56	433.87	551.97	-174.29	-216.08	104.42
AA405098	855	EST	0.00114	221.56	130.95	237.73	-4.35	-8.44	30.78
AA406542	878	EST	0.01224	179.08	84.98	218.93	-1.99	1.49	12.75
AA435738	1042	EST	#N/A	80.97	82	30.96	50.41	51.29	33.08
AA443585	1077	EST	#N/A	200.3	136.72	140.42	118.18	97.38	102.71
AA446596	1092	Ts translation elongation factor, mitochondrial	#N/A	103.35	97.42	153.31	72.58	70.64	154.24
AA447777	1107	EST	#N/A	258.37	212.57	171.93	133.78	116.63	56.34
AA453757	1156	EST	#N/A	128.41	118.8	40.54	65.66	70.33	40.45
AA459254	1211	EST	0.00001	309.74	308.36	112.62	51.84	43.51	37.57
AA459673	1220	chromosome-associated polypeptide C	#N/A	32.11	31.27	15.41	8.91	6.74	8.86
AA476333	1282	EST	#N/A	52.26	34.54	55.5	9.04	14.67	24.04
AA496993	1405	EST	#N/A	91.01	73.62	80.93	24.83	12.83	29.07
AA504512	1415	EST	#N/A	316.32	322.55	180.22	65.48	28.37	93.94
AA609132	1479	KIAA0943 protein	5.72	67.33	42.61	65.11	29.14	23.25	53.79
AA609942	1494	EST	#N/A	89.98	66.8	71.4	15.89	14.41	25.58
F02254	1777	Fas-activated serine/threonine kinase	5.1	376.8	341.06	145.28	90	72.97	135.39
H48459	1937	KIAA0186 gene product	3.1	71.21	49.95	87.89	-29.4	-30.17	6.19
H87790	2018	EST	#N/A	284.91	287.54	145.66	466.07	547.34	192.71
N34017	2493	EST	#N/A	39.35	37.49	4.67	5.47	7.05	10.01
N35493	2501	EST	#N/A	73.6	80.62	31.24	19.03	18.75	17
N63604	2600	EST	#N/A	47.18	32.72	35	16.51	14.36	10.5
N63646	2601	EST	#N/A	479.9	367.24	240.56	182.22	137.95	90.9
N69014	2641	SRY (sex-determining region Y)-box 22	#N/A	193.21	174.83	48.23	116.34	129.47	50.74
N69879	2650	drebrin 1	3.15	88.78	84.86	61.76	3.69	-2.94	21.49

Table 8A. (page 5) Genes and ESTs expressed only in HCC2 vs Normal2

N69983	2651	EST	#N/A	93.25	96.86	49.82	76.2	93.14	54.92
N70330	2655	EST	#N/A	108.39	69.74	105.54	33.78	27.33	16.47
N74018	2683	EST	#N/A	22.65	25.34	10.26	2.34	1.47	10.41
N89670	2708	EST	#N/A	65.03	59.18	66.58	3.16	-1.81	43.32
N93000	2726	EST	#N/A	77.68	64.15	45.06	17.65	18.66	10.91
N99944	2748	EST	3.46	211.02	200.61	102.49	60.05	50.12	29.73
R97176	3001	EST	#N/A	143.07	152.08	86.96	53.41	58.26	38.91
T16226	3065	EST	7.23	323.53	312.1	209.59	33.87	22.78	38.68
T32108	3102	EST	#N/A	180.81	165.53	68.41	148.09	152.11	92.06
W15275	3471	EST	#N/A	33.62	31.78	35.23	30.09	24.85	43.25
W31906	3496	secretaggin	6.62	474.89	174.52	605.68	42.41	30.95	47.65
W46286	3523	EST	3.68	154.73	166.08	72.64	23.51	22.85	61.89
W60097	3553	DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide, Y chromosome	4.82	235.42	265.15	189.13	35.34	11.72	84.5
W80852	3606	KDEL (Lys-Asp-Glu-Leu) endoplasmic reticulum protein retention receptor 3	6.37	184.61	159.98	100.74	11.16	11.92	36.06
AA046745	113	Wolf-Hirschhorn syndrome candidate 1	3.33	73.04	72.71	48.97	10.59	12.02	7.33
AA052941	121	EST	3.36	100.81	106.86	44.56	25.66	25.65	13.62
AA058589	144	EST	#N/A	44.63	51.66	34.1	-9.37	-10.9	8.66
AA126561	249	stanniocalcin	#N/A	51.44	44.19	31.6	7.16	7.73	8.55
AA146849	313	target of myb1 (chicken) homolog	4.72	398.05	341.23	244.73	98.86	106.97	86.19
AA149889	326	neighbor of A-kinase anchoring protein 95	8.55	240.81	312.86	143.89	-0.24	8.25	29.83
AA283711	669	ubiquitin carrier protein	#N/A	382.91	380.33	210.95	221.7	203.51	93.54
AA284153	673	EST	#N/A	117.98	127.81	72.86	53.98	43.58	32.17
AA335191	741	creatine kinase, brain	6.47	512.64	199.99	673.92	43.84	33.21	43.52
AA402642	840	TNF receptor-associated factor 1	#N/A	137.67	59.13	211.07	35.93	19.15	31.32
AA427460	972	ATP-binding cassette, sub-family F (GCN20), member 2	#N/A	190.92	187.57	78.83	92.5	83.63	49.3
AA431429	1021	EST	#N/A	25.39	21.98	9.32	5.32	4.23	4.43
AA443316	1075	v-Ha-ras Harvey rat sarcoma viral oncogene homolog	3.4	138.89	124.06	70.22	40.07	41.12	32.54
AA476260	1280	EST	#N/A	61.23	69.49	40.45	-32.66	-15.85	56.91
AA487058	1352	ubiquitin-conjugating enzyme E2L 3	#N/A	245.56	225.48	137.4	315.7	232.85	213.47
AA521149	1420	EST	3.33	113.43	106.74	60.79	28.44	29.54	18.61
AA599244	1448	KIAA0530 protein	#N/A	53.83	48.84	25.7	7.71	6.06	7.11
AA599850	1457	EST	3.55	122.91	75.32	123.52	-1.23	-2.33	31.86
AA621530	1526	EST	3.26	78.73	75.43	40.45	12.46	15.12	13.43
AA621644	1528	EST	#N/A	83.13	88.29	43.19	71.19	66.84	29.87

Table 8A. (page 6) Genes and ESTs expressed only in HCC2 vs Normal2

C15078	1573	EST	#N/A	121.71	98.25	100.16	26.22	31.14	60.2
D80710	1734	integral type I protein	3.17	153.76	74.74	166.28	22.95	28.29	24.59
D80948	1738	EST	#N/A	70.05	77.71	32.11	41.25	43.53	17.46
D81048	1739	EST	#N/A	150.18	149.32	51.77	86.08	85.08	39.11
F04320	1786	replication factor C (activator 1) 4 (37kD)	6.29	156.76	122.53	109.02	14.92	17.26	9.79
H14617	1884	EST	#N/A	143.86	147.93	66.03	133.9	150.35	53.38
H26763	1907	EST	#N/A	408.05	321.65	219.8	409.85	391.85	155.84
H68794	1984	EST	3.67	215.75	176.78	110.42	65.56	54	51.09
H78211	2001	EST	7.5	285.43	307.06	261.02	-115.95	-129.18	70.22
H95566	2050	EST	#N/A	136.58	143.31	26.27	74.11	89.04	126.61
H99870	2082	EST	#N/A	92.81	94.93	33.98	53.96	61.17	29.86
N62487	2590	EST	#N/A	56.6	52.26	33.75	13.89	16.02	8.53
N67815	2626	EST	3.84	351.55	356.17	99.35	104.07	151.77	86.01
N69084	2642	EST	3.11	233.32	208.16	169.31	72.13	67.7	49.99
N73278	2671	EST	#N/A	77.72	71.59	49.4	25.36	19.22	26.85
R06251	2763	tumor protein D52-like 2	4.88	466.88	341.39	380.43	74.25	66.72	64.11
R15740	2790	carbohydrate (keratan sulfate Gal-6)	3.36	117.43	100.03	64.73	31.77	21.3	33.53
R24507	2801	sulfotransferase 1	#N/A	31.61	16.41	30.69	3	3.45	5.62
R27296	2806	EST	3.41	77.08	67.51	39.42	8.27	11.07	7.26
R30931	2809	EST	#N/A	54.19	57.09	29.34	17.58	13.67	14.21
R45994	2866	EST	6.48	730.52	598.82	420.14	145.88	160.69	163.03
R70253	2944	EST	3.38	99.7	88.01	87.93	-9.59	-0.47	30.83
R72886	2955	KIAA0422 protein	5.5	564.05	473.4	207.71	126.66	121.18	116.07
R96924	3000	EST	7.04	336.8	329	106.3	51.01	52.94	54.09
T15852	3061	EST	5.21	168.18	134.42	120.18	-7.59	7.36	51.48
T16983	3073	cleavage and polyadenylation specific factor	4.23	262.26	268.2	155.86	65.64	45.67	74.28
T33865	3109	4, 30kD subunit	#N/A	29.73	32.86	22.11	-0.26	2.33	8.15
T66935	3178	RNA (guanine-7-) methyltransferase	3.01	181.34	189.67	61.49	66.8	52.94	42.32
T95057	3258	EST	6.46	229.11	188.71	174.46	7.13	15.37	37.2
W45320	3520	EST	10.05	365.22	345.46	124.13	-2.52	25.03	112.32
AF006041	1549	KRAB-associated protein 1	#N/A	174.22	170.16	37.64	74.91	58.55	50.31
D00596	1590	death-associated protein 6	5.58	200.17	128.11	170.5	20.16	20.43	12.43
D38491	1653	thymidylate synthetase	#N/A	47.67	52.03	21.01	20.77	20.88	17.43
D63486	1712	KIAA0117 protein	3.56	277.42	248.24	99.25	84.6	95.61	45.48
D84557	1749	KIAA0152 gene product	3.97	184.48	132.11	125.74	37.22	43.12	28.15
D86957	1754	minichromosome maintenance deficient (mis5, S. pombe) 6	3.08	91.22	73.14	89.89	14.7	12.7	6.29
		KIAA0202 protein							

Table 8A. (page 7) Genes and ESTs expressed only in HCC2 vs Normal2

D86972	1755	KIAA0218 gene product	#N/A	68.56	66.54	32.32	34.58	32.05	21.82
D90097	1768	amylase, alpha 2B; pancreatic	#N/A	41.19	37.49	21.85	6.55	11.44	15.06
L29218	2190	CDC-like kinase 2	3.82	155.42	142.58	76.28	35.11	41.27	26.41
L38696	2208	RNA-binding protein (autoantigenic)	#N/A	127.32	114.91	62.34	60.18	58.55	24.77
M11749	2240	Thy-1 cell surface antigen	#N/A	83.1	65.86	64.52	26.05	28.95	20.56
M25753	2308	cyclin B1	#N/A	44.14	30.96	40.36	-0.8	3.03	15.35
M32334	2333	intercellular adhesion molecule 2	#N/A	95.04	92.33	67.51	42.19	41.31	27.33
M55210	2353	laminin, gamma 1 (formerly LAMB2)	3.47	137.63	115.85	102.71	27.07	29.17	12.36
M61916	2372	laminin, beta 1	3.18	75.1	67.4	61.41	7.19	7.98	8.99
M86752	2411	stress-induced-phosphoprotein 1							
M87339	2414	(Hsp70/Hsp90-organizing protein) replication factor C (activator 1) 4 (37kD)	5.15 4.59	216.51 110.39	248.21 82.61	192.98 79.29	8.67 4.26	20.63 9.92	39.03 16.79
M94250	2425	midkine (neurite growth-promoting factor 2)	9.86	690.32	193.74	1414.43	-155.4	-175.43	101.89
S72904	3030	cytosolic ovarian carcinoma antigen 1	#N/A	29.33	29.21	18.34	11.53	12.85	7.55
S78187	3035	cell division cycle 25B	4.83	143.52	115.3	109.13	3.36	-1.2	26.9
S78569	3036	laminin, alpha 4	#N/A	25.79	26.91	21.66	6.3	7.6	9.38
U38847	3356	TAR (HIV) RNA-binding protein 1	#N/A	83.43	70.23	66.3	15.7	17.43	10.2
U51477	3383	diacylglycerol kinase, zeta (104kD)	#N/A	73.85	61.64	31.81	36.35	36.29	23.02
U59321	3397	DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 17 (72kD)	3.12	84.5	98.2	70.13	3.1	-1.83	19.73
U66661	3405	gamma-aminobutyric acid (GABA) A receptor, epsilon	3.55	97.79	83.66	61.79	16.58	14.81	11.96
U93237	3461	multiple endocrine neoplasia I	#N/A	84.78	93.3	24.25	45.63	45.39	17.66
X92106	3819	bleomycin hydrolase	#N/A	56.15	48.48	36.93	4.73	3.77	11.78
X92762	3825	tafazzin (cardiomyopathy, dilated 3A (X-linked); endocardial fibroelastosis 2; Barth syndrome)	#N/A	82.96	83.94	15.05	23.4	33.5	24.15
Y09216	3853	dual-specificity tyrosine-(Y)-phosphorylation regulated kinase 2	#N/A	47.87	47.61	18.08	18.99	22.48	13.31
M69013	2390	guanine nucleotide binding protein (G protein), alpha 11 (Gq class)	#N/A	86.89	70.61	47.65	38.18	47.33	23.06
AD000092	1542	RAD23 (S. cerevisiae) homolog A	#N/A	97.12	98.23	25.66	37.18	32.35	28.04
X04654	3678	small nuclear ribonucleoprotein 70kD polypeptide (RNP antigen)	#N/A	122.45	134.9	49.51	42.22	41.24	17.18
M31211	2326	myosin, light polypeptide 1, alkali; skeletal, fast	#N/A	60.22	49.75	54.83	-2.19	-4.38	11.56
U50648	3378	protein kinase, interferon-inducible double stranded RNA dependent	#N/A	214.34	192.86	122.38	105.38	92.58	43.12

Table 8A. (page 8) Genes and ESTs expressed only in HCC2 vs Normal2

M74715	2394	iduronidase, alpha-L- a disintegrin and metalloproteinase domain 15 (metargidin)	#N/A	#N/A	122.69	121.95	72.58	41.88	24.48	43.99
U41767	3359	tropomyosin 2 (beta)	#N/A	#N/A	196.76	147.11	113.93	83.03	66.93	68.33
M12125	2241	sulfotransferase family 1A, phenol- preferring, member 3	7.13	0.0004	174.25	183.97	95.24	13.01	16.33	11.64
U20499	3320		#N/A	#N/A	141.35	126.33	135.57	48.34	54.37	24.69

Table 8B. (page 1) Genes and ESTs expressed only in Normal2 vs HCC2

Fragment Name	SEQ ID :	Known Gene Name	hcc fold change	p value	hcc sample set 2: Mean	hcc sample set 2: Median	hcc sample set 2: Std Dev	normal set 2: Mean	normal set 2: Median	normal set 2: Std Dev
H66367	1977	EST	3.84	0.00133	37.14	35.15	26.61	155.38	149.31	70.77
H72650	1994	EST	#N/A	#N/A	78.97	93.74	40.9	122	125	42.24
M30185	2321	cholesteryl ester transfer protein, plasma	3.82	0.00131	-15.66	-12.63	23.86	93.07	86.04	61.35
N99542	2746	orosomucoid 1	3.53	0.00607	61.09	67.97	39.3	226.06	187.68	146.11
T68083	3184	short-chain dehydrogenase/reductase 1	#N/A	#N/A	96.34	59.71	104.53	263.22	280.22	136.48
		glucokinase (hexokinase 4) regulatory protein	4.6	0.01693	65.99	51.37	146.72	305.23	239.52	155.98
Z48475	3940	EST	4.77	0.00023	-0.57	3.68	23.81	113.78	88.54	66.41
AA046747	114	EST	#N/A	#N/A	3.66	1.48	10.67	49.37	26.82	45.2
AA253410	564	mannose-P-dolichol utilization defect 1	#N/A	#N/A	95.74	105.86	45.46	170.88	165.02	41.87
AA281796	650	KIAA0187 gene product	6.99	0.00023	18.67	14.05	35.71	246.24	201.66	228.64
AA287566	690	EST	#N/A	#N/A	24.05	30.59	15.83	40.92	35.06	17.49
AA404248	847	putative type II membrane protein	14.14	0	39.9	38.99	13.33	594.13	528.63	282.58
AA448002	1113	EST	#N/A	#N/A	11.67	2.42	27.75	26.05	25.27	11.13
AA487576	1357	EST	#N/A	#N/A	65.79	68.63	35.33	114.75	113.36	65.35
AA621235	1517	EST	#N/A	#N/A	61.21	6.31	128.69	226.47	116.41	288.21
F09979	1809	EST	#N/A	#N/A	-1.79	-7.37	11.38	35.07	38.32	17.88
H57056	1953	EST	15.49	0.00002	34.96	26.37	38.53	652.47	677.55	376.36
H58673	1959	EST	6.63	0.00033	33.12	21.17	42.92	250.23	229.94	129.12
H59136	1962	EST	3.94	0.00123	10.11	10.07	4.23	94.26	93.78	60.64
H87765	2017	KIAA0626 gene product	3.44	0.02267	56.69	35.82	73.26	193.63	130.09	162.83
N22404	2449	EST	#N/A	#N/A	19.32	19.72	14.37	52.96	44.23	24.23
N34919	2498	EST	#N/A	#N/A	45.27	14.34	81.45	133.06	119.1	109.95
N54604	2569	EST	3.38	0.00785	37.8	28.94	31.45	142.87	149.26	79.26
N65959	2611	collectin sub-family member 10 (C-type lectin)	#N/A	#N/A	39.43	35.17	24.21	71.81	62.09	43.57
N74624	2687	EST	3.45	0.03074	64.12	36.33	102.03	186.87	204.61	113.19
R09053	2782	EST	7.05	0.01287	35.12	13.76	100.6	462.31	374.67	450.91
R73816	2960	EST	16.61	0	-1.02	1.06	24.36	390.04	386.76	164.41
T58756	3155	EST	#N/A	#N/A	37.25	31.7	27.5	52.69	41.31	21.1
W48860	3534	EST	#N/A	#N/A	21.51	1.31	56.9	59.32	53.19	41.68
W90018	3639	EST	5.71	0.00014	26.95	20.06	32.19	187.55	154.99	92.13
AA010205	23	potassium voltage-gated channel, shaker-related subfamily, beta member 1,	#N/A	#N/A	5.12	7.9	12.98	18.56	15.83	8.24
AA013095	33									

Table 8B. (page 2) Genes and ESTs expressed only in Normal2 vs HCC2

AA074885	161	macrophage receptor with collagenous structure	10.88	0.00087	35.67	58.01	44.34	652.03	761.74	300.57
AA099225	206	EST	6.59	0.00064	10.9	9.75	15.11	212.68	163.45	194.31
AA282541	661	EST	#N/A	#N/A	17.21	11.75	13.38	31.31	29.9	13.53
R99591	3015	CD5 antigen-like (scavenger receptor cysteine rich family)	7.41	0.00043	124.14	139.76	50.35	1035.39	904.92	691.83
T68711	3187	EST	35.98	0.0003	29.03	-33.95	176.15	1388.67	1074.67	890.91
W78093	3598	X-prolyl aminopeptidase (aminopeptidase P) 2, membrane-bound	#N/A	#N/A	408.58	397.88	102.27	518.77	518.8	211.32
W85890	3620	EST	#N/A	#N/A	60.91	60.47	23.73	70.98	66.52	24.66
AA285053	681	EST	5	0.00718	36.49	20.15	49.24	238.16	242.27	169.12
AA460661	1229	EST	5.46	0.00151	20.05	8.57	39.04	184.62	198.21	108.17
F10380	1816	butyrobetaine (gamma), 2-oxoglutarate dioxygenase (gamma-butyrobetaine hydroxylase)	#N/A	#N/A	43.64	47.09	18.15	106.49	93.71	83.35
N67105	2623	EST	4.69	0.00194	12.46	10.45	12.64	143.36	102.9	121.4
N69114	2643	nuclear receptor subfamily 1, group I, member 3	#N/A	#N/A	12.69	5.95	15.01	72.29	73.28	57.34
M63967	2378	aldehyde dehydrogenase 5	3.88	0.00274	40.43	30.04	29.05	164.38	178.74	87.39
X54380	3727	pregnancy-zone protein	7.71	0.00069	15.11	8.07	27.07	274.41	255.4	203.47
Z49269	3942	small inducible cytokine subfamily A (Cys, member 14)	7.24	0.01047	138.63	66.95	201.93	526.13	532.29	166.67
M10943	2234	metallothionein 1F (functional)	6.23	0.00007	35.67	28.76	22.4	217.65	186.71	86.73

Table 9A. (page 1) Genes and ESTs expressed only in Metastatic Liver Tumor vs Normal2

Fragment Name	SEQ ID :	Known Gene Name	fold change in metas	p value	metastatic: Mean	metastatic: Median	metastatic: Std Dev	normal set 2: Mean	normal set 2: Median	normal set 2: Std Dev
AA009913	21	diphtheria toxin resistance protein required for diphthamide biosynthesis (Saccharomyces)-like 2	#N/A	#N/A	69.53	81.03	27.69	16.81	18.22	13.51
AA127712	255	EST	6.59	0.03706	332.45	208.85	296.68	-29.54	-28.71	104.37
AA253330	562	adaptor-related protein complex 1, gamma 1 subunit	3.87	0.00708	219.95	186.12	141.92	47.32	51.59	30.28
AA291456	700	EST	3.96	0.03633	1808.4	1273.75	1481.84	671.21	509.58	629.13
AA295819	722	EST	8	0.01793	230.14	251.43	146.89	-14.93	-20.8	19.72
AA372630	769	differentially expressed in hematopoietic lineages	25.49	0.01743	2094.32	436.62	3873.61	6.67	4.87	7.16
AA384184	774	DKFZP586B0519 protein	3.38	0.01209	476.17	411.64	148.86	181.02	188.54	135.4
AA427468	973	claudin 4	84.43	0	5646.4	5344.98	1581.19	72.58	64.85	87.74
AA454908	1171	KIAA0144 gene product	9.3	0.00539	320.03	253.32	238.5	-33.7	-46.73	73.56
AB002304	1534	KIAA0306 protein	#N/A	#N/A	584.5	621.94	136.64	313.99	298.88	88.6
AB002349	1537	KIAA0351 gene product	#N/A	#N/A	65.63	52.11	32.26	49.37	46.52	37.93
AF003521	1545	jagged 2	11.26	0.00008	426	330.95	309.91	15.48	-3.6	91.81
C00808	1553	EST	#N/A	#N/A	122.57	118.32	53.36	91.65	87.87	32.51
C14228	1567	EST	#N/A	#N/A	39.93	33.15	13.59	-0.51	2.85	8.61
D83783	1748	trinucleotide repeat containing 11 (THR- associated protein, 230 kDa subunit)	6.55	0.00176	236.64	156.39	216.64	23.23	19.65	27.84
D88154	1766	villin-like	4.18	0.00051	117.8	129.16	47.7	23.85	18.99	17.79
H43286	1929	gamma-aminobutyric acid (GABA) B receptor, 1	5.02	0.01972	377.04	222.91	315.96	57.02	63.58	24.25
H53657	1945	adenylate cyclase 3	3.98	0.0045	140.07	111.99	74.77	31.33	31.74	15.29
L08044	2149	trefoil factor 3 (intestinal)	21.42	0.01674	2956.22	1618.2	3127.19	107.82	58.55	184.16
M94891	2428	pregnancy specific beta-1-glycoprotein	#N/A	#N/A	221.09	197.74	80.32	178.23	166.98	61.33
R56678	2907	EST	3.81	0.02242	98.37	78.38	75.74	2.67	5	5.82
R69700	2942	EST	6.71	0.0021	387.34	393.81	94.86	79.33	57.85	129.97
R76363	2961	EST	#N/A	#N/A	47.81	38.04	24.76	12.67	16.94	13.17
U75968	3422	DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide	#N/A	#N/A	195.48	155.37	89.8	115.5	102.24	77.72
W95348	3660	11 (S.cerevisiae CHL1-like helicase)	10.89	0.01065	555.52	492.63	563.86	26.59	29.36	21.03
AA007160	16	HSPC113 protein	6	0.01035	171.32	175.07	138.03	9.1	8.6	12.54
AA024482	45	EST	#N/A	#N/A	207.37	118.58	230.63	-1.3	-3.13	13.6
		DKFZP434G032 protein	#N/A	#N/A						

Table 9A. (page 2) Genes and ESTs expressed only in Metastatic Liver Tumor vs Normal2

AA040465	95		EST	3.25	0.00146	161.91	125.35	72.19	47.15	45.53	5.48
AA053660	128		EST	15.98	0.00003	1573.49	1340	820.5	95.24	79.97	42.99
AA100719	212	carcinoembryonic antigen-related cell adhesion molecule 6 (non-specific cross reacting antigen)		50.88	0.00081	1405.2	1264.79	1137.97	-17.03	-22.23	16.43
AA115979	232	mitotic spindle coiled-coil related protein		#N/A	#N/A	74.58	89.38	66.52	22.91	13.67	29.42
AA134968	289	EST		12.11	0.00079	322.34	208.47	256.66	10.04	7.96	15.53
AA179787	380	polyglutamine binding protein 1		6.44	0.00206	191.33	171.71	138.9	-11.56	-12.46	42.46
AA227926	460	EST		6.81	0.01701	228.91	120.1	243.92	16.24	14.21	6.86
AA235707	500	EST		9.17	0.00005	189.42	161.88	57.05	-18.19	-19.06	14.8
AA236533	514	ecotropic viral integration site 1		4.01	0.02882	106.15	76.05	78.18	-16.45	-14.04	8.52
AA243173	526	EST		8.75	0.00003	384.86	482.53	162.08	41.66	40.74	27.31
AA262943	611	EST		13.42	0.00234	430.7	207.29	511.01	-1.08	-6.93	19.06
AA281214	643	neuroblastoma-amplified protein		#N/A	#N/A	130.98	133.63	68.42	69.89	53.91	39.31
AA282505	659	EST		#N/A	#N/A	461.54	478.83	622.39	-41.45	-17	98.17
AA292931	715	EST		3.97	0.00067	230.65	260.43	79.42	57.32	61.89	18.62
AA372018	768	EST		14.3	0.00178	363.44	220.03	261.04	-2.44	-3.09	8.36
AA394121	778	laminin receptor 1 (67kD, ribosomal protein SA)		23.78	0.00099	788.51	677.33	612.74	0.21	-8.38	31.59
AA399226	803	tight junction protein 3 (zona occludens 3)		3.59	0.02002	89.54	78.97	63.98	-5.01	-6.48	11.33
AA401965	833	tumor suppressor deleted in oral cancer-related 1		#N/A	#N/A	384.12	271.95	444.06	120.58	93.29	109.41
AA404597	854	EST		#N/A	#N/A	624.37	495.56	274.8	379.26	336.33	167.43
AA410469	883	EST		6.3	0.00103	337.03	250.11	264.1	50.51	42.79	60.18
AA419217	923	DKFZP586E1422 protein		6.77	0.00045	276.53	215.37	172.25	36.93	36.7	21.88
AA424881	949	EST		6.3	0.00556	158.13	155.45	82.63	-16.85	-22.15	20.49
AA425852	958	EST		4.8	0.03874	149.8	125.7	128.03	7.02	5.22	4.75
AA430674	1018	EST		15.11	0.00293	454.82	306.15	378.36	-71.57	-82.03	59.56
AA442763	1072	cyclin B2		5.09	0.02168	136.16	109.91	91.52	-14.64	-15.1	13.08
AA4443941	1085	tumor suppressing subtransferable candidate 1		3.57	0.01685	137.02	138.22	83.35	31.09	34.9	16.61
AA449456	1126	EST		6.29	0.00087	847.4	775.81	377.99	160.93	178.76	112.71
AA451877	1138	EST		8.63	0.00489	239.55	157.3	244.02	-27.28	-27.59	18.28
AA454597	1166	EST		3.63	0.0067	268.15	274.94	167.72	66.6	57.29	23.41
AA457235	1200	EST		#N/A	#N/A	481.26	138.32	573.73	11.06	17.32	15.26
AA460666	1231	EST		#N/A	#N/A	56.19	58.13	26.29	-24.55	-17.23	20.98
AA463861	1251	EST		24.79	0.00096	672.22	311.71	641.54	-22.02	-20.04	16.5
AA464962	1264	EST		#N/A	#N/A	61.02	56.4	30.98	20.99	14.37	19.64
AA465342	1271	EST		#N/A	#N/A	113.36	100.15	87.62	30.07	33.06	23.97

Table 9A. (page 3) Genes and ESTs expressed only in Metastatic Liver Tumor vs Normal2

AA465660	1273	LIM domain binding 1	#N/A	#N/A	171.26	118.15	103.39	124.59	105.93	56.71
		tumor necrosis factor receptor superfamily, member 12 (translocating chain-association membrane protein)								
AA476749	1286	EST	#N/A	#N/A	53.23	44.04	18.16	25.5	29.62	11.96
AA477561	1292	EST	#N/A	#N/A	160.87	104.95	133.7	63.83	76.56	37.87
AA482546	1336	KIAA0124 protein	4.41	0.00604	181.72	113.91	140.73	38.26	30.26	32.72
AA609795	1492	EST	#N/A	#N/A	74.38	34	77.76	-41.44	-45.5	28.82
AA621277	1520	EST	3.81	0.00194	81.18	74.81	30.84	-0.15	1.98	12.84
		procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha polypeptide II								
F09788	1808	EST	4.14	0.00003	104.92	112.31	27.67	19.92	20.29	13.83
H09281	1863	EST	6	0.00966	147.11	187.25	71.67	-2.97	-0.54	11.7
H59617	1964	EST	3.3	0.04588	116.07	71.39	101	19.24	21.65	16.88
H98657	2068	EST	#N/A	#N/A	179.15	192.17	32.25	111.2	84.74	128.92
N22015	2447	EST	46.61	0.00025	1225.51	887.65	1106.3	-5.3	-6.84	18.82
N35376	2500	EST	#N/A	#N/A	39.01	35.99	19.81	28.53	29.44	8.2
N63165	2597	EST	#N/A	#N/A	68.04	62.1	44.7	30.07	26.23	13.84
N64616	2610	EST	3.11	0.0074	68.89	75.8	32.12	-0.83	9.77	28.69
N6951	2620	EST	5.54	0.02442	451.16	432.45	381.81	59.83	75.27	32.75
		solute carrier family 11 (proton-coupled divalent metal ion transporters), member 2								
N72116	2667	EST	9.01	0.00051	338.43	314.06	196.66	32.57	29.68	20.1
N92659	2720	EST	#N/A	#N/A	31.19	37.23	14.14	5.91	4.05	5.63
R06866	2773	EST	5.18	0.00187	148.48	114.86	102.01	18.26	15.16	17.11
R26744	2803	midline 1 (Opitz/BBB syndrome)	4.32	0.00532	112.54	90	76.53	-0.2	-3.06	24.42
R36109	2822	EST	#N/A	#N/A	47.54	48.43	19.9	25.67	20.25	34.73
		protein similar to E.coli yhdg and R. capsulatus nirR3								
R38511	2831	EST	5.19	0.00015	131.5	147.54	44.02	21.3	23.75	9.22
R39191	2833	KIAA1020 protein	4.69	0.00456	130.93	145.31	62.13	17.46	18.33	16.04
R40057	2838	prominin (mouse)-like 1	#N/A	#N/A	47.6	46.28	36.57	0.83	-0.8	7.91
R44817	2859	EST	#N/A	#N/A	600.1	550.42	309.14	255.91	249.29	69.09
		Fc fragment of IgG, low affinity IIIa, receptor for (CD16)								
R49047	2877	EST	#N/A	#N/A	44.49	36.71	14.37	15.43	14.16	14.13
		ubiquitin specific protease 7 (herpes virus-associated)								
R54935	2902	EST	#N/A	#N/A	75.76	81.15	31.57	17.77	14	18.86
R55470	2903	EST	3.59	0.00515	256.38	225.69	138.22	75.29	73.42	53.04
R59093	2910	EST	#N/A	#N/A	57.79	33.48	73.58	12.26	10.21	7.73
R63925	2928	EST	#N/A	#N/A	70.52	60.93	15.36	49.82	52.73	13.77
R71395	2951	EST	10.42	0.00422	318.75	274.93	227.75	14.99	12.28	14.58
R85266	2976	EST	#N/A	#N/A	53.4	54.53	25.44	48.68	39.83	33.9

Table 9A. (page 4) Genes and ESTs expressed only in Metastatic Liver Tumor vs Normal2

R91819	2983	EST	8.95	0.00009	263.33	219.91	135.67	11.34	9.35	36.49
T03438	3042	EST	8.18	0.00032	300.09	229.6	218.02	31.03	28.88	15.86
T03541	3044	EST	#N/A	#N/A	455.39	418.21	288.45	155.27	155.62	50.93
T25744	3091	EST	#N/A	#N/A	79.78	68.72	52.01	15.56	12.65	13.18
T53404	3142	EST	10.68	0.00582	654.13	475.25	687.49	48.3	0.6	93.06
T91116	3251	EST	4.01	0.02721	133.54	61.72	126.12	16.62	11.42	13.64
T96060	3262	EST	#N/A	#N/A	910.76	225.75	1282.67	67.92	70.44	91.72
W02695	3466	EST	#N/A	#N/A	129.58	99.52	100.52	30.69	33.06	16.14
W67251	3567	EST	6.13	0.01463	204.71	182.17	127.82	21.77	23.88	12.17
W78057	3597	EST	9.06	0.0034	397.29	374.78	305.93	29.21	29.9	34.33
W90146	3641	EST	6.23	0.01558	170.66	147.78	126.32	9.93	8.63	6.49
W92449	3649	EST	31.67	0.00011	715.17	491.5	459.71	-40.13	-40.74	17.76
Z39191	3898	EST	8.84	0.00011	442.36	371.88	217.77	-9.57	-12.15	17.32
Z39569	3906	EST	#N/A	#N/A	166.55	125.78	228.18	46.98	49.3	33.31
Z41415	3930	EST	#N/A	#N/A	199.73	88.96	271.2	10.38	6.64	11.47
AA026030	53	EST	11.01	0.01649	566.65	284.32	828.49	3.02	4.66	40.87
AA026270	56	EST	#N/A	#N/A	201.1	224.51	50.82	76.85	76.68	45.22
AA043944	100	EST	#N/A	#N/A	52.9	29.13	46.43	3.69	3.15	7.26
AA053102	125	EST	26.63	0.01745	1053.43	972.71	785.51	4.92	4.94	9.04
AA053248	126	EST	7.01	0.00003	2234.44	1595.15	1053.3	341.06	304.8	189.89
AA055896	135	EST	18.16	0.00146	540.67	538.43	382	-3.14	-5.8	33.88
AA084343	178	EST	#N/A	#N/A	133.86	126.19	19.99	84.58	76.82	41.45
AA112979	225	EST	#N/A	#N/A	25.08	24.98	13.02	8.54	8.02	2.59
AA126041	244	EST	#N/A	#N/A	42.91	33.83	16.2	26.42	28.92	9.81
amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease)	260	EST	#N/A	#N/A	87.35	102.82	24.17	114.91	108.16	30.28
matrix metalloproteinase 23B	327	EST	3.71	0.00102	309.61	304.16	82.48	101.87	88.37	73.73
serine protease, umbilical endothelium	335	EST	7.15	0.00056	174.77	131.66	104.51	3.23	10.67	24.39
tetraspan 1	340	EST	41.44	0.00139	1255.4	547.15	1189.26	9.32	11.44	9.39
	354	EST	49.39	0.00062	1309.05	1107.08	965.67	-32.72	-28.32	20.11
	356	EST	18.8	0.00015	1477.19	932.02	1467.59	70.82	58.62	42.88
	367	EST	17.86	0	645.43	578.38	312.37	28.03	16.24	57.21
	381	EST	5.77	0.01414	280.06	335.41	172.62	37.43	37.69	14.87
	384	EST	5.38	0.03316	166.88	94.16	153.49	-40.51	-47.81	24.34
	421	EST	7.64	0.00287	239.45	275.18	142.37	22.91	26.8	10.54
	435	EST	44.07	0.00175	1300.23	1303.61	1051.58	-29.25	-34.99	17.49
	464	EST	#N/A	#N/A	464	533.98	266.87	170.48	156.89	104.75
general transcription factor IIIC, polypeptide 1 (alpha subunit, 220kD)	469	EST	#N/A	#N/A	56.54	43.91	22.15	28.32	31.59	25.36

Table 9A. (page 5) Genes and ESTs expressed only in Metastatic Liver Tumor vs Normal2

AA234096	479	EST	23.72	0.00018	607.06	420.34	366.53	-3.47	1.73	30.91
AA234346	480	EST	#N/A	#N/A	36.98	39.47	12.81	6.21	6.79	19.99
AA234362	481	EST	3.89	0.03524	116.26	75.37	105.77	-1.86	-4.2	16.67
survival of motor neuron protein interacting										
AA234365	482	protein 1	#N/A	#N/A	56.37	42.6	34.73	12.96	16.93	12.99
AA234706	488	EST	#N/A	#N/A	68.33	53.21	21.55	49.66	39.76	42.06
AA253473	567	EST	15.23	0.00171	375.2	435.68	216.18	-4.38	-3.19	12.35
AA255566	570	EST	#N/A	#N/A	63.43	65.2	30.17	16.18	14.38	13.17
AA256642	582	EST	11.17	0.00035	266.31	275.43	135.85	0.78	-1.34	15.74
AA292765	712	ZW10 interactor	7.14	0.02623	230.83	166.72	232.16	11.33	18.29	13.27
AA331393	739	EST	16.73	0.00848	600.02	315.98	598.52	5.08	3.88	9.43
AA349792	759	mutY (E. coli) homolog	#N/A	#N/A	525.17	553.97	245.2	221.5	212.24	98.86
AA398908	801	EST	38.69	0.01089	1678.58	1796.68	1500.48	-174.29	-216.08	104.42
AA405715	862	hypothetical protein	4.68	0.00898	152.23	138.92	96.78	24.47	27.3	11.75
AA406542	878	EST	8.27	0.00724	230.18	170.94	206.8	-1.99	1.49	12.75
anterior gradient 2 (Xenopus laevis) homolog										
AA421562	934	EST	56.3	0.0041	2556.78	792	3323.39	14.22	15.72	6.54
AA424487	945	quiescin Q6	38.41	0.00002	2689.32	1863.02	1900.51	67.92	61.95	46.24
AA425279	951	serine/threonine kinase 24 (Ste20, yeast homolog)	6.15	0.00083	221.93	181.8	167.44	18.33	22.33	44.81
AA425401	954	serine protease inhibitor, Kunitz type 1	3.22	0.00625	246.6	166.4	175.99	76.4	78.33	43.72
AA429009	994	EST	30.04	0.00001	1010.32	1100.19	472.23	-2.97	-24.67	62.21
AA436616	1056	EST	3.18	0.04402	79.96	91.35	62.83	-0.73	3.24	15.36
AA447687	1104	EST	11.42	0.00362	306.28	178.65	244.12	-16.27	-14.45	8.55
AA447991	1112	EST	4.99	0.00173	279.79	234.63	161.24	64.49	40.73	53.34
AA459254	1211	EST	5.36	0.0259	403.69	194.85	401.21	51.84	43.51	37.57
AA478556	1303	EST	#N/A	#N/A	172.35	136.55	120.49	143.25	134.62	109.1
AA491208	1388	chromosome 6 open reading frame 1	#N/A	#N/A	159.88	143.86	80.49	123.37	131.81	47.97
AA599585	1454	pituitary tumor-transforming 1	#N/A	#N/A	66.17	48.91	48.12	-12.47	-17.55	21.82
C21248	1585	EST	3.85	0.00456	100.24	96.81	47.17	-1.7	-11.27	28.49
D20906	1627	EST	5.18	0.02189	210.11	151.67	185.24	14.87	11.71	27.2
F02330	1778	EST	#N/A	#N/A	199.08	170.47	83.95	178.42	195.54	58.6
F03811	1784	KIAA0440 protein	#N/A	#N/A	638.66	598.46	142.63	235.37	232.6	47.16
Kell blood group precursor (McLeod phenotype)										
F04531	1791	KIAA0715 protein	7.79	0.03205	311.05	366.72	262.03	16.22	20.65	13.52
F09394	1803	H2A histone family, member Y	22.89	0.01753	865.39	696.47	631.83	-49.72	-50.25	35.81
H43646	1930	v-myb avian myeloblastosis viral oncogene homolog	4.6	0.00147	413.02	424.34	219.27	92.12	91.3	52.41
N49284	2536		11.82	0.01981	510.82	523.45	423.41	-36.17	-50.08	50.71

Table 9A. (page 6) Genes and ESTs expressed only in Metastatic Liver Tumor vs Normal2

N54265	2562	EST	#N/A	45.56	44.98	19.91	17.71	26.43	25.36
		DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 16							
N62675	2593	EST	3.61	109.44	104.65	108.08	6.49	15.91	35.18
N73846	2679	EST	3.27	78.37	79.7	20.06	14.43	14.3	17.21
N89670	2708	EST	4.26	115.98	108.4	29.79	3.16	-1.81	43.32
		protein tyrosine phosphatase type IVA, member 3							
N93798	2737	EST	4.65	557.51	523.56	229.03	139.69	122.61	84.93
R33498	2819	EST	41.34	1839.74	1920.41	1082.84	46.45	33.01	43.64
R44479	2854	KIAA0552 gene product	4.14	97.01	105.95	60.51	7.08	5.99	7.62
		matrix metalloproteinase 12 (macrophage elastase)							
R92994	2989	EST	11.05	312.14	252.62	248.32	11.43	6.64	11.52
R95966	2996	EST	11.22	482.68	436.3	446.39	-106.64	-160.75	127.91
T30222	3099	EST	#N/A	35.41	34.75	27.14	8.47	9.56	17.71
T32108	3102	EST	6.96	1095.16	593.52	923.47	148.09	152.11	92.06
T89601	3242	EST	#N/A	839.07	747.51	231.92	410.07	342.22	200.88
		leukemia inhibitory factor (cholinergic differentiation factor)							
W46451	3526	EST	#N/A	120.95	76.95	88.42	36.63	40.09	21.06
W60968	3556	EST	#N/A	125.7	144.72	48.22	51.99	55.29	21.11
W93726	3653	protease inhibitor 5 (maspin)	16.48	355.41	304.26	149.69	-14.2	-14.8	10.59
W95477	3661	EST	26.51	941.08	566.6	1130.33	17.15	18.75	12.83
AA011134	29	EST	28.79	1157.47	566.78	1448.16	-72.57	-51.2	69.3
		glutamate-cysteine ligase (gamma-glutamylcysteine synthetase), regulatory (30.8kD)							
AA035540	81	EST	#N/A	39.84	34.37	13.29	13.59	12.27	8.96
AA053033	124	EST	7.83	212.61	135.28	160.82	3.41	-1.28	19.74
AA055805	132	EST	42.83	1270.03	1026.97	1179.12	-11.11	-10.85	20.27
AA056811	133	glycoprotein A33 (transmembrane)	6.86	236.18	196.53	171.06	14.84	17.82	17.5
AA131162	266	EST	4.68	117.43	123.78	39.05	11.86	13.57	19.83
AA157857	350	keratin 19	#N/A	2728.74	2917.98	1076.95	-13.21	-14.4	15.84
AA252994	557	apoptosis inhibitor 4 (survivin)	3.55	152.63	140.53	31.01	50.23	40.59	35.61
		WW domain binding protein 4 (formin binding protein 21)							
AA258836	601	putative G protein-coupled receptor	#N/A	41.9	44.58	13.6	26.08	23.64	10.4
AA291259	697	creatine kinase, brain	#N/A	112.28	45.1	113.44	1.53	1.88	6.06
AA335191	741	EST	47.35	3540.65	3971.43	3135.19	43.84	33.21	43.52
AA422086	938	EST	10.71	828.27	598.22	800.79	39.48	34.98	23.29
		cytochrome P540 family member predicted from ESTs							
AA422150	939	ATP-binding cassette, sub-family F (GCN20), member 2	17.14	664.26	609.99	475.91	28.76	27.53	22.47
AA427460	972	EST	#N/A	215.08	135.22	216.95	92.5	83.63	49.3

Table 9A. (page 7) Genes and ESTs expressed only in Metastatic Liver Tumor vs Normal2

AA427636	976	EST	19.23	0.00145	511.98	500.83	299.69	6.19	3.7	15.84
AA429890	1004	cisplatin resistance associated	12.51	0.00053	1225.72	590.09	992.47	90.02	67.23	59.35
		v-Ha-ras Harvey rat sarcoma viral oncogene homolog	4.13	0.01729	191.06	173.3	113.42	40.07	41.12	32.54
AA443316	1075	KIAA0530 protein	3.39	0.01246	77.48	78.85	37.98	7.71	6.06	7.11
AA599244	1448	dipeptidase 1 (renal)	10.17	0.00109	1185.55	1222.89	634.13	114.31	98.91	75.22
AA609013	1477	EST	#N/A	#N/A	147.72	165.83	66.02	95.91	76.7	80.33
AA620497	1503	EST	3.74	0.03414	100.71	80.15	101.95	3.5	1.8	3.77
AA620995	1512	EST	#N/A	#N/A	115.08	73.82	91.34	26.22	31.14	60.2
C15078	1573	integral type I protein	7.08	0.00213	253.6	303.7	149.08	22.95	28.29	24.59
D80710	1734	EST	#N/A	#N/A	82.4	67.39	42.83	41.25	43.53	17.46
D80948	1738	replication factor C (activator 1) 4 (37kD)	3.63	0.01119	90.37	115.96	49.41	14.92	17.26	9.79
F04320	1786	desmin	#N/A	#N/A	52.19	58.52	35.47	-1.96	-2.94	8.58
H03629	1834	EST	#N/A	#N/A	70.59	62.53	58.16	9.96	8.19	11.54
H11760	1878	E74-like factor 4 (ets domain transcription factor)	#N/A	#N/A	51.79	47.58	24.25	15.19	16.8	12.36
H24269	1902	ribosomal protein L31	#N/A	#N/A	47.56	34.17	56.68	4.55	2.44	52.46
H57709	1956	solute carrier family 2 (facilitated glucose transporter), member 1	57.98	0.00063	4996.66	4603.55	4107.24	69.89	70.74	58.94
H58873	1961	EST	6.73	0.02488	211.51	183.81	208.45	-115.95	-129.18	70.22
H78211	2001	EST	#N/A	#N/A	49.95	46.84	48.26	-16.14	-17.71	6.65
N54395	2564	EST	#N/A	#N/A	45.63	39.49	14.19	27.31	25.45	10.41
N92734	2721	EST	#N/A	#N/A	343.86	381.79	95.11	74.25	66.72	64.11
R06251	2763	tumor protein D52-like 2	5.57	0.00037	41.82	39.83	32.72	8.27	11.07	7.26
R27296	2806	EST	#N/A	#N/A						
		calcium channel, voltage-dependent, beta 3 subunit	4.11	0.00006	101.82	109.62	28.57	-0.61	0.94	37.6
R36947	2824	EST	6.18	0.03417	451.59	490.51	339.66	51.01	52.94	54.09
R96924	3000	muscle specific gene	5.81	0.02404	189.25	139.11	184.39	-5.65	-10.77	15.89
T15473	3057	cleavage and polyadenylation specific factor 4, 30kD subunit	5.23	0.00075	268.21	300.53	81.43	65.64	45.67	74.28
T16983	3073	protease, serine, 8 (prolactin)	8.39	0.00043	1912.22	1228.46	1739.5	214.88	175.57	127.28
T30193	3097	EST	4.05	0.00878	199.79	219.84	62.16	84.5	28.33	122.16
T47601	3125	EST	3.97	0.00188	253.93	230.32	129.66	66.8	52.94	42.32
T66935	3178	EphB2	3.69	0.02909	113.63	144.75	67.73	20.7	23.2	15.44
W73189	3586	phosphatidylinositol glycan, class F	#N/A	#N/A	80.8	88.58	41.56	34.85	41.76	18.11
D13435	1605	basic transcription element binding protein 2	4.93	0.00004	151.12	135.19	57.24	25.67	17.28	25.67
D14520	1613	minichromosome maintenance deficient (S. cerevisiae) 2 (mitotin)	3.83	0.00983	91.18	55.12	60.89	-51.33	-62.63	28.4
D21063	1628	KIAA0124 protein	4.74	0.00752	116.55	91.64	89.27	-17.4	-17.86	16.97
D50914	1673									

Table 9A. (page 8) Genes and ESTs expressed only in Metastatic Liver Tumor vs Normal2

D63486	1712	KIAA0152 gene product	6.33	0.00078	543.91	676.55	287.16	84.6	95.61	45.48
D63880	1715	KIAA0159 gene product	4.26	0.00253	93.03	103.26	41.4	-2.12	-4.45	9.38
D79992	1724	KIAA0170 gene product	#N/A	#N/A	35.23	42.16	14.88	22	18.09	11.9
D79997	1725	KIAA0175 gene product	#N/A	#N/A	55.25	42.49	53.87	8.57	6.15	13.07
D83735	1747	calponin 2	10.42	0.00001	486.85	436.55	172.25	42.54	43.06	57.58
D84557	1749	minichromosome maintenance deficient (mis5, S, pombe) 6	#N/A	#N/A	142.92	125.75	102.81	37.22	43.12	28.15
D87073	1759	zinc finger protein 142 (clone pHZ-49)	#N/A	#N/A	40.84	34.37	13.36	33.34	33.07	21.13
J04469	2111	creatine kinase, mitochondrial 1 (ubiquitous)	7.9	0.00705	212.04	143.89	162.12	-17.21	-18.81	12.68
J05257	2118	dipeptidase 1 (renal)	12.02	0.02099	429.91	300.76	352.56	-21.05	-21.78	30.67
J05272	2119	IMP (inosine monophosphate) dehydrogenase 1	#N/A	#N/A	269.89	205	173.64	126.69	106.27	82.73
L07597	2146	ribosomal protein S6 kinase, 90kD, polypeptide 1	#N/A	#N/A	36.09	29.39	44.43	-12.04	-10.72	11.97
L11669	2157	tetracycline transporter-like protein	6.75	0.00101	218.77	261.77	115.8	26.26	25.92	17.48
L23808	2179	matrix metalloproteinase 12 (macrophage elastase)	6.18	0.02195	175.24	161.83	132.75	-9.99	-8.2	8.11
L35035	2201	ribose 5-phosphate isomerase A (ribose 5-phosphate epimerase)	#N/A	#N/A	64.36	69.69	40.9	11.52	12.58	6.43
L35545	2202	endothelial cell protein C/activated protein C receptor	#N/A	#N/A	66.65	55.46	68.13	7.75	5.68	11.48
L38696	2208	RNA-binding protein (autoantigenic)	3.7	0.00093	230.48	161.69	118.85	60.18	58.55	24.77
L41351	2214	protease, serine, 8 (prolactin)	6.34	0.01132	214.13	104.95	189.28	10.88	9.6	22.68
M15205	2265	thymidine kinase 1, soluble	3.75	0.00159	153.15	150.31	66.27	41.98	35.02	29.02
M18728	2285	carcinoembryonic antigen-related cell adhesion molecule 6 (non-specific cross reacting antigen)	44.82	0.00291	1390.62	1362.73	1031.01	-9.17	-13.17	11.83
M25629	2307	kallikrein 1, renal/pancreas/salivary	#N/A	#N/A	47.43	40.22	29.15	-2.42	2.12	15.6
M27826	2313	endogenous retroviral protease	26.36	0.00342	993.89	833.56	816.33	5.88	7.04	32.2
M29540	2317	carcinoembryonic antigen-related cell adhesion molecule 5	36.57	0.0116	1516.55	1083.69	1372.55	-1.09	-3.15	11.75
M87339	2414	replication factor C (activator 1) 4 (37kD)	4.07	0.00316	93.72	78.1	56.58	4.26	9.92	16.79
M94250	2425	midkine (neurtie growth-promoting factor 2)	10.39	0.01818	442.2	188.32	624.9	-155.4	-175.43	101.89
M94345	2426	capping protein (actin filament), gelsolin-like	22.38	0.00003	503.47	539.15	179.05	-7.51	-10.35	22.75
M94362	2427	lamin B2	#N/A	#N/A	175.16	154.32	75.52	79.2	81.73	34.64
M95623	2430	hydroxymethylbilane synthase	#N/A	#N/A	67.65	72.44	22.29	6.67	0.88	24.92
S78187	3035	cell division cycle 25B	8.07	0.00009	198.51	218.04	74.52	3.36	-1.2	26.9
U01062	3272	inositol 1,4,5-trisphosphate receptor, type 3	7.41	0	160.46	164.36	23.91	-16.8	-26.61	26.44
U01147	3274	active BCR-related gene	3.22	0.00103	97.43	84.12	41.43	27.15	22.94	17

Table 9A. (page 9) Genes and ESTs expressed only in Metastatic Liver Tumor vs Normal2

U03398	3281	tumor necrosis factor (ligand) superfamily, member 9	#N/A	116.17	88.07	59.5	115.08	92.7	93.14
U04313	3283	protease inhibitor 5 (maspin)	4.54	132.77	69.67	115.99	-0.34	-2.59	9.7
U16306	3311	chondroitin sulfate proteoglycan 2 (versican)	#N/A	48.35	56.91	35.99	8.07	4.58	16.58
U17760	3314	laminin, beta 3 (nicein (125kD), kalinin (140kD), BM600 (125kD))	3.54	103.13	111.96	72.83	6.99	-3.15	21.08
U21049	3324	epithelial protein up-regulated in carcinoma, membrane associated protein 17	7.53	202.38	248.15	119.31	-14.32	-12.21	19.43
U38847	3356	TAR (HIV) RNA-binding protein 1	#N/A	72.74	66.76	36.14	15.7	17.43	10.2
U40990	3358	potassium voltage-gated channel, KQT-like subfamily, member 1	3.18	128.02	142.31	43.16	40.88	42.64	23.09
U51095	3381	caudal type homeo box transcription factor 1	4.76	130.81	143.82	93.4	5.83	5.55	8.97
U53786	3389	envoplakin	#N/A	221.51	73.95	249.37	-20.54	-20.08	16.22
U66661	3405	gamma-aminobutyric acid (GABA) A receptor, epsilon	#N/A	55.33	44.93	29.26	16.58	14.81	11.96
U77413	3426	O-linked N-acetylglucosamine (GlcNAc) transferase (UDP-N-	#N/A	59.38	59.78	48.05	1.2	5.23	13.8
U89606	3451	acetylglucosamine:polypeptide-N-acetylglucosaminyl transferase)	3.58	103.6	97.56	58.85	15.19	18.94	24.5
X13956	3698	pyridoxal (pyridoxine, vitamin B6) kinase	3.2	79.19	75.13	39.53	15.11	18.02	14.55
X14850	3703	EST	4.11	118.41	97.53	52.6	11.6	13.26	30.46
X16416	3710	H2A histone family, member X	#N/A	82.49	90.74	16.7	36.59	38	14.59
X57766	3742	v-abl Abelson murine leukemia viral oncogene homolog 1	#N/A	166.25	142.96	124.34	63.38	62.13	25.48
X63629	3759	matrix metalloproteinase 11 (stromelysin 3)	3.02	67.22	76.67	29.17	-4.24	-6.82	16.9
X67325	3772	cadherin 3, P-cadherin (placental)	9.67	962.87	412.22	1361.55	26.81	48.73	69.77
X76180	3792	interferon, alpha-inducible protein 27	11.68	320.05	268.84	127.86	22.38	23.9	15.02
X93036	3827	sodium channel, nonvoltage-gated 1 alpha	42.36	1322.91	783.61	1219	-83.87	-85.84	40.53
Y00503	3846	FXVD domain-containing ion transport regulator 3	14.19	362.5	427.85	240.73	7.02	10.74	10.98
Z46629	3935	keratin 19	#N/A	39.69	40.61	13.99	6.21	8.06	9.16
AB006782	1541	SRY (sex-determining region Y)-box 9	#N/A	475.47	430.44	192.68	222.25	213.37	51.25
X83228	3807	(campomelic dysplasia, autosomal sex-reversal)	#N/A	342.12	423.87	282.49	-8.87	-6.9	8.55
		lectin, galactoside-binding, soluble, 9 (galectin 9)	#N/A	475.47	430.44	192.68	222.25	213.37	51.25
		cadherin 17, LI cadherin (liver-intestine)	10.58	342.12	423.87	282.49	-8.87	-6.9	8.55

Table 9A. (page 10) Genes and ESTs expressed only in Metastatic Liver Tumor vs Normal2

Y10807	3857	HMT1 (hnRNP methyltransferase, S. cerevisiae)-like 2	4.28	0.00124	393.27	449.97	142.94	96	90.42	44.52
U48705	3369	discoidin domain receptor family, member 1	5.94	0.01323	178.04	200.63	102.82	-1.87	-6.25	25.81
X04654	3678	small nuclear ribonucleoprotein 70kD polypeptide (RNP antigen)	#N/A	#N/A	98.11	89.35	38.15	42.22	41.24	17.18
HG2981-HT3127		CD44 antigen (homing function and Indian blood group system)	#N/A	#N/A	48.43	47.46	47.03	8.05	9.25	7.17
HG371-HT26388		mucin 1, transmembrane	8.44	0.00268	310.61	203.35	303.26	19.1	2.63	34.66
J05582	2121	mucin 1, transmembrane	5.39	0.00056	114	114.74	42.09	-6.01	-4.53	13.68
M16364	2269	creatine kinase, brain	12.69	0.03633	683.38	491.19	929.94	-72.18	-70.9	40.37
X54667	3728	cystatin S, cystatin SN	8.53	0.00059	273.96	169.94	217.11	-10.09	-15.68	74.89
M29277	2316	melanoma adhesion molecule	3.91	0.00112	269.54	313.13	82.76	80.09	81.21	48.32
X57348	3741	stratifin	12.53	0.0013	308.28	241.69	194.79	-63.66	-76.43	44.95
U07969	3288	cadherin 17, LI cadherin (liver-intestine)	10.78	0.02002	428.65	383.68	390.23	15.78	12.82	12.06
M12125	2241	tropomyosin 2 (beta)	10.83	0.00191	291.63	158.55	229.08	13.01	16.33	11.64
M31523	2329	transcription factor 3 (E2A immunoglobulin enhancer binding factors E12/E47)	#N/A	#N/A	59.78	62.53	10.63	18.65	21.63	8.94
X99133	3839	lipocalin 2 (oncogene 24p3)	6.27	0.0453	284.56	129.1	434.01	-28.39	-19.41	26.24
U20499	3320	sulfotransferase family 1A, phenol-prefering, member 3	5.5	0.00299	316.7	231.67	222.02	48.34	54.37	24.69
L42583	2215	keratin 6A	#N/A	#N/A	116.33	111.15	91.3	60.92	51.12	22.52

Table 9B. (page 1) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

Fragment Name	SEQ ID :	Known Gene Name	fold change in metas	p value	metastatic: Mean	metastatic: Median	metastatic: Std Dev	normal set 2: Mean	normal set 2: Median	normal set 2: Std Dev
AA027766	58	microvascular endothelial differentiation gene 1	#N/A	#N/A	16.71	16.37	7.36	25.05	26.19	13.26
AA028976	63	EST	#N/A	#N/A	9.46	10.28	18.91	72.06	47.28	55.89
AA041208	96	NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 8 (19kD, ASH1)	#N/A	#N/A	234.76	302.34	215.51	448.34	390	234.61
AA044095	102	EST	#N/A	#N/A	29.41	18.4	35.04	31.85	24.92	38.98
AA044842	105	Autosomal Highly Conserved Protein	5.21	0.0009	16.66	16.52	18	167.15	159.32	123.77
AA047151	116	EST	7.13	0.00007	17.55	17.5	10.09	188.62	185.41	80.5
AA056319	139	EST	#N/A	#N/A	21.89	17.62	12.89	29.23	26.53	11.96
AA092376	196	15 kDa selenoprotein	#N/A	#N/A	16.78	14.2	28.1	59.07	57.94	24.97
AA092596	197	bone morphogenetic protein 6	3.46	0.02532	30.18	22.69	61.67	148.47	171.15	77.57
AA092716	198	HLA-B associated transcript-3	13.97	0.00009	62.83	63.53	42.33	952.09	817.41	545.31
AA143019	309	EST	6.75	0.00109	-0.4	-5.82	18.62	192.42	176.13	136.81
AA157401	346	S-adenosylhomocysteine hydrolase-like 1	#N/A	#N/A	15.44	13.27	14.06	61.17	65.58	27.48
AA174202	375	EST	#N/A	#N/A	55.99	38.87	72.55	120.99	128.88	62.33
AA195179	415	eukaryotic translation initiation factor 4A, isoform 2	#N/A	#N/A	30.71	38.24	25.48	85.7	87.87	42.11
AA233225	468	MRS1 protein	#N/A	#N/A	25.16	30.66	26.03	54.1	55.8	22.69
AA234634	486	CCAAT/enhancer binding protein (C/EBP), delta	7.48	0.03318	158.16	49.12	223.12	621.92	588.94	332.64
AA234687	487	EST	#N/A	#N/A	-8.8	-12.38	20.12	61.87	47.79	57.62
AA234817	490	EST	6.22	0.00099	31.51	20.97	34.92	222.41	156.99	133.06
AA247453	533	EST	3.09	0.0015	32.38	37.86	21.04	120.43	133.44	58.12
AA292440	709	DKFZP566B133 protein	#N/A	#N/A	122.1	125.27	37.73	370.32	318.31	181.37
AA296821	723	EST	#N/A	#N/A	15.47	10.65	21.91	57.72	71.28	33.61
AA298180	726	EST	3.11	0.00747	19.6	25.9	18.83	109.91	84.28	88.07
AA316272	734	fatty-acid-Coenzyme A ligase, long-chain 3	#N/A	#N/A	34.62	38.08	17.08	71.9	73.01	27.47
AA328684	737	EST	#N/A	#N/A	49.88	48.15	31.41	115.97	114.66	46.25
AA397841	780	EST	8.21	0	7.72	3.33	18.47	214.17	189.93	116.41
AA400333	815	tumor necrosis factor alpha-inducible cellular protein containing leucine zipper domains; Huntingtin interacting protein L; transcription factor IIIA-interacting protein	#N/A	#N/A	27.22	27.33	24.37	62.54	58.6	31.69

Table 9B. (page 2) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

AA404214	846	EST	#N/A	35.28	48.54	23.52	70.66	66.71	55.97
AA424307	944	EST	5.73	44.98	21.05	54.01	202.82	194.92	68.07
AA447876	1109	EST	#N/A	13.05	6.78	34.07	27.08	22.86	22.46
AA456687	1197	EST	3.08	17.88	37.03	53.32	130.65	118.55	65.44
AA479266	1312	EST	#N/A	18.04	21.7	25.73	42.53	38.32	18.46
AB000114	1532	osteomodulin	#N/A	-2.62	-0.81	29.14	31.94	25.4	20.87
AF007216	1550	solute carrier family 4, sodium bicarbonate cotransporter, member 4	5.79	14.85	9.84	13.93	157.72	162.44	99.26
C02532	1563	EST	#N/A	10.12	16.41	16.79	32.27	34.25	11.02
C15871	1575	EST	3.26	13.83	18.19	16.99	79.77	83.41	40.17
C16420	1576	EST	5.95	26.92	20.84	24.82	205.53	234.17	120.92
C18029	1577	tumor susceptibility gene 101	#N/A	27.46	26.72	26.09	94.81	95.79	33.89
D12620	1601	cytochrome P450, subfamily IVF, polypeptide 2, cytochrome P450, subfamily IVF, polypeptide 3 (leukotriene B4 omega hydroxylase)	35.09	41.08	36.71	10.11	604.7	631.98	249.32
D13243	1602	pyruvate kinase, liver and RBC	20.22	-35.85	-34.85	51.7	579.28	445.53	502
D14012	1612	HGF activator	12.75	160.15	216.05	107.03	1705.96	1963.23	794.42
D16626	1622	histidine ammonia-lyase	22.66	11.74	8.13	16.04	538.78	535.2	166.14
D16626	1622	histidine ammonia-lyase	22.66	12.06	22.91	55.95	289.6	256.22	113.59
D45288	1661	EST	#N/A	-19.35	-33.07	27.77	31.63	32.56	42.02
D50312	1669	potassium inwardly-rectifying channel, subfamily J, member 8	#N/A	-2.39	3.94	24.71	76.55	72.56	48.96
D57823	1690	Sec23 (S. cerevisiae) homolog A	4.43	13.37	13.08	8.38	94.25	87.66	30.56
D57916	1691	EST	#N/A	67.05	42.08	79.49	126.25	103.85	69.38
D61991	1706	EST	4.84	22.03	21.01	10.8	131.66	150.48	60.06
D62103	1707	EST	4.11	96.52	111.02	79.07	349.4	258.95	229.11
H19089	1894	EST	#N/A	76.83	44.82	89.14	76.54	74.4	40.21
H20627	1898	EST	#N/A	30.59	30.04	23.84	79.8	87.46	43.37
H39627	1920	EST	#N/A	73.92	101.48	54.09	155.43	158.44	39.98
H61002	1967	EST	#N/A	68.96	23.38	102.25	88.87	93.79	36.34
H66367	1977	EST	6.68	-5.44	-2.13	18.66	155.38	149.31	70.77
H72650	1994	EST	#N/A	81.21	98.79	41.38	122	125	42.24
J00098	2086	apolipoprotein A-I, apolipoprotein C-III cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 6	#N/A	96.71	29.74	269.46	9836.26	8356.89	8217.05
K03192	2127		69.92	3.07	9.83	30.14	1767.25	1790.36	741.7

Table 9B. (page 3) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

K03192	2127	cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 6	69.92	0	-1.32	-6.49	12.52	1087.08	1034.79	451.92
L11244	2155	complement component 4-binding protein, beta	43.33	0	0.49	-8.84	36.95	1147.16	1114.71	441.14
L11244	2155	complement component 4-binding protein, beta	43.33	0	-13.27	-16.78	12.92	292.9	341.12	114.93
L26336	2185	heat shock 70kD protein 2	#N/A	#N/A	15.67	14.08	10.72	31.12	33.86	10.1
L41067	2213	nuclear factor of activated T-cells, cytoplasmic 3	4.96	0.00473	57.54	60.41	36.65	261.77	228.95	119.65
L41067	2213	nuclear factor of activated T-cells, cytoplasmic 3	4.96	0.00473	30.25	13.66	32.44	73.87	77.38	52.02
L44424	2216	UMP-CMP kinase	#N/A	#N/A	23.79	18.2	26.85	57.57	43.3	36.92
M12712	2246	protein C (inactivator of coagulation factors Va and VIIIa)	7.37	0.01866	107.12	177.74	113.63	646.94	628.19	326.15
M12759	2247	EST	#N/A	#N/A	27.23	21.91	28.99	97.65	103.06	53.91
M14777	2263	glutathione S-transferase A2,glutathione S- transferase A3	#N/A	#N/A	-24.81	-27.52	27.54	2842.35	2790.19	1048.69
M16974	2277	complement component 8, alpha polypeptide	49.47	0.00046	28.24	-6.62	84.02	1843.82	1920.94	524.62
M26393	2309	acyl-Coenzyme A dehydrogenase, C-2 to C- 3 short chain	16.27	0.00007	16.81	12.39	48.16	677.3	775.54	358.47
M30185	2321	cholesteryl ester transfer protein, plasma	3.83	0.0013	-37.15	-29.18	28.09	93.07	86.04	61.35
M61854	2370	cytochrome P450, subfamily IIC (mephenytoin 4-hydroxylase)	3.3	0.04185	52.7	55.56	44.01	321.6	166.36	430.71
M95767	2431	chitinase, di-N-acetyl-	4.94	0.00004	26.01	37.13	21.53	173.07	153.03	95
N27670	2473	progesterone membrane binding protein EST	6.15	0.00321	38.66	15.48	47.19	252.94	292.34	133.48
N40320	2513	CCAAT/enhancer binding protein (C/EBP), delta	7.56	0.01584	99.72	83.43	128.45	558.37	595.16	250.67
N57464	2575	delta	14.69	0.00018	22.28	11.43	38.78	429.29	442.58	169.83
N75120	2689	EST	#N/A	#N/A	20.59	23.42	10.65	61.42	58.88	13.84
N87590	2706	EST	#N/A	#N/A	1.04	-3.72	9.99	64.67	59.2	35.53
N94146	2738	EST	8.05	0	28.92	34.7	14.14	258.82	265.55	101.53
N99542	2746	orosomucoid 1	8.41	0.00001	6.74	10.14	21.89	226.06	187.68	146.11
R19808	2795	EST	#N/A	#N/A	9.95	12.2	25.55	27.53	25.43	10.61
R31641	2813	EST	9.96	0.00011	29.02	21.83	31.18	350.89	330.68	166.29
R63545	2926	EST	5.4	0.00202	2.58	9.54	17.4	157.98	128.33	139.55
R64534	2933	EST	#N/A	#N/A	12.11	14.54	5.77	40.32	40.98	17.27

Table 9B. (page 4) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

R71459	2952	differentially expressed in adenocarcinoma of the lung	#N/A	#N/A	16.9	11.46	16.47	37.42	30.98	20.83
R77539	2964	EST	#N/A	#N/A	5.91	14.55	25.48	70.5	59.8	31.72
R82229	2974	phosphatidylserine decarboxylase	3.08	0.03455	84.63	80.61	67.01	228.19	232.06	58.38
R98073	3008	EST	46.87	0	-4.33	-9.52	11.43	1161.51	1291.95	564.26
S62539	3021	insulin receptor substrate 1	3.7	0.01307	28.26	13.05	40.92	132.59	97.52	103.35
S72370	3029	pyruvate carboxylase	5.31	0.00075	3.83	5.81	23.1	113.03	118.49	50.19
T08879	3048	cathepsin F	5.29	0.0008	17.98	14.06	12.92	156.33	180.88	79.67
T57140	3151	paraoxonase 3	28.8	0	-1.37	-7.55	22.26	825.16	979.66	487.32
T68083	3184	short-chain dehydrogenase/reductase 1	4.03	0.01593	65.11	47.59	67.87	263.22	280.22	136.48
T68510	3186	EST	3.87	0.00617	0.88	-1.97	11.33	113.31	94.26	103.92
T69384	3197	period (Drosophila) homolog 1	5.88	0.01219	37.94	19.8	90.03	232.84	205.78	126.44
T83397	3232	phytanoyl-CoA hydroxylase (Refsum disease)	63.6	0	-17.97	-4.64	35.51	1404.6	1421.69	605.99
T95813	3261	KIAA1051 protein	38.38	0.00008	56.83	42.22	56.86	2271.29	1809.29	1537.82
U06641	3286	UDP glycosyltransferase 2 family, polypeptide B15	24.32	0.00001	56.39	62.92	54.9	1762.46	1615.25	1206.06
U06863	3287	folliculin-like 1	3.09	0.00091	43.48	45.73	14.83	141.97	149.4	59.45
U32576	3346	apolipoprotein C-IV	18.59	0.00005	311.97	318.75	271.42	1299.4	1145.33	698.02
U32576	3346	apolipoprotein C-IV	18.59	0.00005	-7.01	-23.2	62.7	606.88	608.66	224.72
U39226	3357	myosin VIIA (Usher syndrome 1B (autosomal recessive, severe))	#N/A	#N/A	33.54	31.07	8.59	53.24	50.47	20.86
U56814	3392	deoxyribonuclease I-like 3	29.43	0.00003	5.04	11.75	22.3	853.78	1073.24	434.79
U59111	3396	dermatan sulphate proteoglycan 3	#N/A	#N/A	32.34	26.73	15.11	68.69	64.44	32.48
U66672	3406	ATP-binding cassette, sub-family A (ABC1), member 5	#N/A	#N/A	78.03	41.24	72.76	105.45	97.64	60.15
U70732	3414	glutamic-pyruvate transaminase (alanine aminotransferase)	27.63	0	-47.95	-65.21	50.88	696.22	732.8	284.7
U70732	3414	glutamic-pyruvate transaminase (alanine aminotransferase)	27.63	0	-1.44	3.98	66.42	201.88	218.68	136.17
U82108	3440	solute carrier family 9 (sodium/hydrogen exchanger), isoform 3 regulatory factor 2	3.19	0.01545	58.61	78.15	43.49	130.34	122.39	73.74
U95090	3463	nephrosis 1, congenital, Finnish type (nephrin)	14.01	0.00018	40.49	30.15	38.71	554.93	539.41	183.55
U95090	3463	nephrosis 1, congenital, Finnish type (nephrin)	14.01	0.00018	4.97	5.87	18.32	188.83	201.08	88.01
W02027	3464	EST	#N/A	#N/A	7.28	2.64	14.09	30.56	28.52	12.47
W03796	3467	EST	8.3	0.0032	8.13	-19.16	75.11	336.51	383.56	190.14

Table 9B. (page 5) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

W16686	3475	basic helix-loop-helix domain containing, class B, 2	#N/A	#N/A	46.29	-6.45	123.94	100.9	83.13	79.01
W27503	3485	KIAA0679 protein	#N/A	#N/A	17.31	17.31	21.95	27.71	27.51	5.28
W28235	3486	EST	#N/A	#N/A	95.97	150.37	81.4	271.36	307.26	108.42
W28824	3492	EST	15.8	0.00006	-1.99	-5.59	17.64	441.67	509.29	251
W36290	3500	Kreisler (mouse) maf-related leucine zipper homolog	3.94	0.02718	48.52	10.45	73.21	157.7	156.24	65.15
W38778	3504	EST	#N/A	#N/A	-55.97	-63.87	44.35	78.01	37.07	137.01
W52581	3540	CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 2 (lysosomal integral membrane protein II)	3.08	0.00091	10.92	8.89	10.63	71.35	58.02	37.28
W58520	3549	nucleoporin 88kD	#N/A	#N/A	24.77	26.75	16.56	81.88	87.47	37.77
W81053	3607	EST	4.91	0.00164	-21.38	-13.04	24.17	135.84	109.34	113.36
X02160	3668	insulin receptor	5.29	0.0001	10.06	8.21	10.89	77.32	65.71	45.53
X07618	3688	cytochrome P450, subfamily IID (debrisoquine, sparteine, etc., -metabolising), polypeptide 7a (pseudogene)	35.79	0.00065	59.61	12.32	101.97	1429.98	1631.04	671.55
X07618	3688	cytochrome P450, subfamily IID (debrisoquine, sparteine, etc., -metabolising), polypeptide 7a (pseudogene)	35.79	0.00065	40.81	38.21	14.35	609.22	605.91	330.02
X14787	3701	thrombospondin 1	3.69	0.01115	21.81	22.87	7.7	143.24	86.81	166.32
X16260	3707	inter-alpha (globulin) inhibitor, H1 polypeptide	44.65	0.00933	40.4	36.54	67	1261.99	1133	523.31
X60673	3749	adenylate kinase 3	8.3	0.00016	23.02	32.17	44.24	331.58	324.75	164.03
X92475	3821	ITBA1 gene	#N/A	#N/A	56.74	63.84	25.6	66.2	63.72	20.36
Y00317	3842	UDP glycosyltransferase 2 family, polypeptide B4	18.34	0.00001	-9.82	-11.91	20.96	456.09	477.28	257.07
Y00317	3842	UDP glycosyltransferase 2 family, polypeptide B4	18.34	0.00001	11.31	14.85	7.33	231.32	282.35	122.76
Y10659	3856	interleukin 13 receptor, alpha 1	4.22	0.00061	18.27	12.85	25.15	123.23	134.47	49.24
Y10659	3856	interleukin 13 receptor, alpha 1	4.22	0.00061	15.82	16.3	16.79	81.75	89.09	37.01
Y12711	3858	progesterone binding protein	14.83	0.00285	26.37	16.12	99.79	1061.83	935.43	829.85
Z29481	3874	3-hydroxyanthranilate 3,4-dioxygenase	6.39	0.00029	546.48	440.33	293.12	2012.12	1797.38	944.18
Z30425	3875	nuclear receptor subfamily 1, group I, member 3	26.64	0	5.66	7.49	8.02	181.6	192.48	76.65

Table 9B. (page 6) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

Z48475	3940	glucokinase (hexokinase 4) regulatory protein	13.84	0	-42.61	-53.52	23.46	305.23	239.52	155.98
AA004707	10	copper chaperone for superoxide dismutase	#N/A	#N/A	217.76	217.72	144.41	502.14	479.38	161.01
AA005202	12	retinol-binding protein 4, interstitial	3.18	0.00106	43.46	41.24	9.66	163.36	107.5	110.2
AA010619	27	EST	8.55	0.00057	21.58	5.47	42.99	279.66	268.6	154.98
AA017146	36	EST	10.1	0.00052	30.35	22.85	50.05	414.24	435.09	193.39
AA019715	41	EST	#N/A	#N/A	8.03	8.03	6.49	15.9	14.58	7.82
AA024866	49	EST	#N/A	#N/A	10.89	7.87	8.56	31.16	30.56	14.26
AA025930	52	EST	3.59	0.00372	33.24	25.62	26.11	115.2	110.13	45.17
AA032250	73	EST	3.56	0.0009	10.56	13.86	9.55	84.44	83.69	50.06
AA043790	99	KIAA0937 protein	#N/A	#N/A	5.63	7.44	12.94	32.16	31.34	10.66
AA045481	107	EST	#N/A	#N/A	28.81	21.88	17.14	71.32	63.94	38.49
AA046747	114	EST	4.82	0.00022	-5.19	-4.2	10.73	113.78	88.54	66.41
AA053917	131	EST	#N/A	#N/A	-18.24	-11.6	21.61	56.08	38.68	82.71
AA055992	136	calumenin	3.51	0.00604	80.45	65.8	47.34	276.06	265.13	141.34
AA056735	142	SEC24 (S. cerevisiae) related gene family, member D	#N/A	#N/A	4.59	10.03	14.42	29.84	28.43	10.97
AA076672	172	EST	#N/A	#N/A	86.18	87.53	60.88	122.82	105.84	54.8
AA084286	176	paternally expressed gene 3	#N/A	#N/A	-2.06	0.32	14.88	30.7	26.84	20.69
AA084318	177	EST	#N/A	#N/A	9.73	3.97	17.06	30.63	32.37	11.48
AA098864	205	EST	#N/A	#N/A	30.42	31.06	18.38	56.43	52.57	21.3
AA102098	218	EST	#N/A	#N/A	-1.8	-5.18	15.21	21.79	20.01	6.78
AA102571	220	EST	#N/A	#N/A	8.7	12.32	15.12	17.15	15.33	7.6
AA116075	234	EST	#N/A	#N/A	29.71	23.88	10	62.94	64.79	25.13
AA121140	235	EST	3.33	0.00058	6.67	5.82	3.73	74.84	83.56	31.9
AA121257	236	EST	#N/A	#N/A	21.76	21.21	32.49	42.39	43.62	11.55
AA128177	258	sequence-specific single-stranded-DNA-binding protein	#N/A	#N/A	11.71	6.05	16.96	44.4	33.57	33.54
AA133215	277	calcitonin receptor-like receptor activity modifying protein 1	4.55	0.02092	76.1	37.86	72.97	250.94	266.82	64.2
AA136611	303	EST	#N/A	#N/A	9.05	6.82	8.39	48.23	42.67	13.53
AA136940	305	EST	#N/A	#N/A	40.81	41.78	20.7	79.13	73.37	41.89
AA147626	316	EST	#N/A	#N/A	37.93	20.43	44.09	82.38	75.98	37.45
AA147646	317	DKFZP586A0522 protein	21.82	0	15.59	14.85	24.51	610.52	685.45	288.9
AA148480	318	flavin containing monooxygenase 5	19.64	0	18.26	14.26	14.85	521.95	407.11	247.99
AA148539	319	EST	#N/A	#N/A	9.96	9.87	8.65	28.88	25.89	6.73

Table 9B. (page 7) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

AA150205	328	EST	#N/A	-1.1	-1.72	9.15	8.12	7.44	9.59
AA150284	329	EST	#N/A	28.51	25.35	17.97	41.67	43.94	18.29
AA151243	334	EST	#N/A	1.13	-0.17	14.55	43.61	42.74	11.08
AA182030	387	EST	8.32	14.05	16.82	12.13	222.23	220.01	117.56
AA182568	388	STAT induced STAT inhibitor-2	10.92	23.5	18.15	21.15	501.87	386.2	478.02
AA187437	389	EST	#N/A	33.59	47.3	26.91	62.23	63	25.01
AA193671	405	KIAA0580 protein	#N/A	40.18	43.2	23.51	64.83	38.29	71.28
AA195657	419	EST	6.44	5.72	7.44	9.74	157.7	136.21	100.68
AA211370	432	EST	#N/A	27.26	29.44	16.5	44.85	45.87	21.25
AA227968	461	histone deacetylase 6	#N/A	177.49	137.57	94.86	349.29	340.4	101.81
AA233126	466	EST	#N/A	48.86	59.64	33.59	88.56	74.17	35.35
AA233369	471	histidine ammonia-lyase	9.06	49.39	47.92	39.8	425.35	405.81	214.85
AA233763	472	EST	4.61	25.29	36.26	17.49	146.52	139.66	60.53
AA234717	489	EST	#N/A	10.99	5.01	20.04	50.22	53.32	31.32
AA234831	491	EST	3.42	23.54	21.62	28.81	112.19	119	49.23
AA242822	524	EST	#N/A	9.44	13.66	8.25	27.21	25.96	16.64
AA243654	532	prostate cancer overexpressed gene 1	6.6	28.47	18.55	28.89	69.19	62.85	48.63
AA251114	539	jun D proto-oncogene	#N/A	30.8	23.59	32.23	219.81	202.99	87.55
AA251776	545	EST	#N/A	269.35	283.55	60.62	51.25	46.83	15.96
AA251845	548	EST	#N/A	18.46	7.23	42.79	477.47	411.47	377.99
AA253410	564	EST	4	61.04	67.88	31.64	49.37	26.82	45.2
AA255546	569	EST	#N/A	8.43	11.36	27.79	260.34	224.12	142.84
AA256990	585	EST	#N/A	7.91	2.43	17.94	15.63	16.56	6.89
AA258158	588	EST	13.15	15.32	-1.37	28.67	44.84	34.32	35.63
AA259064	602	EST	#N/A	7.44	11.47	12.63	401.93	394.99	178.23
AA278670	616	EST	#N/A	26.85	31.59	11.72	54.24	49.98	28.69
AA278824	619	EST	#N/A	10.28	11.7	21.49	83.48	91.25	30.24
AA278853	621	EST	#N/A	67.56	80.37	50.19	42.68	43.68	17.64
AA279341	625	EST	#N/A	6.52	-0.81	16.89	132.89	118.11	67.28
AA281545	645	seven in absentia (Drosophila) homolog 1	3.64	7.67	4.72	15.41	87.27	85.27	34.29
AA281770	649	mannose-P-dolichol utilization defect 1	3.96	65.08	53.58	57.86	103.75	79.4	70.74
AA281796	650	EST	3.3	0.04108	25.64	13.39	170.88	165.02	41.87
AA283066	666	phosphatidylethanolamine N-methyltransferase	#N/A	21.18	62.07	44.12	67.44	59.46	35.89
AA284795	678	lymphocyte adaptor protein	10.03	44.8	39.15	30.32	514.93	591.52	206.4
AA286710	683	KIAA0187 gene product	#N/A	37.88	6.24	7.4	82.93	86.15	45.58
AA287566	690		9.07	4.86			246.24	201.66	228.64

Table 9B. (page 8) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

AA291293	698	EST	#N/A	17.35	18.07	17.24	33.6	33.3	5.56
AA342918	750	EST	#N/A	23.67	31.68	25.77	69.4	73.71	18.13
AA365691	763	EST	#N/A	48.01	47.17	25.37	28.69	26.73	13.89
AA397904	781	EST	#N/A	22.74	18.55	19.05	59.75	54.83	32.24
AA398124	787	growth factor receptor-bound protein 14	7.82	3.4	5.86	7.61	189.27	167.23	110.44
AA398386	793	EST	5.71	10.59	16.25	21.59	153.16	164.38	83.94
AA398423	795	EST	8.26	-17.3	-16.19	23.92	230.91	250.5	156.29
AA398674	798	thrombospondin 1	#N/A	-27.87	14.49	146.65	137.87	96.14	119.21
AA400979	825	calcitonin receptor-like receptor activity modifying protein 3	6.65	48.89	21.04	80.4	276.38	267.3	88.7
AA401091	826	EST	#N/A	31.88	32.59	43.51	30.55	19.82	28.68
AA402224	836	growth arrest and DNA-damage-inducible, gamma	14.41	37.55	48.88	48.58	749.36	812.2	443.66
AA402610	839	KIAA0548 protein	#N/A	3.02	6.69	13.83	27.54	23.2	17.78
AA402656	841	EST	12.05	-2.56	18.8	40.57	342.11	315.47	205.61
AA404248	847	EST	#N/A	11.96	11.18	10.84	40.92	35.06	17.49
AA405495	859	EST	#N/A	26.12	22.63	43.42	79	82.8	30.16
AA405744	863	EST	#N/A	61.18	28.74	58.71	64.39	57.95	35.67
AA406363	874	EST	#N/A	6.85	5.69	15.69	35.62	35.06	13.69
AA406610	880	EST	#N/A	5.99	6.04	4.63	35.94	34.84	11.57
AA410255	882	EST	7.56	0.82	4.15	11.49	195.75	236.93	110.49
AA411795	892	EST	8.26	72.18	53.17	44.28	130.27	131.65	23.71
AA412063	895	KIAA0480 gene product	8.26	11.36	14.03	19.55	220.12	187.85	149.43
AA412149	897	EST	#N/A	14.07	10.08	14.16	37.43	32.4	15.56
AA412520	903	ubiquitin-conjugating enzyme E2L 6	#N/A	18.84	14.4	14.11	80.29	103.19	41.98
AA412700	904	EST	#N/A	139.65	95.44	135.61	275.39	273.98	112.87
AA418398	921	serum-inducible kinase	#N/A	0.1	-6.02	17.92	30.41	32	20.72
AA421051	928	branched chain alpha-ketobacid dehydrogenase kinase	#N/A	42.94	7.14	87.89	51.27	45.65	28
AA421052	929	EST	3.52	77.76	94.75	43.63	251.45	221.35	109.93
AA425214	950	EST	#N/A	2.71	2.07	4.88	21.4	20.31	10.15
AA426643	970	EST	#N/A	9.96	0.97	18.11	48.26	47.37	23.47
AA427537	974	DKFZP566J153 protein	#N/A	183.26	156.56	68.58	259.57	242.97	79.81
AA427579	975	regulator of G-protein signalling 14	#N/A	13.35	13.28	16.49	34.79	25.25	25.11
AA427819	980	midline 2	3.44	25.98	17.06	14.91	97.03	93.49	31.39
AA428150	985	EST	5.24	41.92	35.06	30.53	213.96	217.27	76.08
AA428325	988	EST	8.36	-0.52	3.28	16.92	194.02	167.37	111.11

Table 9B. (page 9) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

AA429478	998	EST	3.41	0.02599	55.86	65.19	47.48	192.7	196	89.2
AA435591	1038	kinesin family member 3B	3.5	0.0001	3.57	3.68	10.34	75.9	81.12	29.32
AA436156	1051	EST	#N/A	#N/A	22.66	7.78	34.68	54.98	48.35	38.09
AA436548	1054	EST	#N/A	#N/A	5.08	5.93	5.2	40.27	38.99	22.22
AA436880	1058	EST	3.22	0.00699	4.71	9.21	13.85	86.89	68.41	66.5
AA437295	1062	ribosomal protein L7a	4.35	0.00347	19.67	20.38	43.07	139.16	140.38	70.9
AA443658	1079	transmembrane 7 superfamily member 2	9.06	0.00048	4.48	17.91	24.51	276.02	194.73	227.48
AA447802	1108	EST	#N/A	#N/A	15.64	17.7	13.81	21.51	21.34	7.37
AA449108	1118	EST	#N/A	#N/A	10.9	18.13	15.28	52.58	57.3	23.76
AA449297	1121	EST	3.78	0.00039	3.76	0.63	19.01	91.67	81.15	55.17
AA454667	1167	EST	#N/A	#N/A	21.25	12.77	23.4	83.02	75.81	56.63
AA455111	1173	heterogeneous nuclear ribonucleoprotein C (C1/C2)	#N/A	#N/A	-31.71	-40.39	38.45	38.96	36.83	26.21
AA455261	1175	chromobox homolog 7	#N/A	#N/A	32.5	45.54	26.51	66.78	66.08	30.15
AA455865	1180	phosphatidylinositol glycan, class B	5.41	0.00004	11.68	8.67	10.65	133.15	134.74	63.3
AA455987	1183	EST	5.36	0.00029	20.54	17.51	15.24	128.55	130.64	17.07
AA455988	1184	butyrobetaine (gamma), 2-oxoglutarate dioxigenase (gamma-butyrobetaine hydroxylase)	15.54	0.00001	10.13	11.88	8.38	354.42	375.91	141.08
AA456075	1186	RAD23 (S. cerevisiae) homolog A	#N/A	#N/A	33.34	38.35	32.93	90.47	66.92	66.03
AA456080	1187	EST	#N/A	#N/A	32.35	17.59	33.21	27.76	26.18	12.38
AA456147	1188	general transcription factor IIA	4.23	0.00088	4.61	0.17	9.08	102.1	89.95	63.84
AA456289	1189	EST	15.31	0.00004	18.07	17.84	39.22	512.64	542.52	303.15
AA456612	1195	EST	#N/A	#N/A	164.11	136.36	117.01	254.26	266.45	84.11
AA458652	1202	EST	8.26	0.00001	19.3	18.21	17.18	203.23	218.67	53.52
AA459005	1210	EST	#N/A	#N/A	-3.57	12.22	40.05	49.76	42.58	28.85
AA461448	1240	EST	#N/A	#N/A	1.74	-4.19	22.52	58.65	56.06	32.42
AA464606	1261	MRS1 protein	#N/A	#N/A	24.35	19.03	39.62	59.55	36.75	57.76
AA465720	1274	EST	#N/A	#N/A	11.5	21.33	37.22	93.06	108.97	43.26
AA470153	1275	solute carrier family 21 (organic anion transporter), member 9	13.26	0.00315	47.49	48.57	116.54	726.75	713.23	297.62
AA478104	1296	homolog of mouse quaking QKI (KH domain RNA binding protein)	#N/A	#N/A	-7.07	-11.44	23.2	62.06	47.17	56.07
AA478441	1302	cathepsin F	5.07	0.00752	53.85	67.48	43.52	243.44	243.61	69.17
AA479148	1311	EST	38.05	0	6.2	1.32	14.38	895.91	847.72	362.53
AA479488	1313	S-adenosylhomocysteine hydrolase-like 1	4	0.0269	75.18	60.93	59.8	241.1	222.96	112.87
AA480991	1323	EST	8.59	0.00156	48.08	25.74	51.03	444.29	309.38	367.89

Table 9B. (page 10) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

AA487195	1354	EST	#N/A	#N/A	8.73	7.94	9.21	21.04	14.67	16.52
AA487576	1357	EST	#N/A	#N/A	-12.17	-14.87	17.17	26.05	25.27	11.13
AA489009	1366	EST	#N/A	#N/A	15.19	18.01	8.67	59.19	45.15	41.42
AA490964	1384	EST	#N/A	#N/A	20.3	17.53	11.39	47.7	41.84	25.18
AA495803	1392	EST	#N/A	#N/A	95.29	83.46	90.72	94.07	93.85	37.65
AA495924	1395	kinesin family member 3B	#N/A	#N/A	4.16	3.28	2.95	35.69	34.43	19.93
AA496053	1396	EST	0.00095	3.28	5.36	2.22	17.58	81.79	94.01	42.77
AA496936	1403	EST	#N/A	#N/A	17.71	9.86	20.19	30.24	34.4	14.77
AA504324	1412	EST	#N/A	#N/A	45.99	38.81	31.27	74.31	72.05	31.59
AA521290	1421	EST	4.53	4.53	46.54	22.84	63.63	166.84	174.65	58.28
AA598412	1425	EST	#N/A	#N/A	-2.4	-5.93	29.83	59	52.53	29.41
AA598453	1429	EST	#N/A	#N/A	7.27	7.06	9.67	67.15	54.25	41.65
AA599107	1443	EST	#N/A	#N/A	53.34	10	88.85	77.28	58.08	40.75
AA599214	1446	EST	#N/A	#N/A	10.94	7.36	12.27	34.58	36	14.54
AA608546	1463	EST	12.52	12.52	-19.59	-29.07	29.39	310.07	300.44	189.6
AA608723	1467	EST	#N/A	#N/A	17.44	15.29	13.31	66.54	70.38	20.94
AA609316	1481	EGF-like-domain, multiple 5	7.97	7.97	22.6	21.61	25.56	236.54	226.79	65.9
AA609519	1482	EST	8.13	8.13	29.3	22.08	22.59	261.82	243.76	105.33
AA620965	1511	NOT3 (negative regulator of transcription 3, yeast) homolog	#N/A	#N/A	4.34	8.96	16.51	48.05	40.77	32.06
AA621209	1516	similar to Caenorhabditis elegans protein C42C1.9	6.34	6.34	22.77	19.95	46.78	214.61	167.05	138.24
AA621235	1517	EST	3.44	3.44	26.29	24.68	23.17	114.75	113.36	65.35
D56989	1687	EST	#N/A	#N/A	8.83	6.61	9.79	77.62	55.56	72.14
D59294	1693	EST	#N/A	#N/A	1.31	0.89	6.58	22.83	20.84	14.1
F04611	1792	EST	23.96	23.96	42.65	18.88	62.74	1011.12	1040.46	589.37
F04677	1794	EST	#N/A	#N/A	138.06	123.28	34.39	355.75	310.97	168.21
F09350	1801	EST	4.79	4.79	13.91	-6.46	33.97	147.64	130.28	79.24
F09687	1806	EST	#N/A	#N/A	12.72	8.26	28.12	58.85	57.03	31.82
F09729	1807	EST	#N/A	#N/A	9.35	20.58	23.17	55.49	55.78	27.37
F09979	1809	EST	0.02555	4.36	6.98	6.51	20.72	226.47	116.41	288.21
F10149	1810	EST	#N/A	#N/A	111.86	108.46	60.06	257.05	276.87	165.09
F10381	1817	KIAA0541 protein	#N/A	#N/A	22.16	25.03	8.75	64.94	71.82	26.24
F10418	1818	EST	#N/A	#N/A	44.91	44.45	22.72	64.3	52.54	31.96
F13624	1825	breast cancer anti-estrogen resistance 3	#N/A	#N/A	27.76	19.2	32.49	90.8	73.79	59.27
F13782	1827	LIM binding domain 2	4.17	4.17	-0.64	5.61	22.4	100.8	119.01	55.07

Table 9B. (page 11) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

H01059	1830	solute carrier family 16 (monocarboxylic acid transporters), member 4	#/A	#/A	9.13	9.22	13.53	32.73	34.27	21.05
H02855	1832	EST	5.96	0.00458	5.06	1.15	14.13	261.57	93.25	407.93
H05970	1849	EST	#/A	#/A	9.16	12.81	14.19	68.16	65.08	40.19
H09331	1865	EST	#/A	#/A	313.2	309.79	122.67	512.04	486.42	149.27
H09353	1866	EST	23.06	0.00094	45.11	18.95	65.29	782.6	824.74	226.28
H10661	1871	EST	4.54	0.00276	31.29	18.75	28.5	132.09	124.86	64.37
H12593	1880	zinc-finger protein 265	10.72	0.0056	39.96	-9.15	111.74	515.58	506.07	224.5
H19504	1895	EST	3.13	0.04948	77.07	49.48	64.05	227.6	221.91	125.23
H20543	1897	DKFZP586B1621 protein	31.03	0.00074	62.11	36.98	80.24	1884.92	1680.81	731.79
H24081	1901	KIAA1035 protein	#/A	#/A	19.72	18.46	5.69	24.15	27.08	9.52
H25124	1903	EST	3.65	0.00004	20.47	14.4	12.59	95.09	85.36	34.91
H29568	1914	EST	11.45	0.00058	232.54	140.09	218.85	2206.49	1884.76	783.84
H30270	1915	EST	17.09	0.00001	61.64	60.29	25.01	1224.59	1332.66	695.76
H49417	1939	ATP-binding cassette, sub-family C (CFTR/MRP), member 6	#/A	#/A	16.93	17.31	8.56	62.68	54.75	48.37
H52251	1942	EST	#/A	#/A	25.41	22.3	15.29	33.86	34.48	19.95
H53829	1946	EST	#/A	#/A	44.31	40.52	36.62	99.9	98.22	46.1
H56965	1952	EST	#/A	#/A	0.18	0.68	12.9	61.03	73.89	30.12
H57850	1958	protein phosphatase 2 (formerly 2A), regulatory subunit A (PR 65), beta isoform	3.02	0.00123	41.36	36.05	15.14	131.12	130.36	53.67
H58692	1960	formyltetrahydrofolate dehydrogenase	81.41	0	-2.66	5.46	16.1	1886.69	1520.43	1129.35
H60317	1965	EST	#/A	#/A	18.86	22.34	11.81	38.92	39.1	18.67
H69565	1987	EST	4.11	0.00002	15.45	16.92	9.4	95.6	94.91	42.92
H70485	1988	EST	#/A	#/A	113.44	81.62	63.73	232.9	256.86	107.1
H70554	1989	EST	10.99	0	-11.73	-19.98	33.09	292.66	288.78	153.17
H87765	2017	KIAA0626 gene product	3.86	0.00131	5.2	7.91	19.6	94.26	93.78	60.64
H89980	2026	protein phosphatase 1, regulatory (inhibitor) subunit 5	31.13	0.00006	12.16	13.82	12.3	990.48	1005.21	755.6
H90417	2028	EST	4.17	0.015	14.23	-10.79	70.02	191.04	154.37	125.5
H93381	2036	EST	24.23	0	6.08	-0.69	28.81	621.48	640.77	214.25
H95079	2046	EST	#/A	#/A	7.05	11.03	7.33	39.79	33.3	29.08
H95089	2047	EST	#/A	#/A	13.05	13.54	4.03	31.99	31.89	13.19
H95358	2049	EST	3.17	0.00182	-5.85	-5.95	11.57	74.74	72.66	42.36
H95978	2052	EST	8.55	0.00046	12.28	14.38	10.71	240.91	246.43	147.67
H98083	2067	EST	5.09	0.00025	11.73	11.11	3.97	121.51	104.88	70.52

Table 9B. (page 12) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

N22404	2449	EST	3.99	0.01152	30.59	23.97	55.32	193.63	130.09	162.83
N22434	2450	EST	4.37	0.01725	100.96	66.55	110.62	334.51	328.98	150.7
N24879	2459	EST	9.44	0.00008	6.2	5.49	23.52	280.93	337.77	165.77
N24973	2461	EST	#N/A	#N/A	30.46	28.45	11.29	56.57	59.09	22.87
N25262	2464	EST	#N/A	#N/A	31.16	28.04	9.03	64.13	64.97	18.29
N27524	2471	EST	3.13	0.00216	14.18	22.08	20.51	87.67	98.26	42.62
N29353	2476	kynurenine 3-monooxygenase (kynurenine 3-hydroxylase)	4.78	0.00019	-4.7	-5.88	13.94	109.79	101.27	53.38
N29543	2478	EST	#N/A	#N/A	11.66	9.07	5.04	59.21	51.22	30.43
N29740	2479	EST	#N/A	#N/A	48.71	27.45	46.9	80.01	77.9	37.18
N31952	2489	EST	3.13	0.01481	36.21	27.5	25.04	133.49	147.66	83.03
N34804	2496	DKFZP434J214 protein	8.08	0.00028	6.99	5.94	33.73	344.08	176.4	532.11
N34919	2498	EST	#N/A	#N/A	7.39	8	6.82	52.96	44.23	24.23
N36085	2504	EST	#N/A	#N/A	20.98	19.21	13.89	58.28	58	22.95
N45320	2518	EST	#N/A	#N/A	11.39	11.26	7.06	50.75	36	39.19
N45998	2519	EST	3.14	0.00337	28.42	22.62	13.52	99.42	110.53	49.55
N48315	2526	adaptor-related protein complex 2, mu 1 subunit	5.3	0.0149	62.03	30.66	52.29	368.37	331.28	260.93
N48674	2529	EST	4.06	0.00028	2.7	4.57	10.52	94.61	72.82	54.62
N50038	2540	EST	#N/A	#N/A	0.25	5.19	45.95	47.04	41.45	16.56
N54053	2560	secreted phosphoprotein 2, 24kD	60.39	0.00087	44.3	-18.16	166.47	2749.73	2790.77	1230.33
N54604	2569	EST	3.72	0.00741	2.36	2.08	35.23	133.06	119.1	109.95
N54792	2570	cytidine monophosphate-N-acetylneuraminic acid hydroxylase (CMP-N-acetylneuraminic monooxygenase)	3.23	0.00099	28.36	27.42	6.39	110.19	77.69	87.32
N59089	2580	EST	4.74	0.00055	38.4	36.58	24.6	215.54	167.6	133.64
N59543	2586	PDZ domain containing 1	9.96	0.00052	1.2	-2.89	17.29	303.49	259.23	225.96
N62922	2595	EST	#N/A	#N/A	14.92	14.15	2.75	54.94	52.4	18.93
N63047	2596	EST	#N/A	#N/A	4.13	0.93	9.72	14.78	15.63	8.24
N63698	2603	EST	7.92	0.00001	19.14	18.14	12.14	221.25	212.4	122.32
N64436	2608	EST	3.51	0.00441	24.46	20.38	21.08	119.24	133.44	70.66
N65959	2611	EST	5.43	0.00044	3.51	3.25	22.24	142.87	149.26	79.26
N66613	2616	EST	#N/A	#N/A	25.61	22.34	26.39	62.58	50.13	51.99
N68871	2637	EST	#N/A	#N/A	4.3	4.02	8.66	34.08	36.71	14.33
N70305	2654	kidney- and liver-specific gene	4.41	0.00078	-13.99	-13.48	10.76	105.8	97.72	72.15
N71542	2664	multiple PDZ domain protein	21.05	0	-14.76	-18.28	14.3	471.65	486.43	226.63
N71935	2666		16.28	0	12.84	19.17	14.1	410.92	422.1	218.42

Table 9B. (page 13) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

N73883	2681	EST	9.35	0	18.47	23.48	17.67	256.78	276.41	95.34
N74025	2684	deiodinase, iodothyronine, type I	22.79	0	-7.64	2.14	15.95	527.67	515.68	256.99
N74422	2685	EST	30.32	0	23.57	28.41	36.93	1063.07	1094.48	371.26
N74624	2687	collectin sub-family member 10 (C-type lectin)	#N/A	#N/A	33.8	34.24	5.13	71.81	62.09	43.57
N75072	2688	EST	3.73	0.00379	5.14	6.21	15.5	104.12	104.99	81.79
N76086	2694	EST	#N/A	#N/A	8.23	7.19	6.54	55.55	55.02	35.47
N91882	2719	alpha2,3-sialyltransferase	14.52	0.00024	-0.18	0.18	34.36	512.3	550.51	320.62
N93191	2729	EST	3.25	0.00232	174.54	168.53	56.36	659.95	565.08	409.15
N93403	2733	EST	#N/A	#N/A	4.44	7.63	11.8	48.84	38.39	30.93
N93764	2736	EST	5.92	0.0109	113.46	68.13	96.98	771.74	792.59	504.88
R05490	2760	SEC24 (S. cerevisiae) related gene family, member B	3.03	0.00317	5.87	3.49	12.23	75.28	78.17	48.59
R06002	2762	EST	10.15	0.00003	10.52	8.26	20.8	292.89	264.17	160.28
R06543	2768	EST	#N/A	#N/A	61.75	61.42	88.77	163.57	144.04	96.98
R06746	2770	EST	15.77	0.00009	13.37	-0.9	39.24	455.48	410.16	191.35
R06860	2772	EST	#N/A	#N/A	84.61	75.89	71.35	104.51	116.59	44.71
R08564	2779	plasminogen-like	60.18	0.00091	69.78	24	105.91	2485.63	2384.62	531.43
R09053	2782	EST	5.9	0.0002	6.45	17.17	35.01	186.87	204.61	113.19
R10287	2784	EST	11.2	0.0003	7.46	4.94	35.03	376.82	434.91	198.74
R10684	2787	EST	5.51	0.00741	28.67	1.31	62.39	217.05	221.32	122.94
R12472	2788	EST	55.18	0.00011	32.21	3.13	76.26	2002.79	1930.03	1097.37
R12579	2789	EST	3.5	0.00137	54.49	37.84	26.65	198.7	194.59	92.03
R33146	2818	EST	7	0.00043	3.32	2.1	10.76	179.67	195.02	107
R34362	2821	KIAA0327 gene product	5.4	0.04615	621.7	353.73	689.66	2107.55	2121.04	1000.75
R39238	2835	synaptotagmin 1	#N/A	#N/A	16.06	16.03	9.94	26.8	23.84	16.46
R43347	2848	downregulated in renal cell carcinoma	#N/A	#N/A	36.93	32.68	30.41	105.66	100.62	28.62
R43365	2849	EST	5.37	0.00103	5.57	6.67	12.18	150.58	112.8	122.96
R43910	2851	EST	5.71	0	23.41	24.6	11.1	156.7	166.34	52.21
R49602	2884	EST	36.5	0.00001	19.25	9.65	26.41	970.39	905.54	322.69
R51831	2890	EST	5.03	0.00761	5.89	2.5	44.67	221.54	195.97	179.99
R52822	2895	EST	12.79	0.00001	10.78	0.35	28.51	380.07	441.17	180.12
R53044	2897	KIAA0981 protein	#N/A	#N/A	17.84	25.74	11.45	48.77	44.34	18.43
R53891	2899	EST	#N/A	#N/A	9.88	5.59	10.68	66.28	52.16	49.21
R59312	2912	EST	#N/A	#N/A	34.37	35.83	22.13	94.44	91.55	36.35
R59722	2915	EST	19.74	0.00016	18.78	-4.94	51.34	628.69	642.78	316.88
R60959	2918	EST	#N/A	#N/A	31.21	23.86	17.79	72.94	69.87	45.25

Table 9B. (page 14) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

R63734	2927	fatty-acid-Coenzyme A ligase, long-chain 3 kynurenine 3-monooxygenase (kynurenine 3- hydroxylase)	#/NA	#/NA	13.28	17.42	12.17	42.74	39.66	18.51
R65593	2934		21.27	0.00007	28.84	18.5	43.46	704.58	812.38	352.86
R70319	2945	EST	#/NA	#/NA	5.34	2.91	8.92	29.23	29.18	10.78
R70791	2948	EST	#/NA	#/NA	127.11	110.15	41.83	73.19	57.2	56.17
R73468	2956	EST	#/NA	#/NA	9.97	10.43	9.69	38.29	44.82	17.14
R73816	2960	EST	11.53	0.00259	-26.88	-30.68	10.09	462.31	374.67	450.91
R78713	2967	EST	#/NA	#/NA	0.27	-1.59	8.92	70.57	57.33	56.37
R91060	2980	EST	#/NA	#/NA	59.14	37.15	56.04	85.88	61.99	68.99
R93507	2990	EST	#/NA	#/NA	19.53	20.08	11	67.62	67.56	44.22
R93714	2991	fetuin B	10.42	0.00043	-60.74	-65.14	57.99	280.62	301.36	203.86
R93908	2993	EST	5.8	0.02699	66.75	29.54	129.46	348.58	301.29	173.81
R94674	2995	EST	10.76	0.00008	0.91	4.15	14.66	269.49	288.56	148.06
R96822	2999	EST	8.25	0.00008	16.45	17.01	30.67	250.81	257.18	131.85
R97419	3003	cytochrome P450, subfamily VIIIb (sterol 12- alpha-hydroxylase), polypeptide 1	65.07	0.0039	152.16	-3.42	302.56	4114.39	3837.4	1458.43
R97804	3007	EST	#/NA	#/NA	144.46	187.67	95.8	193.05	201.89	61.84
R98413	3011	EST	9.71	0.00007	38.74	28.05	21.96	402.49	443.47	212.95
R99014	3014	EST	#/NA	#/NA	26.99	17.82	29.49	49.82	52.35	18
T16306	3067	EST	#/NA	#/NA	24.23	23.64	24.91	58.82	63.62	22.35
T40895	3116	protein tyrosine phosphatase type IVa, member 1	#/NA	#/NA	1575.59	2039.82	1098.29	4148.86	2440.28	4169.52
T46901	3122	EST	77.28	0.0006	11.33	-31.1	121.66	2608.54	2853.98	691.43
T50773	3135	apolipoprotein C-IV	#/NA	#/NA	94.77	43.61	169.6	8473.97	6484.47	7036.85
T58756	3155	EST	13.39	0.00013	7.38	-19.91	46.26	390.04	386.76	164.41
T58775	3156	small inducible cytokine subfamily A (Cys- Cys), member 16	21.18	0.00006	11.93	-0.59	34.83	577.14	540.96	205.27
T67520	3181	EST	#/NA	#/NA	52.46	49.25	28.02	105.56	113.95	38.23
T67931	3183	fibrinogen, B beta polypeptide	49.55	0	-22.74	-22.4	23.54	1187.95	1000.67	692.18
T69305	3196	EST	#/NA	#/NA	-107.09	-119.3	45.51	4052.6	4262.37	3025.26
T71978	3204	EST	4.39	0.0017	41.46	58.86	43.93	218.38	208.73	89.39
T72502	3207	EST	8.87	0.00009	24.11	24.41	28.19	308.87	271.27	179.15
T73442	3212	EST	94.41	0	28.55	25.96	25.95	3170.29	3275.73	1073.74
T74608	3215	hydroxyacid oxidase (glycolate oxidase) 1	14.03	0	-3.14	-1.78	23.12	360.97	328.7	194.85
T82323	3230	immunoglobulin superfamily, member 4	10.14	0	14.47	5.07	19.91	264.33	229.92	135.46
T87224	3240	EST	#/NA	#/NA	584.24	451.54	184.49	909.33	851.86	431.47

Table 9B. (page 15) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

T90037	3245	EST	3.99	0.0016	23.17	25.82	23.62	150.67	107.18	126.19
T90520	3248	EST	8.67	0.00072	9.05	-7.07	25.65	306.39	362.5	204.34
W15417	3472	KIAA0699 protein	#N/A	#N/A	30.82	20.85	38.03	83.24	81.29	49.83
W48860	3534	EST	#N/A	#N/A	36.89	39	14.08	52.69	41.31	21.1
W60186	3554	EST	3.24	0.00228	19.15	26.5	27.35	101.92	109.68	47.85
W63741	3563	EST	#N/A	#N/A	-11.85	-13.73	14.25	28.54	17.1	44.58
W67147	3565	deleted in liver cancer 1	9.74	0.00002	16.09	9.11	24.66	282.59	235.29	169.33
W67199	3566	EST	3.09	0.01528	30.05	35	12.16	123.27	117.99	90.47
W72382	3581	oxidative 3 alpha hydroxysteroid	#N/A	#N/A	37.21	6.21	66.91	3403.46	3255.54	1538.23
W72471	3582	dehydrogenase; retinol dehydrogenase	#N/A	#N/A	17.93	13.32	10.61	71.51	76.9	29.33
W85765	3615	EST	3.83	0.00379	3.6	1.46	7.87	108.99	77.01	109.58
W85886	3618	EST	3.46	0.00814	-6.09	-2.4	11.46	99.92	68.44	97.4
W86431	3624	protein C inhibitor (plasminogen activator	14.94	0.00152	3.16	5.55	12.03	606.44	395.34	590.7
W86600	3625	inhibitor III)	32.14	0	12.67	7.49	15.61	792.37	807.74	313.83
W88946	3636	EST	58.26	0	2.16	-22.13	39.9	1717.54	1821.77	502.55
W90018	3639	putative glycine-N-acyltransferase	#N/A	#N/A	-2.1	4.12	13.16	59.32	53.19	41.68
W90396	3642	EST	#N/A	#N/A	16.1	15.26	11.11	23.65	22.93	10.28
W94942	3658	dual specificity phosphatase 10	7.23	0.00137	19.36	16.05	11.9	250.16	281.49	160.43
W95041	3659	EST	12.79	0.00001	6.66	5.17	3.55	291.2	298.05	115.81
Z38161	3881	EST	4.38	0.0011	11.84	12.14	6.32	111.16	107.62	80.11
Z38910	3895	EST	#N/A	#N/A	0.68	2.75	12.7	35.49	32.21	23.55
Z39394	3901	EST	#N/A	#N/A	10.11	10.43	11.1	24.06	22.96	11.11
Z39622	3907	EST	4.4	0.00001	19.65	21.87	11.97	110.87	115.21	36.19
Z39976	3912	EST	5.76	0.00012	13.09	7.15	18.64	165.45	151.05	98.9
Z40259	3916	EST	8.18	0.00002	14.39	8.61	11.98	218.4	223.24	122.06
Z41271	3927	ariadne, Drosophila, homolog of	#N/A	#N/A	51.96	64.49	36.28	145.09	126.18	57.57
Z41634	3931	EST	#N/A	#N/A	16.4	16.07	3	51.19	48.49	33
AA001902	5	KIAA0305 gene product	#N/A	#N/A	14.88	17.06	8.8	29.11	28.6	23.36
AA001903	6	EST	#N/A	#N/A	6.64	0.97	14.07	26.52	28.7	13.21
AA004669	9	EST	#N/A	#N/A	8.66	10.77	8.65	33.32	25.36	31.12
AA009719	20	peroxisomal membrane protein 2 (22kD)	47.12	0.00008	-50.14	-51.69	47.17	1370.32	1503.99	715.62
AA010205	23	EST	7.41	0	14.43	17.64	14.87	187.55	154.99	92.13
AA010360	24	EST	6.55	0.00027	12.5	14.77	8.62	169.99	135.98	129.2
AA013095	33	potassium voltage-gated channel, shaker-related subfamily, beta member 1,	#N/A	#N/A	7.81	3.06	19.71	18.56	15.83	8.24

Table 9B. (page 16) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

AA015768	34	EST	15.3	0.00008	12.22	14.2	11.71	417.95	472.1	248.15
AA016021	35	ubiquitin-like 3	#N/A	#N/A	13.88	16.21	13.21	65.65	51.44	46.44
AA018867	39	EST	42.87	0.00002	45.29	29.28	52.68	1944.56	2160.33	1142.41
AA024511	46	suppressor of Ty (S.cerevisiae) 3 homolog	#N/A	#N/A	7.82	3.08	12.06	62.54	58.34	27.73
AA031360	67	EST	#N/A	#N/A	13.46	12.87	10.49	26.25	24.36	9.3
AA034365	76	EST	#N/A	#N/A	119.56	39.46	171.27	216.28	159.86	152.39
AA039616	90	EST	9.36	0.00009	2.48	-4.83	14.2	238.71	224.42	125.28
AA040087	92	EST	4.13	0.00123	34.99	27.32	18.99	156.63	148.88	90.44
AA040291	94	KIAA0669 gene product	3.55	0.00308	12.98	12.72	16.36	101.69	98.94	80.43
AA046457	111	EST	3.2	0.00513	77.66	80.71	27.66	304.54	264.9	233.62
AA056482	141	EST	4.82	0.00199	10.09	19.17	14.96	135.83	132.94	97.88
AA074885	161	macrophage receptor with collagenous structure	11.05	0.00786	79.55	25.58	153.64	652.03	761.74	300.57
AA075298	163	EST	#N/A	#N/A	46.45	36.93	42.61	129.13	121.57	70.36
AA086201	185	EST	5.8	0.00012	21.29	24.75	14.37	177.39	182.95	95.51
AA099225	206	EST	7.33	0.00062	4.37	1.35	6.08	212.68	163.45	194.31
AA099571	209	MD-2 protein	#N/A	#N/A	10.12	4.61	19.11	55.77	62.72	31.71
AA115933	231	KIAA1098 protein	#N/A	#N/A	8.62	6.46	10.77	33.88	34.38	16.63
AA126059	246	EST	3.08	0.00706	102.34	104.33	40.8	380.92	280.71	316.4
AA127514	253	EST	3.4	0.00045	11.36	10.76	6.8	74.71	76.5	36.07
AA127646	254	schwannomin interacting protein 1	#N/A	#N/A	6.76	-0.26	12.36	44.24	41.48	20.02
AA129465	263	EST	#N/A	#N/A	7.9	10.16	24.29	61.62	59.75	34.37
AA133214	276	meningioma expressed antigen 6 (coiled-coil proline-rich)	#N/A	#N/A	3.16	7.46	14.35	65.17	56.11	51.18
AA133457	280	EST	#N/A	#N/A	233.92	279.32	161.44	456.09	475.45	114
AA136333	300	zinc finger protein	#N/A	#N/A	17.23	17.21	5.7	45.55	39.88	25.1
AA167550	361	EST	#N/A	#N/A	4.38	7.64	6.98	28.69	26.29	16.06
AA171529	365	EST	#N/A	#N/A	-1.76	-4.58	6.37	51.3	47.89	33.98
AA179004	377	EST	14.34	0.00008	-33.2	-28.97	78.62	503.76	495.87	326.16
AA191310	397	protein phosphatase 2 (formerly 2A), regulatory subunit A (PR 65), beta isoform	7.28	0	26.23	29.87	6.93	206.65	209.15	77.34
AA195463	416	EST	#N/A	#N/A	5.44	6.92	3.77	51.81	64.76	26.85
AA195515	417	EST	#N/A	#N/A	7.27	3.56	8.61	51.59	49.91	23.13
AA197311	422	intercellular adhesion molecule 1 (CD54), human rhinovirus receptor	6.07	0.00053	-19.49	1.63	43.72	154.69	175.76	83.19

Table 9B. (page 17) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

AA199603	423	EST	#N/A	14.97	24.27	28.57	54.95	55.7	19.61
AA223902	450	EST	0.00003	7.98	-3.32	28.42	292.86	294.78	156.98
AA226925	452	EST	#N/A	11.94	9.22	7.55	49.69	48.29	27.49
AA232114	463	epoxide hydrolase 2, cytoplasmic	0.00007	63.09	46.66	60.38	1455.28	1626.11	664.36
AA233152	467	EST	0	-29.09	-28.01	34.42	299.54	291.48	156.26
AA233797	473	sperm associated antigen 7	#N/A	54.72	50.23	11.36	116.14	127.3	54.24
AA233837	474	EST	0.0034	18.96	19.45	40.67	214.77	118.28	278.62
AA235288	494	PTPL1-associated RhoGAP 1	3.7	34.06	30.95	14.36	169.9	113.81	138.05
AA250958	538	EST	#N/A	53.41	53.63	22.55	99.74	114.71	55.23
AA255903	573	CD39-like 4	5.67	72.5	39.23	108.92	383.56	374.1	211.92
AA256341	578	EST	7.37	17.81	2.34	28.59	280.57	324.08	170.98
AA279916	633	EST	#N/A	61.08	56.18	25.7	115.24	102.89	58.77
spleen focus forming virus (SFFV) proviral integration oncogene spl1									
AA280413	638	EST	4.46	64.05	69.15	51.55	339.15	353.53	235.59
AA282541	661	EST	#N/A	7.18	5.97	14.25	31.31	29.9	13.53
AA343142	751	EST	20.87	-12.34	-21.46	30.45	610.64	636.83	438.33
AA397919	785	EST	#N/A	108.63	144.35	84.25	243.79	199.62	185.4
AA398280	792	EST	12.43	-114.74	-71.05	103.33	433.45	423.73	356.61
AA404352	850	EST	7	26.7	20.02	33.28	213.01	172.11	108
AA406546	879	EST	#N/A	-1.45	-7.89	15.19	46.62	50.65	26.97
5-methyltetrahydrofolate-homocysteine methyltransferase reductase									
AA416936	910	EST	4.98	82.04	85.81	69.18	427.41	366.53	235.63
AA424798	947	EST	17.45	48.63	15.48	171.26	879.91	873.25	489.59
AA428900	992	EST	7.01	66.25	66.77	15.35	615.96	619.42	441.72
AA429038	995	EST	3.29	13.39	1.93	28.01	108.66	87.59	86.11
AA434225	1035	serum constituent protein	#N/A	1010.84	876.42	674.94	1022.5	746.49	681.49
AA463729	1250	EST	4.07	19.31	19.05	13.37	150.62	116.86	156.67
AA479961	1320	EST	#N/A	33.49	28.45	10.58	88.13	89.35	36.9
AA490947	1383	EST	#N/A	34.15	35	21.49	56.24	38.75	49.85
AA599199	1444	endothelin converting enzyme 1	#N/A	187.77	108.97	225.55	695.29	680.26	375.12
catenin (cadherin-associated protein), alpha-like 1									
AA621315	1521	like 1	#N/A	191.28	141.04	182.69	313.23	281.93	134.57
aldehyde dehydrogenase 5 family, member A1 (succinate-semialdehyde dehydrogenase)									
C20982	1582	EST	#N/A	68.8	85.38	28.73	104.44	88.12	66.28
C21130	1583	EST	8.79	17.56	8.6	19.19	277.18	238.8	188.55

Table 9B. (page 18) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

D11835	1598	low density lipoprotein receptor (familial hypercholesterolemia)	21.76	0.00307	76.38	23.21	131.25	895.7	910.39	322.98
D45714	1664	EST	5.64	0.00384	34.3	29.86	13.09	301.07	218.14	282.7
F04944	1795	acyl-Coenzyme A oxidase	4.01	0.00242	40.92	33.99	28.07	191.04	192.25	99.98
F10276	1814	dual specificity phosphatase 6	8.13	0.0001	19.64	13.06	12.33	240.65	275.65	138.17
H11739	1876	glycine dehydrogenase (decarboxylating; glycine decarboxylase, glycine cleavage system protein P)	10.33	0.00023	-21.2	-37.69	28.32	290.05	210.37	244.67
H68239	1983	EST	#N/A	#N/A	26.96	17.94	15.81	66.76	66.18	51.67
H79820	2004	EST	3.25	0.01466	10.64	2	22.28	113.3	113.19	95.96
H82966	2011	apolipoprotein B (including Ag(x) antigen)	3.42	0.00769	0.2	1	15.26	100.93	77.36	96.78
H96392	2053	EST	#N/A	#N/A	12.6	9.93	33.15	35.98	53.46	42.74
N22938	2452	serum amyloid A4, constitutive	35.39	0.00128	163.4	145.31	160.24	4244.44	3330.35	2358.25
N32071	2490	EST	8.75	0.00006	40.89	43.12	15.37	421.21	488.49	238.4
N47469	2521	EST	3.34	0.00329	20.35	13.91	20.65	104.74	99.87	61.84
N48155	2524	EST	#N/A	#N/A	17.08	16.77	14.66	97.37	54.69	99.7
N51117	2543	EST	9.68	0.00081	8.23	4.5	11.88	327.53	296.4	266.42
N52845	2553	EST	5.53	0.00088	28.56	30.14	14.95	219.38	230.31	149.67
N53757	2559	EST	3.97	0.00255	99.49	80.7	56.09	365.45	324.21	118.42
N55272	2573	EST	#N/A	#N/A	22.71	13.6	24.4	45.08	47.45	14.77
N59550	2587	EST	25.56	0.00024	19.9	2.53	65.91	855.88	774.72	358.3
N64017	2605	EST	5.27	0.00022	5.45	8.71	8.71	122.34	135.27	55.58
N67974	2629	activating transcription factor 4 (tax-responsive enhancer element B67)	#N/A	#N/A	5.67	-0.08	15.97	82.1	74.13	59.47
N70358	2656	growth hormone receptor	34.35	0	20.93	29.26	36.06	1449.57	1157.97	1115.22
N73561	2675	EST	12.96	0.00011	17.04	4.48	25.06	516.79	458.57	393.69
N80129	2702	metallothionein 1L	66.48	0.00415	179.8	104.5	643.06	10421.47	6358.88	9618.38
N93470	2735	EST	#N/A	#N/A	14.01	8.69	17.09	77.86	66.84	70.45
R02365	2754	glucose-6-phosphatase, catalytic (glycogen storage disease type I, von Gierke disease)	17.17	0.00124	0.92	-5.3	9.39	768.72	444.03	841.02
R06977	2774	glucokinase (hexokinase 4) regulatory protein	6.1	0.00049	-47.7	-38.97	37.79	152.22	150.69	87.15
R43174	2847	paraoxonase 1	74.04	0.00038	47.94	-8.83	119.68	2926.85	3104.07	1318.41
R67970	2939	gamma-glutamyl carboxylase	9.45	0.00212	85.44	59.33	76.67	655.11	692.66	267.95
R98105	3010	EST	#N/A	#N/A	132.16	97.16	141.15	373.83	342.91	215.89
R98624	3012	EST	21.32	0	15.01	4.48	22.97	686.81	542.22	466.97

Table 9B. (page 19) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

R99591	3015	CD5 antigen-like (scavenger receptor cysteine rich family)	9.52	0.00006	87.08	72.59	28.25	1035.39	904.92	691.83
T48075	3129	hemoglobin, alpha 1	32.56	0.00172	246.19	164.89	271.65	7193.85	5199.28	6317.01
T51617	3137	solute carrier family 22 (extraneuronal monoamine transporter), member 3	17.67	0.00018	29.08	19.44	56.17	669.34	725.25	402.58
T51930	3138	EST	9.99	0.00066	8.27	9.41	5.97	325.48	218.59	298.12
T67705	3182	asialoglycoprotein receptor 2	31.6	0.00705	168.64	37.91	284.26	2403.76	2437.4	683.22
T68711	3187	EST	37.65	0.00036	19.73	-26.69	95.05	1388.67	1074.67	890.91
T69284	3195	mannose-binding lectin (protein C) 2, soluble (opsonic defect)	36.53	0	9.82	0.32	17.14	1147.2	618.07	972.57
T72171	3205	thyroxin-binding globulin	10.41	0.00163	5.48	-20.52	54.58	492.89	371.71	454.89
T72906	3209	EST	7.56	0.00062	4.88	3.04	14.04	233.73	199.26	211.99
T73739	3213	alanine-glyoxylate aminotransferase (oxalosis I; hyperoxaluria I; glycolicaciduria; serine-pyruvate aminotransferase)	16.18	0.00277	1891.22	896.45	2229.6	26094.38	15281.08	25947.4
W42429	3506	EST	#N/A	#N/A	98.32	80.07	52.23	252.63	300.68	162.35
W58756	3551	EST	12.17	0.00087	93.37	88.97	71.48	1363.71	1064.26	1032.27
W70131	3574	EST	#N/A	#N/A	108.21	30.68	183.05	118.49	100.66	53.4
W72044	3577	insulin induced gene 1	24.58	0.00001	41.6	36.28	36.46	1133.09	940.16	723.6
W72079	3578	EST	6.36	0.00641	46.78	17.94	66.71	261.7	214.62	175.87
W72972	3584	EST	5.61	0.00939	44.7	26.44	80.59	277.4	270.63	183.07
W73382	3588	EST	#N/A	#N/A	62.97	39.05	67.26	87.32	89.49	28.17
W85847	3616	EST	7.28	0.00024	4.15	5.29	9.26	187.31	160.02	130.73
W87454	3629	homogentisate 1,2-dioxygenase (homogentisate oxidase)	7.93	0.00149	11.36	5.83	39.02	336.07	275.03	315.24
W92148	3647	kininogen	51.09	0.00376	220.31	42.96	427.59	3697.54	4015.04	1444.99
Z41356	3929	EST	#N/A	#N/A	4.46	15.94	28.44	82.7	48.14	71.73
AA112209	223	acyl-Coenzyme A dehydrogenase, long chain	3.37	0.00084	29.77	28.31	11.33	116	100.18	66.07
AA149253	323	EST	5.12	0.00863	78.65	75.3	61.14	401.77	301.06	333.03
AA211418	434	EST	#N/A	#N/A	65.81	70.1	37.84	223.56	214.42	151.4
AA227480	456	pim-2 oncogene	3.31	0.02413	48	62.07	33.49	195.79	162.34	182.76
AA235507	498	golgi autoantigen, golgin subfamily a, 5	3.28	0.00249	22.14	37.31	26.61	111.91	126.75	58.39
AA257057	586	EST	8.11	0.00379	42.36	16.78	47.02	451.86	462.6	343.05
AA258353	593	EST	5.28	0.00193	71.76	84	37.77	347.7	363.14	106.2
AA279158	623	EST	#N/A	#N/A	50	46.97	19.41	87.9	72.44	38.36
AA282956	664	EST	#N/A	#N/A	0.28	-9.07	30.81	59.89	51.54	35.5

Table 9B. (page 20) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

681	EST	6.95	0.00125	12.65	14.54	23.53	238.16	242.27	169.12
731	EST	9.21	0.00106	12.32	13.78	12.24	300.22	304.56	213.18
complement component 8, gamma polypeptide									
752	EST	7.28	0.00206	292.65	305.28	176.61	1845.16	1679.29	561.04
761	EST	#N/A	#N/A	35.7	40.27	34.51	78.45	75.11	47.8
772	EST	15.48	0	17.66	13.82	13.2	412.26	344.45	217.56
806	EST	3.98	0.00088	8.99	12.21	11.35	97.83	115.15	52.04
807	EST	#N/A	#N/A	25.33	23.57	27.54	61.21	60.21	29.91
812	EST	11.89	0.00478	85.31	36.81	139.93	827.48	884.35	562.14
824	EST	4.98	0.02013	75.44	67.21	77.7	305.09	307.45	125.76
830	EST	50.45	0.00301	155.46	63.87	317.6	3745.71	3628.4	1635.98
831	EST	#N/A	#N/A	24.3	26.82	18.04	65.22	57.51	46.54
858	EST	#N/A	#N/A	10.03	9.53	7.62	59.95	44.88	50.8
896	EST	#N/A	#N/A	30.52	29.79	13.4	81.26	74.52	35.68
916	EST	4.1	0.00414	36.75	35.35	15.12	189.88	171.1	150.02
925	EST	9.19	0.00005	51.89	51.37	25.93	524.34	571.05	296.46
926	EST	4.62	0.00386	24.88	17.15	26	158.88	162.5	112.57
insulin-like growth factor 2 (somatomedin A)									
933	EST	9.98	0.00007	79.46	77.34	41.63	921.91	703.16	679.72
1002	EST	#N/A	#N/A	15.52	13.25	17.03	44.75	41.91	28.67
succinate dehydrogenase complex, subunit C, integral membrane protein, 15kD									
1030	EST	#N/A	#N/A	10.94	14.1	42.99	33.86	42.75	27.46
1045	EST	4.71	0.00078	198.97	193.33	110.58	970.79	830.39	567.79
1083	GTP-binding protein Rho7	3.09	0.00214	30.32	35.97	13.76	115.87	113.7	66.78
1088	seven in absentia (Drosophila) homolog 1	4.84	0.00015	9.92	9.12	4.58	110.73	115.89	53.13
FXRD domain-containing ion transport regulator 1 (phospholemman)									
1116	EST	24.97	0.00001	118.64	81.63	70.34	2849.54	2905.51	994.41
1141	EST	28.96	0.00064	-103.87	-106.99	71.68	1071.9	1164.8	789.64
1157	EST	6.04	0.00524	46.33	25.95	53.45	217.46	212.4	70.02
1164	EST	10.3	0.0008	9.16	14.72	11.39	324.16	253.23	258.82
1181	glypican 1	3.46	0.00887	16.1	4.35	40.39	120.52	137.84	66.93
1191	EST	3.35	0.00489	17.08	2.74	30.38	111.5	102.17	68.09
1198	KIAA0680 gene product	#N/A	#N/A	23.95	17.11	17.99	67.15	63.46	49.27
1212	lectin, mannose-binding, 1	3.01	0.00094	3.83	8.1	8.32	65.91	63.36	39.92
1229	EST	7.02	0.00053	-1.52	-6.03	15.81	184.62	198.21	108.17
1252	EST	3.31	0.00109	9.81	11.89	10.39	73.95	73.76	46.64

Table 9B. (page 21) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

AA465381	1272	EST	#N/A	#N/A	88.83	36.24	130.22	102.73	113.07	52.43
AA479968	1321	arylsulfatase A	9.01	0.00224	37.97	20.36	45.8	331.32	312.63	97.49
AA480997	1324	MADS box transcription enhancer factor 2,	#N/A	#N/A	16	20.58	9.93	68.53	55.62	63.6
AA481057	1325	polypeptide A (myocyte enhancer factor 2A)	#N/A	#N/A	16.3	18.55	8.1	33.83	37.89	23.22
AA486407	1347	EST	#N/A	#N/A	33.22	47.88	28.61	81.72	97.02	55.07
AA486567	1350	EST	5	0.00002	4.65	2.5	21.62	131.53	98.76	95.59
AA486794	1351	EST	#N/A	#N/A	49.57	52.25	18.73	78.8	72.55	31.84
AA487503	1356	EST	8.85	0.00012	13.8	17.99	8.76	220.45	255.47	119.11
AA490882	1381	EST	3.29	0.00319	20.67	13.84	27.06	100.67	98.47	54.46
AA490890	1382	EST	3.02	0.00007	20.26	21.34	9.23	75.61	65.02	33.37
AA496927	1402	EST	#N/A	#N/A	24.89	26.85	9.47	58.2	58.42	17.68
AA598685	1435	lectin, galactoside-binding, soluble, 8	#N/A	#N/A	16.45	11.35	11.87	55.9	55.08	42.18
AA598365	1449	(galectin 8)	#N/A	#N/A	36.41	34.43	21.53	83.84	84.81	43.41
AA600248	1461	decorin	#N/A	#N/A	59.11	59.91	32.47	80.55	71.14	61.42
AA609715	1488	EST	#N/A	#N/A	-1.49	-3.92	10.63	29.09	33.14	17.26
AA621796	1531	EST	4.44	0.00032	21.81	23.64	8.64	128.01	124.81	70.04
C20653	1578	kinesin family member 3B	10.59	0.00001	7.99	2.12	11.85	251.82	299.09	106.09
D11802	1597	EST	5.65	0.00009	55.88	52.43	25.14	319.73	291.02	132.07
D45529	1662	angiotensinogen	3.82	0.00193	12.24	-3.36	29.18	126.63	109.06	70.64
D59554	1698	EST	6.7	0	6.09	9.79	34.83	184.48	158.33	79.55
D60769	1703	EST	4.31	0.00142	13.44	13.91	10.95	119.96	107.2	86.36
F10380	1816	butyrobetaine (gamma), 2-oxoglutarate	#N/A	#N/A	36.92	34.01	13.56	106.49	93.71	83.35
F10874	1823	dioxxygenase (gamma-butyrobetaine	4.19	0.00025	233.85	209.96	107.99	1016.95	990.04	477.31
H03348	1833	hydroxylase)	5.77	0.0001	1.48	7.75	17.79	135.1	134.05	75.43
H16098	1885	claudin 1	#N/A	#N/A	45.29	37.73	26.92	87.28	94.49	38.15
H17472	1888	EST	#N/A	#N/A	12.2	9.54	8.57	31.08	31.66	13.28
H47838	1936	EST	16.74	0.00002	-26.99	-41.82	25.87	401.55	412.78	188.81
H56584	1951	carboxypeptidase B2 (plasma)	9.5	0	1.95	10.13	31.43	223.03	233.37	105.28
H69138	1986	4-nitrophenylphosphatase domain and non-	6.76	0.00142	42.88	30.87	38.35	328.51	313.13	218.8
H70627	1990	neuronal SNAP25-like 1	#N/A	#N/A	17.89	17.62	8.85	42.72	41.34	11.7
		v-Ki-ras2 Kirsten rat sarcoma 2 viral								
		oncogene homolog								
		EST								

Table 9B. (page 22) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

H73535	1996	EST	6.89	0.00202	154.24	97.36	149.45	912.39	956.58	383.35
H77494	1999	EST	#N/A	#N/A	9.65	6.64	15.53	42.67	47.73	27.54
H81070	2006	RNA helicase-related protein	25.74	0.00126	93.43	62.01	121.29	2044.42	2051.11	615.84
H81964	2008	SEC14 (S. cerevisiae)-like 1	#N/A	#N/A	9.95	15.7	12.54	29.9	21.14	20.56
H82424	2009	EST	#N/A	#N/A	41.99	48.17	21.1	65.11	69.41	36.73
H82735	2010	NOT3 (negative regulator of transcription 3, yeast) homolog	#N/A	#N/A	-1.13	6.14	29.78	58.77	54.86	35.76
H83109	2012	EST	16.55	0.00001	2.74	4.43	21.21	417.46	421.97	224.35
H93562	2038	proline synthetase co-transcribed (bacterial homolog)	3.17	0.00113	20.83	14.13	20.46	89.3	84.36	37.72
H93745	2040	GS2 gene	#N/A	#N/A	4.52	8.01	8.31	47.92	46.53	28.87
H96897	2056	KIAA0336 gene product	#N/A	#N/A	35.22	19.98	42.05	48.46	50.39	33.36
H97587	2060	endothelin receptor type B	#N/A	#N/A	-5.07	-3.35	14.02	39.65	36.54	21.7
H97670	2061	EST	#N/A	#N/A	23.31	29.71	31.35	101.35	128.08	56.78
H99393	2076	endothelin receptor type B	3.43	0.00093	4.63	9.33	11.96	79.18	70.67	42.71
N21626	2444	EST	#N/A	#N/A	29.77	24.63	25.09	59.18	46.15	33.56
N35247	2499	EST	#N/A	#N/A	39.9	33.56	15.03	117.08	116.14	57.05
N54311	2563	EST	4.82	0.00183	9.77	9.36	25.17	160.29	130.17	124.7
N57934	2576	forminotransferase cyclodeaminase	13.81	0.00171	806.55	477.9	939.39	9051.2	6373.16	8542.52
N59532	2584	aminomethyltransferase (glycine cleavage system protein T)	6.73	0.00005	12.43	2.55	17.66	196.37	155.84	122.13
N62523	2591	hepatic leukemia factor	5.02	0.00087	9.04	6.67	16.46	144.8	148.62	85.03
N63172	2598	cell division cycle 42 (GTP-binding protein, 25kD)	#N/A	#N/A	26.88	33.1	24.75	60.99	57.64	40.01
N66130	2613	progesterone membrane binding protein	3.98	0.0106	29.02	21.05	33.88	172.14	181.78	114.84
N67009	2621	prion protein (p27-30) (Creutzfeldt-Jakob disease, Gerstmann-Strausler-Scheinker syndrome, fatal familial insomnia)	3.55	0.00956	25.95	11.35	38.17	122.85	124.39	65.69
N67105	2623	EST	5.01	0.00176	-0.75	0.21	16.38	143.36	102.9	121.4
N67876	2627	insulin-like growth factor 1 (somatomedin C)	8.89	0.00042	11.81	15.88	8.82	267.41	145.79	238.35
N68133	2632	EST	#N/A	#N/A	2.35	-5.53	16.59	58.69	37.21	57.82
N68596	2635	betaine-homocysteine methyltransferase	40.99	0	-6.75	-13.81	19.15	1061.81	1013.27	574.42
N72200	2668	EST	#N/A	#N/A	12.93	14.15	14.26	57.8	56.14	30.12
R05309	2758	EST	3.72	0.0008	21.94	13.92	18.75	96.81	100.54	31.73
R06271	2765	EST	6.14	0.00063	23.1	18.95	21.07	208.75	221.65	107.72
R06273	2766	EST	#N/A	#N/A	138	103.77	75.66	235.98	183.78	122.56
R31104	2810	EST	#N/A	#N/A	-6.45	0.74	37.65	32.27	26.77	13.57

Table 9B. (page 23) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

R40395	2840	lecithin-cholesterol acyltransferase	37.33	0.00032	0.98	-46.23	77.82	1192.03	1230.66	281.28
R40556	2842	EST	3.57	0.00184	8.98	8.28	11.75	91.55	95.59	58.66
R40946	2844	crystallin, zeta (quinone reductase)	6.14	0.00156	18.65	19.52	14.3	205.48	220.3	137.27
R45480	2862	cyclin K	#N/A	#N/A	27.21	17.36	21.39	71.04	79.77	50.88
R62519	2925	EST	10.83	0.00243	73.01	104.54	56.5	707.38	751.42	357.22
T56281	3150	RNA helicase-related protein	32.34	0.00002	71.16	62.87	44.81	2132.07	2146.52	824.76
T59148	3157	carbamoyl-phosphate synthetase 1, mitochondrial	88.89	0	17.1	2.26	49.29	3384.09	3845.28	2295.81
T61256	3161	ketohexokinase (fructokinase)	13.59	0.00425	55.8	29.78	120.62	752.99	846.1	315.74
T61654	3165	apolipoprotein A-I	#N/A	#N/A	66.98	-33.89	208.52	9388.4	4297.02	12058.3
T64933	3173	EST	#N/A	#N/A	1.58	10.35	17.94	52.88	40.46	54.68
T65443	3174	EST	#N/A	#N/A	10.45	9.99	13.16	70.03	75.01	29
T66189	3177	glutaryl-Coenzyme A dehydrogenase	8.61	0.00003	17.08	20.49	23.82	269.19	301.13	136.96
T68855	3188	EST	34.04	0	8.38	6.98	9	800.27	911.26	406.27
T69020	3192	EST	5.39	0.00383	32.69	17.15	46.31	202.05	208.64	90.02
T69164	3194	EST	4.38	0.00548	34.31	17.81	30.85	173.2	167.2	85.34
T74542	3214	UDP glycosyltransferase 2 family, polypeptide B10	32.36	0.00004	27.96	25.04	64.23	1374.78	1445.94	869.3
T84084	3233	EST	#N/A	#N/A	21.47	21.35	9.96	68.96	66.69	27.4
T84491	3234	CUG triplet repeat,RNA-binding protein 2	#N/A	#N/A	32.84	34.93	8.15	79.08	80.41	33.03
T86482	3237	transferrin	11.15	0.00006	7.6	9.41	12.34	316.82	197.03	302.36
T91161	3252	EST	3.48	0.00002	9.95	2.64	11.55	77.85	70.8	30.28
W45560	3522	EST	5.06	0.00996	86.81	62.95	81.92	369.61	354.89	158.02
W79422	3601	fumarylacetoacetate	14.94	0.00059	-18.4	-19.27	33.52	467.37	554.19	306.71
W87480	3630	STAT induced STAT inhibitor-2	3.24	0.01063	31.91	26.07	30.44	129.06	119.73	80.94
W87606	3632	protein Z, vitamin K-dependent plasma glycoprotein	9.23	0.00085	2.53	-1.74	9.98	268.59	280.44	184.7
Z38192	3882	EST	3.35	0.00184	-0.28	-4.75	17.86	87.12	87.23	52.58
Z39833	3910	GTP-binding protein	16.89	0.00034	35.79	41.07	84.59	957.61	1080.1	674.72
AF000573	1543	homogentisate 1,2-dioxygenase (homogentisate oxidase)	13.76	0.00002	9.05	13.23	17.33	380.3	348.9	256.4
D12485	1600	phosphodiesterase I/nucleotide pyrophosphatase 1 (homologous to mouse Ly-41 antigen)	4.57	0.00008	-2.69	-0.53	9.86	101.7	90.07	46.62
D14664	1616	KIAA0022 gene product	8.98	0.00011	14.15	13.51	9.07	233.08	248.97	111.44
D14686	1617	aminomethyltransferase (glycine cleavage system protein T)	#N/A	#N/A	76.93	90.12	29.68	171.07	190.08	34.32

Table 9B. (page 24) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

D14695	1618	KIAA0025 gene product; MMS-inducible gene	6.48	0	28.53	28.21	12	196.04	197.12	77.25
D16350	1620	SA (rat hypertension-associated) homolog	3.83	0.00117	27.34	29.05	12.27	128.95	133.42	74.27
D31716	1647	basic transcription element binding protein 1	5.35	0.00086	16.08	23.65	17.64	166.06	203.79	87.22
D31815	1648	regucalcin (senescence marker protein-30)	10.55	0.00037	11.48	10.25	7	298.48	281.03	183.56
D49742	1668	hyaluronan-binding protein 2	18.13	0.00012	11.38	-0.72	41.45	509.66	531.78	127.5
D50582	1670	potassium inwardly-rectifying channel, subfamily J, member 11	#N/A	#N/A	61.44	65.47	28.34	70.38	76.35	25.4
D63160	1709	ficollin (collagen/fibrinogen domain-containing lectin) 2 (hucollin)	4.01	0.00391	51.13	46.11	30.07	219.26	228.53	125.06
D76435	1716	Zic family member 1 (odd-paired Drosophila homolog)	#N/A	#N/A	7.52	9.44	7.51	28.48	22.05	16.54
D78011	1717	dihydropyrimidinase	21.37	0.00003	22.34	11.34	31.83	640.3	680.03	206.48
D85181	1750	sterol-C5-desaturase (fungal ERG3, delta-5-desaturase)-like	9.56	0.00005	31.54	25.11	23.09	350.04	388.34	151.37
D85433	1751	EST	#N/A	#N/A	45.14	48.1	33.75	45.46	44.56	22.01
D86983	1758	p53-responsive gene 2	#N/A	#N/A	44.18	43.24	14.93	56.19	53	16.12
D87075	1760	solute carrier family 23 (nucleobase transporters), member 1	4.15	0.00067	5.77	-0.83	26.24	119.77	104.75	72.62
D90282	1769	carbamoyl-phosphate synthetase 1, mitochondrial	27.29	0.00002	8.24	12.24	8.02	712.98	819.32	415.69
H46990	1933	cytochrome P450, subfamily IIE (ethanol-inducible) EST	3.2	0.00095	-0.27	-6.33	16.23	72.1	71.1	37.01
HG1148-HT1148		A kinase (PRKA) anchor protein 13	17.51	0.00024	11.81	2.35	49.19	501.82	482.3	169.87
HG2167-HT2237		plastin 3 (T isoform)	#N/A	#N/A	12.53	10.98	18.36	61.94	62.5	16.73
HG2755-HT2862		protease inhibitor 4 (kallistatin)	#N/A	#N/A	50.51	23.74	81.64	158.94	142.23	112.33
HG4533-HT4938		protease inhibitor 4 (kallistatin)	11.01	0.00001	35.74	42.24	20.68	479.23	562.95	221.2
J02943	2090	corticosteroid binding globulin	18.98	0.00087	57.44	39.79	44.72	880.54	924.99	144.24
J03810	2099	solute carrier family 2 (facilitated glucose transporter), member 2	21.99	0.00004	21.12	16.81	24.34	571.66	593.24	118.08
J04056	2104	carbonyl reductase 1	5.19	0.00001	9.77	22.83	29.45	145.33	139.19	73.11
J05037	2116	serine dehydratase	16.24	0.00015	12.71	32.78	67.98	626.47	497.97	306.18
J05158	2117	carboxypeptidase N, polypeptide 2, 83kD	8.52	0	2.27	-7.78	21.43	209.63	218.19	81.01
K02100	2123	ornithine carbamoyltransferase	10.24	0.00009	6.1	3.97	11.14	253.26	300.99	126.18

Table 9B. (page 25) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

K02402 L00972	2125 2133	coagulation factor IX (plasma thromboplastic component, Christmas disease, hemophilia B) cystathionine-beta-synthase	28.81 7.19	0.00001 0.00008	10.4 30.44	2.94 29.08	28.08 21.44	742.92 268.9	734.01 253.33	215.88 153.24
	L07956		2148	glucan (1,4-alpha-), branching enzyme 1 (glycogen branching enzyme, Andersen disease, glycogen storage disease type IV)	5.6	0.00029	19.13	18.57	16.75	166.17
L09717	2153	lysosomal-associated membrane protein 2 murine leukemia viral (bmi-1) oncogene homolog	4.06	0.00034	16.78	9.78	21.83	115.12	111.26	57.66
L13689	2164	activating transcription factor 3 apolipoprotein F	#N/A #N/A	#N/A #N/A	32.33 72.2	34.76 31	18.57 78.72	63.42 98.22	77.84 85.66	36.39 61.41
L19871	2172		pericentriolar material 1 afamin	10.26 #N/A	0.00026 #N/A	-23.8 58.75	-20.7 58.95	14.43 40.61	258.1 90.06	252.65 82.71
L27050	2186	arylamide deacetylase (esterase) procollagen C-endopeptidase enhancer	#N/A	0.00003	9.44	16	10.75	426.89	464.97	221.11
L27841	2187		bile acid Coenzyme A: amino acid N-acyltransferase (glycine N-choloyltransferase)	17.31 23.83	0 #N/A	22.94 87.45	24.96 73.5	16.06 89.14	688.97 230.54	675.71 248.1
L32140	2192	angiogenin, ribonuclease, RNase A family, 5 lecithin-cholesterol acyltransferase	11.96	0.00008	6.09	4.41	14.12	314.27	330.42	174.43
L32179	2193		kallikrein B plasma, (Fletcher factor) 1	22.21	0.00004	36.05	28.85	37.25	896.92	896.69
L33799	2196	ceruloplasmin (ferroxidase)	23.96	0	-47.64	-42.75	75.52	591.6	603.68	188.25
L34081	2199	thyroxin-binding globulin	18.38	0.00006	20.84	10.7	36.84	535.53	539.53	186.97
L48516	2220	aldolase B, fructose-bisphosphate coagulation factor V (proaccelerin, labile factor)	32.25	0.0001	2.5	-18.19	58.03	1019.17	968.25	273.9
M10058	2230		complement component 8, beta polypeptide	4.55	0.01584	110.15	128.06	73.94	447.22	425.61
M11437	2238	coagulation factor XII (Hageman factor)	10.39	0.00019	38.55	37.19	32.81	402.05	441.15	122.27
M1567	2239	coagulation factor XI (plasma thromboplastin antecedent)	15.85	0.00012	36.21	37.43	44.51	688.89	638.74	329.28
M12625	2245		coagulation factor IX (plasma thromboplastic component, Christmas disease, hemophilia B)	10.66	0.00024	1.76	2.84	9.9	269.26	284.66
M13143	2249	coagulation factor V (proaccelerin, labile factor)	96.66	0	-44.61	-66.97	59.8	2911.78	2539.75	1883.04
M13699	2253		coagulation factor XII (Hageman factor)	5.56	0.00047	22.71	26.49	30.11	204.85	248.05
M14091	2257	coagulation factor XI (plasma thromboplastin antecedent)	22.75	0.00001	20.03	23.43	31.9	686.99	714.82	203.16
M15656	2268		coagulation factor XII (Hageman factor)	9.76	0.00285	94.21	63.47	93.18	706.11	724.27
M16967	2275	coagulation factor XI (plasma thromboplastin antecedent)	6.4	0.00004	38.74	45.83	14.62	247.85	259.47	69.46
M16973	2276		coagulation factor XII (Hageman factor)	22.75	0.00001	20.03	23.43	31.9	686.99	714.82
M17466	2279	coagulation factor XI (plasma thromboplastin antecedent)	9.76	0.00285	94.21	63.47	93.18	706.11	724.27	261.46
M20218	2288		coagulation factor XII (Hageman factor)	6.4	0.00004	38.74	45.83	14.62	247.85	259.47

Table 9B. (page 26) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

M20786	2290	alpha-2-plasmin inhibitor alanyl (membrane) aminopeptidase (aminopeptidase N, aminopeptidase M, microsomal aminopeptidase, CD13, p150) lipase, hepatic nidogen (enactin) aldehyde dehydrogenase 5 Janus kinase 1 (a protein tyrosine kinase) coagulation factor XIII, B polypeptide glycine dehydrogenase (decarboxylating; glycine decarboxylase, glycine cleavage system protein P)	16.95	0.00709	58.96	-14.12	171	1074.45	1132.06	620.06
M22324	2295		#N/A	#N/A	224.68	25.21	471.53	365.81	363.02	134.32
M29194	2315		12.18	0.00012	18.97	11.91	30.61	352.8	332.28	87.49
M30269	2323		3.4	0.00026	19.81	26.36	14.57	96.8	94.16	42.52
M63967	2378		4.04	0.00058	34.59	36.64	5.46	164.38	178.74	87.39
M64174	2379		#N/A	#N/A	10.42	10.81	15.82	59.51	59.38	27.77
M64554	2380		5.87	0.00011	-4.73	-4.91	7.92	137.26	136.8	72.05
M64590	2381		6.41	0.00002	14.28	17.87	8.65	152.26	127.72	82.96
M64929	2383	protein phosphatase 2 (formerly 2A), regulatory subunit B (PR 52), alpha isoform protein C inhibitor (plasminogen activator inhibitor III)	#N/A	#N/A	64.63	38.82	95.31	106.38	88.13	67.95
M68516	2387		20.54	0	-1.34	-11.78	20.54	466.81	481.06	119.75
M68840	2388	monoamine oxidase A	3.96	0.01396	42.09	28.9	45.52	182	201.64	94.09
M69177	2391	monoamine oxidase B	11.64	0.00001	21.97	20.41	20.83	322.15	340.27	94
M74719	2395	transcription factor 4	#N/A	#N/A	8.97	15.15	10.62	46.89	44.78	12.66
M75106	2396	carboxypeptidase B2 (plasma)	40.63	0	19.77	30.19	22.24	1170.81	1124.59	329.77
M76665	2397	hydroxysteroid (11-beta) dehydrogenase 1	19.22	0.00004	33.41	17.51	23.86	628.97	670.88	196.22
M83772	2408	flavin containing monooxygenase 3 SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 1	19.54	0	6.88	-0.95	15.39	504.14	595.51	245.03
M88163	2415		3.37	0.00098	17.39	17.52	7.25	84.41	91.86	41.42
M88338	2416	serum constituent protein	#N/A	#N/A	134.22	128.76	53.79	155.51	140.27	70.28
M88468	2417	mevalonate kinase (mevalonic aciduria) methylmalonate-semialdehyde dehydrogenase	#N/A	#N/A	89.85	108.13	54.23	214.81	260.33	86.76
M93405	2423	dihydroorotate dehydrogenase	23.06	0	16.51	27.77	20.66	679.66	734.58	307.25
M94065	2424	electron-transferring-flavoprotein dehydrogenase	6.47	0.00013	30.26	20.14	17.64	202.13	183.44	86.43
S69232	3026		4.9	0.00017	2.73	4.9	4.29	113.33	103.27	60.93
S70004	3028	glycogen synthase 2 (liver)	9.96	0.00001	-0.03	-4.28	11.42	225.1	212.32	102.76
S82240	3038	ras homolog gene family, member E B-cell CLL/lymphoma 6 (zinc finger protein 51)	#N/A	#N/A	19.9	6.78	30.8	75.14	74.07	40.43
U00115	3271		5.18	0.00045	16.17	10.31	26.94	132.13	133.88	32.06

Table 9B. (page 27) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

U01120	3273	glucose-6-phosphatase, catalytic (glycogen storage disease type I, von Gierke disease)	13.41	0.00147	83.05	45.5	91.8	878.33	693.43	495.6
U03056	3279	hyaluronoglucosaminidase 1	6.64	0	12.68	11.77	4.73	139.32	137.21	43.97
U08198	3291	complement component 8, gamma polypeptide	19.71	0	-29.27	-38.32	47.54	544.28	630.51	234.87
U11313	3296	sterol carrier protein 2	5.44	0.00187	17.39	0.82	35.86	181.8	228.15	99.25
U12778	3300	acyl-Coenzyme A dehydrogenase, short/branched chain	5.68	0.00116	5.23	6.16	7.33	147.06	158.14	91.5
U13061	3301	sulfotransferase family 2A, dehydroepiandrosterone (DHEA) -preferring, member 1	11.32	0.00048	9.86	7.49	19.46	369.12	431.45	213.83
U15174	3309	BCL2/adenovirus E1B 19kD-interacting protein 3	#N/A	#N/A	41.72	11.86	49.01	129.19	138.02	68.72
U15932	3310	dual specificity phosphatase 5	#N/A	#N/A	47.94	27.05	47.87	86.73	86.97	38.45
U17989	3315	nuclear autoantigen	#N/A	#N/A	14.21	12.72	6.13	44.22	41.28	19.09
U19523	3319	GTP cyclohydrolase 1 (dopa-responsive dystonia)	5.25	0.00029	12.84	12.26	15.75	136.86	142.71	66.64
U20530	3321	secreted phosphoprotein 2, 24kD	16.93	0	12.63	11.54	9.93	383.92	421.24	128.02
U22662	3328	nuclear receptor subfamily 1, group H, member 3	#N/A	#N/A	5.71	14.46	20.18	63.21	58.72	37.5
U31342	3343	nucleobindin 1	#N/A	#N/A	77.59	66.2	40.03	183.59	197.29	58.86
U32989	3347	tryptophan 2,3-dioxygenase	10.07	0.02825	166.12	22.7	333.99	527.61	473.11	268.8
U37143	3353	cytochrome P450, subfamily 1J (arachidonic acid epoxidase) polypeptide 2	#N/A	#N/A	33.79	28.24	31.46	116.06	131.46	48.68
U37547	3354	apoptosis inhibitor 1	#N/A	#N/A	29.52	19.51	48.74	93.6	112.45	52.27
U46689	3365	aldehyde dehydrogenase 10 (fatty aldehyde dehydrogenase)	3.5	0.01292	31.22	25.36	49.19	124.41	136.16	53.23
U48707	3370	protein phosphatase 1, regulatory (inhibitor) subunit 1A	14.22	0	-1.33	-1.45	20.92	319.97	310.24	125.51
U49082	3372	transporter protein	9.17	0.00088	71.87	46.71	56.13	563.34	515.31	179.82
U49248	3373	ATP-binding cassette, sub-family C (CFTR/MRP), member 2	7.06	0.00067	30.01	26.03	36.14	231.96	249.25	91.2
U50929	3379	betaine-homocysteine methyltransferase	36.91	0	8.63	2.82	20.35	898.57	865.9	313.61
U57094	3393	RAB27A, member RAS oncogene family	#N/A	#N/A	30.85	31.58	23.86	93.06	93.79	50.75
U59423	3398	MAD (mothers against decapentaplegic, Drosophila) homolog 1	#N/A	#N/A	17.46	16.81	10.17	60.5	51.09	37.25

Table 9B. (page 28) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

U68233	3411	nuclear receptor subfamily 1, group H, member 4	6.76	0.00022	19.94	9.8	29.99	198.25	233.6	83.71
U69141	3413		glutaryl-Coenzyme A dehydrogenase	3.06	0.00053	35.13	27.91	13.89	108.36	119.26
U72515	3415	putative protein similar to nessy (Drosophila) hydroxyacyl-Coenzyme A dehydrogenase, type II	#N/A	#N/A	45.44	58.93	45.12	137.35	138.01	55.38
U73514	3418	LPS-induced TNF-alpha factor	3.79	0.01392	9.85	-22.7	56.91	159.74	161.9	127.8
U77396	3425		retinoic acid receptor responder (tazarotene induced) 2	4.47	0.00108	30.53	33.74	31.54	169.83	141.36
U77594	3427	reelin	11.95	0.00527	94.59	122.86	71.01	838.98	864.02	313.87
U79716	3436		reelin	3.51	0.00053	14.44	9.15	15.58	90.6	101.49
U81607	3439	A kinase (PRKA) anchor protein (gravin) 12	#N/A	#N/A	18.75	8.46	50.91	82.7	78.31	62.79
U83461	3443	solute carrier family 31 (copper transporters), member 2	#N/A	#N/A	24.64	21.28	13.16	51.79	48.53	20.85
U85193	3446	nuclear factor I/B	#N/A	#N/A	21.84	23.61	4.44	72.71	68.69	32.02
U90544	3453	solute carrier family 17 (sodium phosphate), member 2	6.42	0.00023	-3.14	-5.18	19.12	157.41	168.92	63.8
X02750	3670	protein C (inactivator of coagulation factors Va and VIIIa)	7.04	0.00079	55.79	52.95	30.08	373.11	367.46	95.74
X06562	3683		growth hormone receptor	10.87	0.00001	10.46	6.89	15.53	291.31	314.9
X07732	3690	hepsin (transmembrane protease, serine 1)	28.21	0	-8.34	-12	39.24	678.15	672.42	183.61
X07767	3691	protein kinase, cAMP-dependent, catalytic, alpha	5.94	0.00028	16.15	19.43	11.48	152.58	160.88	73.73
X12662	3694		arginase, liver	20.59	0	11.33	10.15	12.81	486.71	479.11
X13227	3695	D-amino-acid oxidase	4.81	0.0002	25.1	33.95	26.2	166.22	147.21	77.49
X14813	3702	acetyl-Coenzyme A acyltransferase 1 (peroxisomal 3-oxoacyl-Coenzyme A thiolase)	11.61	0.0002	59.4	71.51	42.45	712.58	704.45	258.91
X15393	3704		motilin	#N/A	#N/A	70.16	55.83	27.07	113.93	117.96
X16663	3711	hematopoietic cell-specific Lyn substrate 1	#N/A	#N/A	48.32	28.69	56.44	81.51	83.53	33.75
X17094	3714	paired basic amino acid cleaving enzyme (furin, membrane associated receptor protein)	8.5	0	-1.85	7.01	25.41	190.11	216.35	74.11

Table 9B. (page 29) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

X53414	3725	alanine-glyoxylate aminotransferase (oxalosis I; hyperoxaluria I; glycolicaciduria; serine-pyruvate aminotransferase)	13.87	0.00003	138.92	110.29	90.59	1856.57	1888.79	846.06
X54380	3727	pregnancy-zone protein	8.44	0.00059	4.93	3.19	19.26	274.41	255.4	203.47
X56411	3734	alcohol dehydrogenase 4 (class II), pi polypeptide	25.14	0.00144	55.53	11.29	102.45	991.98	943.64	448.31
X57025	3739	insulin-like growth factor 1 (somatomedin C) UDP glycosyltransferase 2 family, polypeptide B10	4.72	0.00087	5.88	10.95	10.22	120.82	100.54	85.16
X63359	3756	c-myc promoter-binding protein	13.66	0.00051	55.28	48.57	41.25	669.93	732.6	161.42
X63417	3757	death-associated protein	#N/A	#N/A	28.85	27.75	24.56	68.08	56.34	33.18
X76105	3791	butyrate response factor 2 (EGF-response factor 2)	3.02	0.00944	30.12	33.72	31.36	108.68	118.36	56.75
X78992	3799	cadherin 5, VE-cadherin (vascular epithelium)	4.69	0.01995	64.86	31.76	66.31	318.26	336.95	207.43
X79981	3803	hydroxyacyl glutathione hydrolase; glyoxalase 2	#N/A	#N/A	45.01	41.07	11.65	80.92	80.1	8.57
X90999	3817	microsomal triglyceride transfer protein (large polypeptide, 88kD)	5.27	0.00047	16.15	26.83	26.47	170.37	179.54	76.98
X91148	3818	synaptobrevin-like 1	5.91	0.00045	15.37	3.85	31.49	173.77	189.11	83.82
X92396	3820	acyl-Coenzyme A oxidase 2, branched chain transcription factor binding to IGHM enhancer 3	#N/A	#N/A	40.87	17.73	57.17	67.49	61.23	31.24
X95190	3829	aldol-keto reductase family 1, member D1 (delta 4-3-ketosteroid-5-beta-reductase)	12.81	0	-80.53	-76.73	37.81	285.88	349.39	119.31
X97160	3835	flavin containing monooxygenase 5 peroxisome receptor 1 EST	#N/A	#N/A	61.31	49.54	30.41	75.26	66.36	29.46
Z28339	3872	small inducible cytokine subfamily A (Cys- Cys), member 14	24.66	0	3.67	3.48	5.1	527.72	552.17	156.66
Z47553	3936	guanine nucleotide N-methyltransferase	6.17	0.00011	4.86	1.26	8.96	141.98	165.57	59.33
Z48054	3938	complement component 9	#N/A	#N/A	46.89	51.87	23.55	78.16	80.88	26.87
Z48633	3941	cytochrome P450, subfamily IVA, polypeptide 11	#N/A	#N/A	-5.51	-6.39	13.15	36.84	40.63	26.33
Z49269	3942		18.46	0.00001	1.88	-25.63	41.94	526.13	532.29	166.67
Z49878	3943		13.96	0.00021	44.63	45.34	41.76	615.57	659.09	196.31
K02766	2126		21.24	0	23.15	14.02	21.18	652.66	656.14	320.1
L04751	2138		36.79	0.00004	32.39	23.29	32.64	1164.28	1183.4	334.08

Table 9B. (page 30) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

M24283	2303	intercellular adhesion molecule 1 (CD54), human rhinovirus receptor	3.19	0.04985	77.88	34.05	69.45	207.07	183.74	121.4
M61853	2369	cytochrome P450, subfamily IIC (mephenytoin 4-hydroxylase), polypeptide 18	7.82	0.00024	12.17	12.44	4.36	191.94	204.27	91.68
S77410	3034	angiotensin receptor 1	10.4	0	18.77	17.34	10.85	266.59	284.37	98.14
U20938	3323	dihydropyrimidine dehydrogenase	3.92	0.00053	6.66	6.08	7.12	90.66	97.02	44.64
U60061	3399	fasciculation and elongation protein zeta 2 (zyglin II)	#N/A	#N/A	61.44	29.18	68.3	55.02	66.29	38.2
X15422	3705	mannose-binding lectin (protein C) 2, soluble (opsonic defect)	8.29	0.00015	2.28	2.69	7.25	208.25	221.14	123.22
X16323	3708	hepatocyte growth factor (hepatopoietin A; scatter factor)	#N/A	#N/A	10.65	6.56	6.59	32.58	30.52	9.66
Y00097	3841	annexin A6	3.4	0.00233	19.43	16.39	33.67	105.39	104.75	39.99
M15465	2266	pyruvate kinase, liver and RBC	6.1	0.00069	3.06	3.32	11.38	158.56	132.57	102.11
D13814	1611	angiotensin receptor 1, angiotensin receptor 1B	3.12	0.00101	13.86	10.01	12.82	79.69	75.71	45.03
HG2383-HT4824		cystathionine-beta-synthase	13.57	0.00035	-0.01	2.09	10.74	377.07	375.12	210.67
HG2730-HT2827		fibrinogen, A alpha polypeptide	25.1	0	17.62	12.16	24.49	720.93	681.36	259.11
HG2743-HT2846		caldesmon 1	3.33	0.00135	27.49	25.6	21.89	103.56	92.79	35.98
M83216	2406	caldesmon 1	4.27	0.00037	7.89	2.98	12.17	105.21	109.38	55.62
J03242	2092	insulin-like growth factor 2 (somatomedin A)	4.01	0.00042	40.37	45.32	15.53	179.86	172.23	104.64
J04093	2106	UDP glycosyltransferase 1	18.92	0	8.62	8.7	12.9	462.51	511	215.46
M13232	2251	coagulation factor VII (serum prothrombin conversion accelerator)	5.9	0.00014	43.46	42.59	18.46	248.65	275.82	70.94
Y00339	3844	carbonic anhydrase II	6.89	0	6.23	-1.39	18.22	168.76	178.44	69.52
X02176	3669	complement component 9	9.61	0.00004	47.28	46.34	28.54	507.56	507.21	261.45
U37055	3352	macrophage stimulating 1 (hepatocyte growth factor-like), macrophage stimulating, pseudogene 9	18.28	0	-7.37	-38.2	47.48	549.49	626.51	217.69
X65727	3765	glutathione S-transferase A2, glutathione S- transferase A3	73.64	0	21.03	17.39	15.18	2162.22	2183.18	1435.52
U80226	3438	4-aminobutyrate aminotransferase	#N/A	#N/A	39.69	51.46	20.33	86.94	91.76	24.15
U19495	3318	stromal cell-derived factor 1	4.59	0.00011	7.17	5.76	5.65	103.81	114.61	50.36
U08006	3289	complement component 8, alpha polypeptide	16	0.00111	47.06	31.92	47.52	633.01	661.72	102.98

Table 9B. (page 31) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

M23234	2299	ATP-binding cassette, sub-family B (MDR/TAP), member 4	10.05	0	-4.37	-11.49	29.05	255.03	242.93	112.08
M30257	2322	vascular cell adhesion molecule 1	3.11	0.00064	17.33	13.46	10.06	78.1	82.04	35.74
M86873	2413	plasminogen, plasminogen-like complement component 5	17.54	0	-3.92	-8.08	6.71	410.11	403.69	218.51
M65134	2385	cytochrome P450, subfamily IIC (mephenytoin 4-hydroxylase)	12.01	0.00012	2.31	3.66	7.43	303.27	337.95	151.33
X65962	3766	CD36 antigen (collagen type I receptor, thrombospondin receptor)	5.47	0.00014	36.73	31.48	11.66	247.79	149.39	208.59
M98399	2436	glycine amidinotransferase (L-arginine:glycine amidinotransferase)	#N/A	#N/A	4.71	4.58	5.51	47.65	38.28	35.2
X86401	3812	UDP glycosyltransferase 2 family, polypeptide B15	22.7	0	19.17	9.16	19.13	646	721.34	274.64
U08854	3292	nicotinamide N-methyltransferase	7.38	0.00005	10.72	6.45	10.71	181.08	184.97	91.81
U51010	3380		27.79	0.00366	105.25	43.72	204.23	1589.66	1590.62	536.04
X07619	3689	cytochrome P450, subfamily IID (debrisoquine, sparteine, etc., -metabolising), polypeptide 7a (pseudogene)	4.96	0.00004	32.26	33.56	10.88	177.56	206.15	77.69
X64877	3763	H factor (complement)-like 3	14.6	0	14.6	7.51	21.01	387.8	402.95	151.23
X64877	3763	H factor (complement)-like 3	12.33	0	6.14	8.26	14.25	262.65	268.29	84.84
X98337	3837	complement factor H related 3, complement factor H-related 4	13.5	0.00001	18.76	22.2	33.33	411.51	375.08	169.37
X94563	3828	EST	3.52	0.00928	76.79	66.4	52.64	274.91	244.92	177.63
D90042	1767	N-acetyltransferase 2 (arylamine N-acetyltransferase)	7.06	0	5.13	18.92	32.5	167.38	176.16	66.7
M10943	2234	metallothionein 1F (functional)	3.88	0	53.15	52.73	8.81	217.65	186.71	86.73
S68287	3024	aldo-keto reductase family 1, member C4 (chlordecone reductase; 3-alpha hydroxysteroid dehydrogenase, type I; dihydrodiol dehydrogenase 4)	24.11	0	6.23	6.37	9.75	510.59	569.32	165.14
U02388	3277	cytochrome P450, subfamily IVF, polypeptide 2	9.38	0.00001	-4.93	-3.43	18.14	207.48	207.15	90.12
U05861	3284	aldo-keto reductase family 1, member C1 (dihydrodiol dehydrogenase 1; 20-alpha (3-alpha)-hydroxysteroid dehydrogenase)	23.22	0.00002	47.98	44.41	21.91	1070.69	962.74	359.01
L11931	2159	serine hydroxymethyltransferase 1 (soluble)	7.27	0.00041	-18.81	-31.65	26.43	188.25	181.11	114.89

Table 9B. (page 32) Genes and ESTs expressed only in Normal2 vs Metastatic Liver Tumor

L32961	2194	4-aminobutyrate aminotransferase	#N/A	15.64	7.44	15.63	76.44	79.62	26.55
M16594	2272	glutathione S-transferase A2	0	-3.62	-9.74	18.15	1602.11	1787.28	655.41
L00389	2132	cytochrome P450, subfamily I (aromatic compound-inducible), polypeptide 2	#N/A	69.38	86.39	64.81	222.59	184.81	121.16
M33317	2338	cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 7	0	44.53	35.06	29.77	1613.89	1437.34	1086.43
U22029	3326	cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 7	0	5.05	10.11	21.51	1968.7	1339.04	1937.45
X13930	3697	cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 6	0	52.66	64.02	31.42	2408.66	1948.18	1843.46